



真诚打造信誉 · 追求更高品位
Create Sincere Credit, Go In For Higher Level

PNEUMATIC COMPONENTS

Afford Reassurance Products, Keep Excellent Service

- PNEUMATIC FITTINGS
- D.O.T. AIR BRAKE FITTINGS
- BRASS PIPE FITTINGS
- STAINLESS STEEL FITTINGS
- VALVE & FUNCTION FITTINGS
- QUICK COUPLING
- AIR HOSE
- PNEUMATIC ACCESSORY



TEL: 0086-153-8194-5096
FAX: 0086-574-8724-5124
E-mail: pace@china-pace.com
Web: [Http://www.china-pace.com](http://www.china-pace.com)
WhatsApp: 86-15381945096

NINGBO PACE PNEUMATICS CO., LTD.

宁波贝狮气动元件有限公司

Company Profile 公司简介

NingBo Pace Pneumatics Co.,Ltd. is a Chinese manufacturer specialized in producing pneumatic fittings, D.O.T. air brake fittings, brass fittings, stainless steel fittings, quick coupler, air hose etc., located in convenient traffic city, ningbo. Our factory occupies 8000 square meters, owns more than 50 productive employees and was founded in 2003. After some years of efforts, our products are been exported to all over the world, the quality and the credibility is the most important for us, We sincerely look forward to cooperating with you

宁波贝狮气动元件有限公司公司成立于2003年，是一家专业生产和销售气动快速接头、D.O.T.认证空气刹车接头、各式黄铜接头（卡套、快拧接头、高压润滑接头接头等）、不锈钢接头、气动工具快插、空气软管等气动元件的中国厂家，坐落于交通便利的中国宁波。占地面积8000平方米，拥有员工50余人。经过几年的努力，我们的产品已出口到世界各地，质量和信誉是我们公司一直追求的，我们真诚地期待与您的合作



Products 产品



Menu
产品目录

Pneumatic Fittings
气动接头

Plastic Push In Fittings 塑料快速接头	6-22
Compact One Touch Fittings 迷你快速接头	23-24
Air Flow Control Valve 气动节流阀	25-27
Hand (Shut-Off) Valve 气动手阀	28-30
Check Valve 气动单向阀	31-32
Stop Fittings 气动截止阀	33-34

Nickel Plated Brass Fittings
铜镀镍接头

Camozzi Type All Brass Push In Fittings 康茂盛型全铜快速接头	35-41
Universal Thread Brass Push In Fittings 通用螺纹全铜快速接头	42-44
Lubrication Systems High Pressure Fittings 润滑高压接头	45-46
Push Lock Misting Fittings 雾化快速接头	47-48
SUS Gripper Brass Push In Fittings 簧片式全铜快速接头	49-52
Rapid Screw Fittings For Plastic Tubing 全铜快拧接头	53-58
Nickel Plated Brass Pipe Fittings 铜镀镍管道接头	59-62

D.O.T. Approved Fittings
DOT认证接头

DOT Brass Push To Connect Fittings 全铜DOT快速接头	63-80
DOT Plastic Push In Fittings 塑料DOT快速接头 (New !)	81-87
DOT Air Brake Fittings Kit 刹车接头套装	88-90
DOT Compression Fittings For Nylon Tubing 尼龙管DOT卡套接	91-97
DOT Compression Fittings For Copper Tubing 铜管DOT卡套接头	98-100
DOT Air Brake Hose Ends DOT管套接头	101-102

Brass Fittings
黄铜接头

Brass Pipe Fittings 黄铜管道接头	103-109
----------------------------	---------

Menu
产品目录

Brass Hose Barb Fittings 黄铜宝塔接头	110-118
Brass Compression Fittings 黄铜卡套接头	119-122
Brass Flareless Compression Fittings 黄铜内卡卡套接头	123-126
Brass Push On Hose Barb Fittings 塑料套宝塔接头	127-128
Brass SAE 45° Flare Fittings 黄铜SAE 45度过渡接头	129-131
Brass Inverted Flare Fittings 黄铜内卡过渡接头	132-133
Brass Push In Fittings 全铜快速接头	134-136

Stainless Steel Fittings (316/304)
不锈钢接头

Stainless Steel Push In Fittings 不锈钢快速接头	137-142
Stainless Steel Compression Fittings 不锈钢卡套接头	143-146
Stainless Steel Rapid Screw Fittings 不锈钢快拧接头	147-149
Stainless Steel Pipe Fittings 不锈钢管道接头	150-153
Stainless Steel Hose Barb Fittings 不锈钢宝塔接头	154-156

Air Suspension Parts (Schrader Vale)
充气接头

Air Brake Parts
刹车管路配件

Drain Valve / Safety Valve / Test Point / Ball Valve 阀	159-159
CA93 Air Brake Coupling / Safety Coupling 气刹快插接头	160-161
Air Brake Nylon Hose 空气刹车尼龙管	162-162
Suzi Coil Hose 刹车弹簧管	163-164

Air Quick Coupler
气动快插接头

USA Quick Coupler 美式快插接头	165-167
EURO Quick Coupler 欧式快插接头	168-170
Nitto (Japanese) Quick Coupler 日东快插接头	171-173

Menu
产品目录

Air Blow Gun 吹尘枪	173-173
Pneumatic Silencers 消声器	174-174
Air Hose 气动软管	
PU Tube PU管	175-178
Nylon Hose PA尼龙管	179-180
Tube Cutter 气动软管剪	180-180

Push In Fittings
气动快速接头


Plastic Push In Fittings
气动快速接头

Features
特点

快插式气动管接头用于气动管类系统, 管接头具有各种各样的型号, 可以满足你在气动管类系统中的所有需要,即使安装之后, 管道的方向仍然可以自由改变, 镀镍的铜体可以防腐蚀和污染, 所有的R跟NPT 螺纹都会涂密封胶, 所有的直螺纹 (G螺纹和M螺纹) 都用标准的O型圈

One-Touch tube fittings are used in pneumatics piping. The tube fittings come in a wide variety of models to meet all your needs in pneumatics piping. Even after installation, the direction of the tube can be changed freely. Nickel-Plated metal body ensures Anti-Corrosion and Anti-Contamination. All R and NPT threads are Pre-Coated sealant. All cylindrical threads (G Thread and Metric Thread) are standard with O-Ring seals.

Structure Chart
结构图



SPECIFICATIONS
技术参数

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60℃
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon

气管外径/Tube Outer Diameter mm													
公制管/Metric Size													
Code 代号	03	04	05	06	07	08	09	10	11	12	14	15	16
气管外径/Tube Outer Diameter mm	3mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm	11mm	12mm	14mm	15mm	16mm


气管外径/Tube Outer Diameter mm							
英制管/Inch Size							
Code 代号	1/8	5/32	3/16	1/4	5/16	3/8	1/2
气管外径/Tube Outer Diameter mm	1/8 Inch	5/32 Inch	3/16 Inch	1/4 Inch	5/16 Inch	3/8 Inch	1/2 Inch

螺纹型式及尺寸 Thread Type and size								
公制 Metric Size								
Code 代号	M5	M6	M8	M10	M12	M14	M16	M20
螺纹/Thread	3mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm

55°锥管螺纹 / 55° BSPT [R] Thread					55°直管螺纹 / 55° BSPP [G] Thread			
Code 代号	01	02	03	04	Code 代号	G01	G02	G03
螺纹 / Thread	R1/8	R1/4	R3/8	R1/2	螺纹 / Thread	G1/8	G1/4	G3/8

	统一细牙螺纹 / UNF	美制60°锥管螺纹 /American Standard NPT Thread			
Code 代号	U10	N01	N02	N03	N04
螺纹 / Thread	10-32UNF	1/8NPT	1/4NPT	3/8NPT	1/2NPT


How To Order 产品订购



Body Color 塑料壳体颜色

Black / White Grey 黑色和灰白色

*** Our regular fitting is of black plastic body and blue Round sleeve. Its metal part is brass with nickel plated.
 *** 我们常规的是黑色塑料壳体, 蓝色圆形按钮, 铜镀镍外观



Sleeve Color and Shape
 按钮颜色和形状

Sleeve Select	
Color	Blue
	Black
	Grey
	Others
Shape	Round
	Oval



Male Adapter - Push In Fittings 外六角外牙直通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PC 04-M5	4mm	M5	PC 1/8-U10	1/8"	10-32 UNF
PC 04-M6	4mm	M6	PC 1/8-N01	1/8"	1/8 NPT
PC 04-01	4mm	R1/8	PC 1/8-N02	1/8"	1/4 NPT
PC 04-02	4mm	R1/4	PC 5/32-U10	5/32"	10-32 UNF
PC 06-M5	6mm	M5	PC 5/32-N01	5/32"	1/8 NPT
PC 06-M6	6mm	M6	PC 5/32-N02	5/32"	1/4 NPT
PC 06-01	6mm	R1/8	PC 3/16-U10	3/16"	10-32 UNF
PC 06-02	6mm	R1/4	PC 3/16-N01	3/16"	1/8 NPT
PC 06-03	6mm	R3/8	PC 3/16-N02	3/16"	1/4 NPT
PC 06-04	6mm	R1/2	PC 3/16-N03	3/16"	3/8 NPT
PC 08-01	8mm	R1/8	PC 1/4-U10	1/4"	10-32 UNF
PC 08-02	8mm	R1/4	PC 1/4-N01	1/4"	1/8 NPT
PC 08-03	8mm	R3/8	PC 1/4-N02	1/4"	1/4 NPT
PC 08-04	8mm	R1/2	PC 1/4-N03	1/4"	3/8 NPT
PC 10-01	10mm	R1/8	PC 1/4-N04	1/4"	1/2 NPT
PC 10-02	10mm	R1/4	PC 5/16-N01	5/16"	1/8 NPT
PC 10-03	10mm	R3/8	PC 5/16-N02	5/16"	1/4 NPT
PC 10-04	10mm	R1/2	PC 5/16-N03	5/16"	3/8 NPT
PC 12-01	12mm	R1/8	PC 5/16-N04	5/16"	1/2 NPT
PC 12-02	12mm	R1/4	PC 3/8-N01	3/8"	1/8 NPT
PC 12-03	12mm	R3/8	PC 3/8-N02	3/8"	1/4 NPT
PC 12-04	12mm	R1/2	PC 3/8-N03	3/8"	3/8 NPT
PC 14-03	14mm	R3/8	PC 3/8-N04	3/8"	1/2 NPT
PC 14-04	14mm	R1/2	PC 1/2-N01	1/2"	1/8 NPT
PC 16-03	16mm	R3/8	PC 1/2-N02	1/2"	1/4 NPT
PC 16-04	16mm	R1/2	PC 1/2-N03	1/2"	3/8 NPT
			PC 1/2-N04	1/2"	1/2 NPT

Round Male Adapter - Push In Fittings 内六角外牙直通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
POC 04-M5	4mm	M5	POC 1/8-U10	1/8"	10-32 UNF
POC 04-M6	4mm	M6	POC 1/8-N01	1/8"	1/8 NPT
POC 04-01	4mm	R1/8	POC 1/8-N02	1/8"	1/4 NPT
POC 04-02	4mm	R1/4	POC 5/32-U10	5/32"	10-32 UNF
POC 06-M5	6mm	M5	POC 5/32-N01	5/32"	1/8 NPT
POC 06-M6	6mm	M6	POC 5/32-N02	5/32"	1/4 NPT
POC 06-01	6mm	R1/8	POC 3/16-U10	3/16"	10-32 UNF
POC 06-02	6mm	R1/4	POC 3/16-N01	3/16"	1/8 NPT
POC 06-03	6mm	R3/8	POC 3/16-N02	3/16"	1/4 NPT
POC 06-04	6mm	R1/2	POC 3/16-N03	3/16"	3/8 NPT
POC 08-01	8mm	R1/8	POC 1/4-U10	1/4"	10-32 UNF
POC 08-02	8mm	R1/4	POC 1/4-N01	1/4"	1/8 NPT
POC 08-03	8mm	R3/8	POC 1/4-N02	1/4"	1/4 NPT
POC 08-04	8mm	R1/2	POC 1/4-N03	1/4"	3/8 NPT
POC 10-01	10mm	R1/8	POC 1/4-N04	1/4"	1/2 NPT
POC 10-02	10mm	R1/4	POC 5/16-N01	5/16"	1/8 NPT
POC 10-03	10mm	R3/8	POC 5/16-N02	5/16"	1/4 NPT
POC 10-04	10mm	R1/2	POC 5/16-N03	5/16"	3/8 NPT
POC 12-01	12mm	R1/8	POC 5/16-N04	5/16"	1/2 NPT
POC 12-02	12mm	R1/4	POC 3/8-N01	3/8"	1/8 NPT
POC 12-03	12mm	R3/8	POC 3/8-N02	3/8"	1/4 NPT
POC 12-04	12mm	R1/2	POC 3/8-N03	3/8"	3/8 NPT
POC 14-03	14mm	R3/8	POC 3/8-N04	3/8"	1/2 NPT
POC 14-04	14mm	R1/2	POC 1/2-N01	1/2"	1/8 NPT
POC 16-03	16mm	R3/8	POC 1/2-N02	1/2"	1/4 NPT
POC 16-04	16mm	R1/2	POC 1/2-N03	1/2"	3/8 NPT
			POC 1/2-N04	1/2"	1/2 NPT

Female Adapter - Push In Fittings 外六角内牙直通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PCF 04-M5	4mm	M5	PCF 1/8-U10	1/8"	10-32 UNF
PCF 04-M6	4mm	M6	PCF 1/8-N01	1/8"	1/8 NPT
PCF 04-01	4mm	R1/8	PCF 1/8-N02	1/8"	1/4 NPT
PCF 04-02	4mm	R1/4	PCF 5/32-U10	5/32"	10-32 UNF
PCF 06-M5	6mm	M5	PCF 5/32-N01	5/32"	1/8 NPT
PCF 06-M6	6mm	M6	PCF 5/32-N02	5/32"	1/4 NPT
PCF 06-01	6mm	R1/8	PCF 3/16-U10	3/16"	10-32 UNF
PCF 06-02	6mm	R1/4	PCF 3/16-N01	3/16"	1/8 NPT
PCF 06-03	6mm	R3/8	PCF 3/16-N02	3/16"	1/4 NPT
PCF 06-04	6mm	R1/2	PCF 3/16-N03	3/16"	3/8 NPT
PCF 08-01	8mm	R1/8	PCF 1/4-U10	1/4"	10-32 UNF
PCF 08-02	8mm	R1/4	PCF 1/4-N01	1/4"	1/8 NPT
PCF 08-03	8mm	R3/8	PCF 1/4-N02	1/4"	1/4 NPT
PCF 08-04	8mm	R1/2	PCF 1/4-N03	1/4"	3/8 NPT
PCF 10-01	10mm	R1/8	PCF 1/4-N04	1/4"	1/2 NPT
PCF 10-02	10mm	R1/4	PCF 5/16-N01	5/16"	1/8 NPT
PCF 10-03	10mm	R3/8	PCF 5/16-N02	5/16"	1/4 NPT
PCF 10-04	10mm	R1/2	PCF 5/16-N03	5/16"	3/8 NPT
PCF 12-01	12mm	R1/8	PCF 5/16-N04	5/16"	1/2 NPT
PCF 12-02	12mm	R1/4	PCF 3/8-N01	3/8"	1/8 NPT
PCF 12-03	12mm	R3/8	PCF 3/8-N02	3/8"	1/4 NPT
PCF 12-04	12mm	R1/2	PCF 3/8-N03	3/8"	3/8 NPT
PCF 14-03	14mm	R3/8	PCF 3/8-N04	3/8"	1/2 NPT
PCF 14-04	14mm	R1/2	PCF 1/2-N01	1/2"	1/8 NPT
PCF 16-03	16mm	R3/8	PCF 1/2-N02	1/2"	1/4 NPT
PCF 16-04	16mm	R1/2	PCF 1/2-N03	1/2"	3/8 NPT
			PCF 1/2-N04	1/2"	1/2 NPT

Female Bulkhead - Push In Fittings 外六角内牙夹板直通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMF 04-M5	4mm	M5	PMF 1/8-U10	1/8"	10-32 UNF
PMF 04-M6	4mm	M6	PMF 1/8-N01	1/8"	1/8 NPT
PMF 04-01	4mm	R1/8	PMF 1/8-N02	1/8"	1/4 NPT
PMF 04-02	4mm	R1/4	PMF 5/32-U10	5/32"	10-32 UNF
PMF 06-M5	6mm	M5	PMF 5/32-N01	5/32"	1/8 NPT
PMF 06-M6	6mm	M6	PMF 5/32-N02	5/32"	1/4 NPT
PMF 06-01	6mm	R1/8	PMF 3/16-U10	3/16"	10-32 UNF
PMF 06-02	6mm	R1/4	PMF 3/16-N01	3/16"	1/8 NPT
PMF 06-03	6mm	R3/8	PMF 3/16-N02	3/16"	1/4 NPT
PMF 06-04	6mm	R1/2	PMF 3/16-N03	3/16"	3/8 NPT
PMF 08-01	8mm	R1/8	PMF 1/4-U10	1/4"	10-32 UNF
PMF 08-02	8mm	R1/4	PMF 1/4-N01	1/4"	1/8 NPT
PMF 08-03	8mm	R3/8	PMF 1/4-N02	1/4"	1/4 NPT
PMF 08-04	8mm	R1/2	PMF 1/4-N03	1/4"	3/8 NPT
PMF 10-01	10mm	R1/8	PMF 1/4-N04	1/4"	1/2 NPT
PMF 10-02	10mm	R1/4	PMF 5/16-N01	5/16"	1/8 NPT
PMF 10-03	10mm	R3/8	PMF 5/16-N02	5/16"	1/4 NPT
PMF 10-04	10mm	R1/2	PMF 5/16-N03	5/16"	3/8 NPT
PMF 12-01	12mm	R1/8	PMF 5/16-N04	5/16"	1/2 NPT
PMF 12-02	12mm	R1/4	PMF 3/8-N01	3/8"	1/8 NPT
PMF 12-03	12mm	R3/8	PMF 3/8-N02	3/8"	1/4 NPT
PMF 12-04	12mm	R1/2	PMF 3/8-N03	3/8"	3/8 NPT
PMF 14-03	14mm	R3/8	PMF 3/8-N04	3/8"	1/2 NPT
PMF 14-04	14mm	R1/2	PMF 1/2-N01	1/2"	1/8 NPT
PMF 16-03	16mm	R3/8	PMF 1/2-N02	1/2"	1/4 NPT
PMF 16-04	16mm	R1/2	PMF 1/2-N03	1/2"	3/8 NPT
			PMF 1/2-N04	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 90 Deg. Male Elbow - Push In Fittings 外牙90度弯头气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PL 04-M5	4mm	M5	PL 1/8-U10	1/8"	10-32 UNF
PL 04-M6	4mm	M6	PL 1/8-N01	1/8"	1/8 NPT
PL 04-01	4mm	R1/8	PL 1/8-N02	1/8"	1/4 NPT
PL 04-02	4mm	R1/4	PL 5/32-U10	5/32"	10-32 UNF
PL 06-M5	6mm	M5	PL 5/32-N01	5/32"	1/8 NPT
PL 06-M6	6mm	M6	PL 5/32-N02	5/32"	1/4 NPT
PL 06-01	6mm	R1/8	PL 3/16-U10	3/16"	10-32 UNF
PL 06-02	6mm	R1/4	PL 3/16-N01	3/16"	1/8 NPT
PL 06-03	6mm	R3/8	PL 3/16-N02	3/16"	1/4 NPT
PL 06-04	6mm	R1/2	PL 3/16-N03	3/16"	3/8 NPT
PL 08-01	8mm	R1/8	PL 1/4-U10	1/4"	10-32 UNF
PL 08-02	8mm	R1/4	PL 1/4-N01	1/4"	1/8 NPT
PL 08-03	8mm	R3/8	PL 1/4-N02	1/4"	1/4 NPT
PL 08-04	8mm	R1/2	PL 1/4-N03	1/4"	3/8 NPT
PL 10-01	10mm	R1/8	PL 1/4-N04	1/4"	1/2 NPT
PL 10-02	10mm	R1/4	PL 5/16-N01	5/16"	1/8 NPT
PL 10-03	10mm	R3/8	PL 5/16-N02	5/16"	1/4 NPT
PL 10-04	10mm	R1/2	PL 5/16-N03	5/16"	3/8 NPT
PL 12-01	12mm	R1/8	PL 5/16-N04	5/16"	1/2 NPT
PL 12-02	12mm	R1/4	PL 3/8-N01	3/8"	1/8 NPT
PL 12-03	12mm	R3/8	PL 3/8-N02	3/8"	1/4 NPT
PL 12-04	12mm	R1/2	PL 3/8-N03	3/8"	3/8 NPT
PL 14-03	14mm	R3/8	PL 3/8-N04	3/8"	1/2 NPT
PL 14-04	14mm	R1/2	PL 1/2-N01	1/2"	1/8 NPT
PL 16-03	16mm	R3/8	PL 1/2-N02	1/2"	1/4 NPT
PL 16-04	16mm	R1/2	PL 1/2-N03	1/2"	3/8 NPT
			PL 1/2-N04	1/2"	1/2 NPT

 90 Deg. Female Elbow - Push In Fittings 内牙90度弯头气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PLF 04-M5	4mm	M5	PLF 1/8-U10	1/8"	10-32 UNF
PLF 04-M6	4mm	M6	PLF 1/8-N01	1/8"	1/8 NPT
PLF 04-01	4mm	R1/8	PLF 1/8-N02	1/8"	1/4 NPT
PLF 04-02	4mm	R1/4	PLF 5/32-U10	5/32"	10-32 UNF
PLF 06-M5	6mm	M5	PLF 5/32-N01	5/32"	1/8 NPT
PLF 06-M6	6mm	M6	PLF 5/32-N02	5/32"	1/4 NPT
PLF 06-01	6mm	R1/8	PLF 3/16-U10	3/16"	10-32 UNF
PLF 06-02	6mm	R1/4	PLF 3/16-N01	3/16"	1/8 NPT
PLF 06-03	6mm	R3/8	PLF 3/16-N02	3/16"	1/4 NPT
PLF 06-04	6mm	R1/2	PLF 3/16-N03	3/16"	3/8 NPT
PLF 08-01	8mm	R1/8	PLF 1/4-U10	1/4"	10-32 UNF
PLF 08-02	8mm	R1/4	PLF 1/4-N01	1/4"	1/8 NPT
PLF 08-03	8mm	R3/8	PLF 1/4-N02	1/4"	1/4 NPT
PLF 08-04	8mm	R1/2	PLF 1/4-N03	1/4"	3/8 NPT
PLF 10-01	10mm	R1/8	PLF 1/4-N04	1/4"	1/2 NPT
PLF 10-02	10mm	R1/4	PLF 5/16-N01	5/16"	1/8 NPT
PLF 10-03	10mm	R3/8	PLF 5/16-N02	5/16"	1/4 NPT
PLF 10-04	10mm	R1/2	PLF 5/16-N03	5/16"	3/8 NPT
PLF 12-01	12mm	R1/8	PLF 5/16-N04	5/16"	1/2 NPT
PLF 12-02	12mm	R1/4	PLF 3/8-N01	3/8"	1/8 NPT
PLF 12-03	12mm	R3/8	PLF 3/8-N02	3/8"	1/4 NPT
PLF 12-04	12mm	R1/2	PLF 3/8-N03	3/8"	3/8 NPT
PLF 14-03	14mm	R3/8	PLF 3/8-N04	3/8"	1/2 NPT
PLF 14-04	14mm	R1/2	PLF 1/2-N01	1/2"	1/8 NPT
PLF 16-03	16mm	R3/8	PLF 1/2-N02	1/2"	1/4 NPT
PLF 16-04	16mm	R1/2	PLF 1/2-N03	1/2"	3/8 NPT
			PLF 1/2-N04	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 Female Branch Tee - Push In Fittings 中内牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PBF 04-M5	4mm	M5	PBF 1/8-U10	1/8"	10-32 UNF
PBF 04-M6	4mm	M6	PBF 1/8-N01	1/8"	1/8 NPT
PBF 04-01	4mm	R1/8	PBF 1/8-N02	1/8"	1/4 NPT
PBF 04-02	4mm	R1/4	PBF 5/32-U10	5/32"	10-32 UNF
PBF 06-M5	6mm	M5	PBF 5/32-N01	5/32"	1/8 NPT
PBF 06-M6	6mm	M6	PBF 5/32-N02	5/32"	1/4 NPT
PBF 06-01	6mm	R1/8	PBF 3/16-U10	3/16"	10-32 UNF
PBF 06-02	6mm	R1/4	PBF 3/16-N01	3/16"	1/8 NPT
PBF 06-03	6mm	R3/8	PBF 3/16-N02	3/16"	1/4 NPT
PBF 06-04	6mm	R1/2	PBF 3/16-N03	3/16"	3/8 NPT
PBF 08-01	8mm	R1/8	PBF 1/4-U10	1/4"	10-32 UNF
PBF 08-02	8mm	R1/4	PBF 1/4-N01	1/4"	1/8 NPT
PBF 08-03	8mm	R3/8	PBF 1/4-N02	1/4"	1/4 NPT
PBF 08-04	8mm	R1/2	PBF 1/4-N03	1/4"	3/8 NPT
PBF 10-01	10mm	R1/8	PBF 1/4-N04	1/4"	1/2 NPT
PBF 10-02	10mm	R1/4	PBF 5/16-N01	5/16"	1/8 NPT
PBF 10-03	10mm	R3/8	PBF 5/16-N02	5/16"	1/4 NPT
PBF 10-04	10mm	R1/2	PBF 5/16-N03	5/16"	3/8 NPT
PBF 12-01	12mm	R1/8	PBF 5/16-N04	5/16"	1/2 NPT
PBF 12-02	12mm	R1/4	PBF 3/8-N01	3/8"	1/8 NPT
PBF 12-03	12mm	R3/8	PBF 3/8-N02	3/8"	1/4 NPT
PBF 12-04	12mm	R1/2	PBF 3/8-N03	3/8"	3/8 NPT
PBF 14-03	14mm	R3/8	PBF 3/8-N04	3/8"	1/2 NPT
PBF 14-04	14mm	R1/2	PBF 1/2-N01	1/2"	1/8 NPT
PBF 16-03	16mm	R3/8	PBF 1/2-N02	1/2"	1/4 NPT
PBF 16-04	16mm	R1/2	PBF 1/2-N03	1/2"	3/8 NPT
			PBF 1/2-N04	1/2"	1/2 NPT

 Male Run Tee - Push In Fittings 侧外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PD 04-M5	4mm	M5	PD 1/8-U10	1/8"	10-32 UNF
PD 04-M6	4mm	M6	PD 1/8-N01	1/8"	1/8 NPT
PD 04-01	4mm	R1/8	PD 1/8-N02	1/8"	1/4 NPT
PD 04-02	4mm	R1/4	PD 5/32-U10	5/32"	10-32 UNF
PD 06-M5	6mm	M5	PD 5/32-N01	5/32"	1/8 NPT
PD 06-M6	6mm	M6	PD 5/32-N02	5/32"	1/4 NPT
PD 06-01	6mm	R1/8	PD 3/16-U10	3/16"	10-32 UNF
PD 06-02	6mm	R1/4	PD 3/16-N01	3/16"	1/8 NPT
PD 06-03	6mm	R3/8	PD 3/16-N02	3/16"	1/4 NPT
PD 06-04	6mm	R1/2	PD 3/16-N03	3/16"	3/8 NPT
PD 08-01	8mm	R1/8	PD 1/4-U10	1/4"	10-32 UNF
PD 08-02	8mm	R1/4	PD 1/4-N01	1/4"	1/8 NPT
PD 08-03	8mm	R3/8	PD 1/4-N02	1/4"	1/4 NPT
PD 08-04	8mm	R1/2	PD 1/4-N03	1/4"	3/8 NPT
PD 10-01	10mm	R1/8	PD 1/4-N04	1/4"	1/2 NPT
PD 10-02	10mm	R1/4	PD 5/16-N01	5/16"	1/8 NPT
PD 10-03	10mm	R3/8	PD 5/16-N02	5/16"	1/4 NPT
PD 10-04	10mm	R1/2	PD 5/16-N03	5/16"	3/8 NPT
PD 12-01	12mm	R1/8	PD 5/16-N04	5/16"	1/2 NPT
PD 12-02	12mm	R1/4	PD 3/8-N01	3/8"	1/8 NPT
PD 12-03	12mm	R3/8	PD 3/8-N02	3/8"	1/4 NPT
PD 12-04	12mm	R1/2	PD 3/8-N03	3/8"	3/8 NPT
PD 14-03	14mm	R3/8	PD 3/8-N04	3/8"	1/2 NPT
PD 14-04	14mm	R1/2	PD 1/2-N01	1/2"	1/8 NPT
PD 16-03	16mm	R3/8	PD 1/2-N02	1/2"	1/4 NPT
PD 16-04	16mm	R1/2	PD 1/2-N03	1/2"	3/8 NPT
			PD 1/2-N04	1/2"	1/2 NPT

 Extended Male Elbow - Push In Fittings 加长型外牙90度弯头气动快速接					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PLL 04-M5	4mm	M5	PLL 1/8-U10	1/8"	10-32 UNF
PLL 04-M6	4mm	M6	PLL 1/8-N01	1/8"	1/8 NPT
PLL 04-01	4mm	R1/8	PLL 1/8-N02	1/8"	1/4 NPT
PLL 04-02	4mm	R1/4	PLL 5/32-U10	5/32"	10-32 UNF
PLL 06-M5	6mm	M5	PLL 5/32-N01	5/32"	1/8 NPT
PLL 06-M6	6mm	M6	PLL 5/32-N02	5/32"	1/4 NPT
PLL 06-01	6mm	R1/8	PLL 3/16-U10	3/16"	10-32 UNF
PLL 06-02	6mm	R1/4	PLL 3/16-N01	3/16"	1/8 NPT
PLL 06-03	6mm	R3/8	PLL 3/16-N02	3/16"	1/4 NPT
PLL 06-04	6mm	R1/2	PLL 3/16-N03	3/16"	3/8 NPT
PLL 08-01	8mm	R1/8	PLL 1/4-U10	1/4"	10-32 UNF
PLL 08-02	8mm	R1/4	PLL 1/4-N01	1/4"	1/8 NPT
PLL 08-03	8mm	R3/8	PLL 1/4-N02	1/4"	1/4 NPT
PLL 08-04	8mm	R1/2	PLL 1/4-N03	1/4"	3/8 NPT
PLL 10-01	10mm	R1/8	PLL 1/4-N04	1/4"	1/2 NPT
PLL 10-02	10mm	R1/4	PLL 5/16-N01	5/16"	1/8 NPT
PLL 10-03	10mm	R3/8	PLL 5/16-N02	5/16"	1/4 NPT
PLL 10-04	10mm	R1/2	PLL 5/16-N03	5/16"	3/8 NPT
PLL 12-01	12mm	R1/8	PLL 5/16-N04	5/16"	1/2 NPT
PLL 12-02	12mm	R1/4	PLL 3/8-N01	3/8"	1/8 NPT
PLL 12-03	12mm	R3/8	PLL 3/8-N02	3/8"	1/4 NPT
PLL 12-04	12mm	R1/2	PLL 3/8-N03	3/8"	3/8 NPT
PLL 14-03	14mm	R3/8	PLL 3/8-N04	3/8"	1/2 NPT
PLL 14-04	14mm	R1/2	PLL 1/2-N01	1/2"	1/8 NPT
PLL 16-03	16mm	R3/8	PLL 1/2-N02	1/2"	1/4 NPT
PLL 16-04	16mm	R1/2	PLL 1/2-N03	1/2"	3/8 NPT
			PLL 1/2-N04	1/2"	1/2 NPT

 Male Branch Tee - Push In Fittings 中外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PB 04-M5	4mm	M5	PB 1/8-U10	1/8"	10-32 UNF
PB 04-M6	4mm	M6	PB 1/8-N01	1/8"	1/8 NPT
PB 04-01	4mm	R1/8	PB 1/8-N02	1/8"	1/4 NPT
PB 04-02	4mm	R1/4	PB 5/32-U10	5/32"	10-32 UNF
PB 06-M5	6mm	M5	PB 5/32-N01	5/32"	1/8 NPT
PB 06-M6	6mm	M6	PB 5/32-N02	5/32"	1/4 NPT
PB 06-01	6mm	R1/8	PB 3/16-U10	3/16"	10-32 UNF
PB 06-02	6mm	R1/4	PB 3/16-N01	3/16"	1/8 NPT
PB 06-03	6mm	R3/8	PB 3/16-N02	3/16"	1/4 NPT
PB 06-04	6mm	R1/2	PB 3/16-N03	3/16"	3/8 NPT
PB 08-01	8mm	R1/8	PB 1/4-U10	1/4"	10-32 UNF
PB 08-02	8mm	R1/4	PB 1/4-N01	1/4"	1/8 NPT
PB 08-03	8mm	R3/8	PB 1/4-N02	1/4"	1/4 NPT
PB 08-04	8mm	R1/2	PB 1/4-N03	1/4"	3/8 NPT
PB 10-01	10mm	R1/8	PB 1/4-N04	1/4"	1/2 NPT
PB 10-02	10mm	R1/4	PB 5/16-N01	5/16"	1/8 NPT
PB 10-03	10mm	R3/8	PB 5/16-N02	5/16"	1/4 NPT
PB 10-04	10mm	R1/2	PB 5/16-N03	5/16"	3/8 NPT
PB 12-01	12mm	R1/8	PB 5/16-N04	5/16"	1/2 NPT
PB 12-02	12mm	R1/4	PB 3/8-N01	3/8"	1/8 NPT
PB 12-03	12mm	R3/8	PB 3/8-N02	3/8"	1/4 NPT
PB 12-04	12mm	R1/2	PB 3/8-N03	3/8"	3/8 NPT
PB 14-03	14mm	R3/8	PB 3/8-N04	3/8"	1/2 NPT
PB 14-04	14mm	R1/2	PB 1/2-N01	1/2"	1/8 NPT
PB 16-03	16mm	R3/8	PB 1/2-N02	1/2"	1/4 NPT
PB 16-04	16mm	R1/2	PB 1/2-N03	1/2"	3/8 NPT
			PB 1/2-N04	1/2"	1/2 NPT

Female Run Tee - Push In Fittings

侧内牙三通气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PDF 04-M5	4mm	M5	PDF 1/8-U10	1/8"	10-32 UNF
PDF 04-M6	4mm	M6	PDF 1/8-N01	1/8"	1/8 NPT
PDF 04-01	4mm	R1/8	PDF 1/8-N02	1/8"	1/4 NPT
PDF 04-02	4mm	R1/4	PDF 5/32-U10	5/32"	10-32 UNF
PDF 06-M5	6mm	M5	PDF 5/32-N01	5/32"	1/8 NPT
PDF 06-M6	6mm	M6	PDF 5/32-N02	5/32"	1/4 NPT
PDF 06-01	6mm	R1/8	PDF 3/16-U10	3/16"	10-32 UNF
PDF 06-02	6mm	R1/4	PDF 3/16-N01	3/16"	1/8 NPT
PDF 06-03	6mm	R3/8	PDF 3/16-N02	3/16"	1/4 NPT
PDF 06-04	6mm	R1/2	PDF 3/16-N03	3/16"	3/8 NPT
PDF 08-01	8mm	R1/8	PDF 1/4-U10	1/4"	10-32 UNF
PDF 08-02	8mm	R1/4	PDF 1/4-N01	1/4"	1/8 NPT
PDF 08-03	8mm	R3/8	PDF 1/4-N02	1/4"	1/4 NPT
PDF 08-04	8mm	R1/2	PDF 1/4-N03	1/4"	3/8 NPT
PDF 10-01	10mm	R1/8	PDF 1/4-N04	1/4"	1/2 NPT
PDF 10-02	10mm	R1/4	PDF 5/16-N01	5/16"	1/2 NPT
PDF 10-03	10mm	R3/8	PDF 5/16-N02	5/16"	1/4 NPT
PDF 10-04	10mm	R1/2	PDF 5/16-N03	5/16"	3/8 NPT
PDF 12-01	12mm	R1/8	PDF 5/16-N04	5/16"	1/2 NPT
PDF 12-02	12mm	R1/4	PDF 3/8-N01	3/8"	1/8 NPT
PDF 12-03	12mm	R3/8	PDF 3/8-N02	3/8"	1/4 NPT
PDF 12-04	12mm	R1/2	PDF 3/8-N03	3/8"	3/8 NPT
PDF 14-03	14mm	R3/8	PDF 3/8-N04	3/8"	1/2 NPT
PDF 14-04	14mm	R1/2	PDF 1/2-N01	1/2"	1/8 NPT
PDF 16-03	16mm	R3/8	PDF 1/2-N02	1/2"	1/4 NPT
PDF 16-04	16mm	R1/2	PDF 1/2-N03	1/2"	3/8 NPT
			PDF 1/2-N04	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 Female Banjo - Push In Fittings 内六角外牙班卓弯头气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHF 04-M5	4mm	M5	PHF 1/8-U10	1/8"	10-32 UNF
PHF 04-M6	4mm	M6	PX 1/8-N01	1/8"	1/8 NPT
PHF 04-01	4mm	R1/8	PHF 1/8-N02	1/8"	1/4 NPT
PHF 04-02	4mm	R1/4	PHF 5/32-U10	5/32"	10-32 UNF
PHF 06-M5	6mm	M5	PHF 5/32-N01	5/32"	1/8 NPT
PHF 06-M6	6mm	M6	PHF 5/32-N02	5/32"	1/4 NPT
PHF 06-01	6mm	R1/8	PHF 3/16-U10	3/16"	10-32 UNF
PHF 06-02	6mm	R1/4	PHF 3/16-N01	3/16"	1/8 NPT
PHF 06-03	6mm	R3/8	PHF 3/16-N02	3/16"	1/4 NPT
PHF 06-04	6mm	R1/2	PHF 3/16-N03	3/16"	3/8 NPT
PHF 08-01	8mm	R1/8	PHF 1/4-U10	1/4"	10-32 UNF
PHF 08-02	8mm	R1/4	PHF 1/4-N01	1/4"	1/8 NPT
PHF 08-03	8mm	R3/8	PHF 1/4-N02	1/4"	1/4 NPT
PHF 08-04	8mm	R1/2	PHF 1/4-N03	1/4"	3/8 NPT
PHF 10-01	10mm	R1/8	PHF 1/4-N04	1/4"	1/2 NPT
PHF 10-02	10mm	R1/4	PHF 5/16-N01	5/16"	1/8 NPT
PHF 10-03	10mm	R3/8	PHF 5/16-N02	5/16"	1/4 NPT
PHF 10-04	10mm	R1/2	PHF 5/16-N03	5/16"	3/8 NPT
PHF 12-01	12mm	R1/8	PHF 5/16-N04	5/16"	1/2 NPT
PHF 12-02	12mm	R1/4	PX 3/8-N01	3/8"	1/8 NPT
PHF 12-03	12mm	R3/8	PHF 3/8-N02	3/8"	1/4 NPT
PHF 12-04	12mm	R1/2	PHF 3/8-N03	3/8"	3/8 NPT
PHF 14-03	14mm	R3/8	PHF 3/8-N04	3/8"	1/2 NPT
PHF 14-04	14mm	R1/2	PHF 1/2-N01	1/2"	1/8 NPT
PHF 16-03	16mm	R3/8	PHF 1/2-N02	1/2"	1/4 NPT
PHF 16-04	16mm	R1/2	PHF 1/2-N03	1/2"	3/8 NPT
			PHF 1/2-N04	1/2"	1/2 NPT

 Male Y - Push In Fittings Y型外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PX 04-M5	4mm	M5	PX 1/8-U10	1/8"	10-32 UNF
PX 04-M6	4mm	M6	PX 1/8-N01	1/8"	1/8 NPT
PX 04-01	4mm	R1/8	PX 1/8-N02	1/8"	1/4 NPT
PX 04-02	4mm	R1/4	PX 5/32-U10	5/32"	10-32 UNF
PX 06-M5	6mm	M5	PX 5/32-N01	5/32"	1/8 NPT
PX 06-M6	6mm	M6	PX 5/32-N02	5/32"	1/4 NPT
PX 06-01	6mm	R1/8	PX 3/16-U10	3/16"	10-32 UNF
PX 06-02	6mm	R1/4	PX 3/16-N01	3/16"	1/8 NPT
PX 06-03	6mm	R3/8	PX 3/16-N02	3/16"	1/4 NPT
PX 06-04	6mm	R1/2	PX 3/16-N03	3/16"	3/8 NPT
PX 08-01	8mm	R1/8	PX 1/4-U10	1/4"	10-32 UNF
PX 08-02	8mm	R1/4	PX 1/4-N01	1/4"	1/8 NPT
PX 08-03	8mm	R3/8	PX 1/4-N02	1/4"	1/4 NPT
PX 08-04	8mm	R1/2	PX 1/4-N03	1/4"	3/8 NPT
PX 10-01	10mm	R1/8	PX 1/4-N04	1/4"	1/2 NPT
PX 10-02	10mm	R1/4	PX 5/16-N01	5/16"	1/8 NPT
PX 10-03	10mm	R3/8	PX 5/16-N02	5/16"	1/4 NPT
PX 10-04	10mm	R1/2	PX 5/16-N03	5/16"	3/8 NPT
PX 12-01	12mm	R1/8	PX 5/16-N04	5/16"	1/2 NPT
PX 12-02	12mm	R1/4	PX 3/8-N01	3/8"	1/8 NPT
PX 12-03	12mm	R3/8	PX 3/8-N02	3/8"	1/4 NPT
PX 12-04	12mm	R1/2	PX 3/8-N03	3/8"	3/8 NPT
PX 14-03	14mm	R3/8	PX 3/8-N04	3/8"	1/2 NPT
PX 14-04	14mm	R1/2	PX 1/2-N01	1/2"	1/8 NPT
PX 16-03	16mm	R3/8	PX 1/2-N02	1/2"	1/4 NPT
PX 16-04	16mm	R1/2	PX 1/2-N03	1/2"	3/8 NPT
			PX 1/2-N04	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 Triple Banjo Elbow - Push In Fittings 串联五通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHL 04-01(3)	4mm	R1/8	PHL 1/8-U10(3)	1/8"	10-32 UNF
PHL 04-02(3)	4mm	R1/4	PHL 1/8-N01(3)	1/8"	1/8 NPT
PHL 06-01(3)	6mm	R1/8	PHL 1/8-N02(3)	1/8"	1/4 NPT
PHL 06-02(3)	6mm	R1/4	PHL 5/32-U10(3)	5/32"	10-32 UNF
PHL 06-03(3)	6mm	R3/8	PHL 5/32-N01(3)	5/32"	1/8 NPT
PHL 06-04(3)	6mm	R1/2	PHL 5/32-N02(3)	5/32"	1/4 NPT
PHL 08-01(3)	8mm	R1/8	PHL 3/16-U10(3)	3/16"	10-32 UNF
PHL 08-02(3)	8mm	R1/4	PHL 3/16-N01(3)	3/16"	1/8 NPT
PHL 08-03(3)	8mm	R3/8	PHL 3/16-N02(3)	3/16"	1/4 NPT
PHL 08-04(3)	8mm	R1/2	PHL 3/16-N03(3)	3/16"	3/8 NPT
PHL 10-01(3)	10mm	R1/8	PHL 1/4-U10(3)	1/4"	10-32 UNF
PHL 10-02(3)	10mm	R1/4	PHL 1/4-N01(3)	1/4"	1/8 NPT
PHL 10-03(3)	10mm	R3/8	PHL 1/4-N02(3)	1/4"	1/4 NPT
PHL 10-04(3)	10mm	R1/2	PHL 1/4-N03(3)	1/4"	3/8 NPT
PHL 12-01(3)	12mm	R1/8	PHL 1/4-N04(3)	1/4"	1/2 NPT
PHL 12-02(3)	12mm	R1/4	PHL 5/16-N01(3)	5/16"	1/8 NPT
PHL 12-03(3)	12mm	R3/8	PHL 5/16-N02(3)	5/16"	1/4 NPT
PHL 12-04(3)	12mm	R1/2	PHL 5/16-N03(3)	5/16"	3/8 NPT
			PHL 5/16-N04(3)	5/16"	1/2 NPT
			PHL 3/8-N01(3)	3/8"	1/8 NPT
			PHL 3/8-N02(3)	3/8"	1/4 NPT
			PHL 3/8-N03(3)	3/8"	3/8 NPT
			PHL 3/8-N04(3)	3/8"	1/2 NPT
			PHL 1/2-N01(3)	1/2"	1/8 NPT
			PHL 1/2-N02(3)	1/2"	1/4 NPT
			PHL 1/2-N03(3)	1/2"	3/8 NPT
			PHL 1/2-N04(3)	1/2"	1/2 NPT

 Branch Universal Male Elbow - Push In Fittings 并联三通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAT 04-01(1)	4mm	R1/8	PAT 1/8-U10(1)	1/8"	10-32 UNF
PAT 04-02(1)	4mm	R1/4	PAT 1/8-N01(1)	1/8"	1/8 NPT
PAT 06-01(1)	6mm	R1/8	PAT 1/8-N02(1)	1/8"	1/4 NPT
PAT 06-02(1)	6mm	R1/4	PAT 5/32-U10(1)	5/32"	10-32 UNF
PAT 06-03(1)	6mm	R3/8	PAT 5/32-N01(1)	5/32"	1/8 NPT
PAT 06-04(1)	6mm	R1/2	PAT 5/32-N02(1)	5/32"	1/4 NPT
PAT 08-01(1)	8mm	R1/8	PAT 3/16-U10(1)	3/16"	10-32 UNF
PAT 08-02(1)	8mm	R1/4	PAT 3/16-N01(1)	3/16"	1/8 NPT
PAT 08-03(1)	8mm	R3/8	PAT 3/16-N02(1)	3/16"	1/4 NPT
PAT 08-04(1)	8mm	R1/2	PAT 3/16-N03(1)	3/16"	3/8 NPT
PAT 10-01(1)	10mm	R1/8	PAT 1/4-U10(1)	1/4"	10-32 UNF
PAT 10-02(1)	10mm	R1/4	PAT 1/4-N01(1)	1/4"	1/8 NPT
PAT 10-03(1)	10mm	R3/8	PAT 1/4-N02(1)	1/4"	1/4 NPT
PAT 10-04(1)	10mm	R1/2	PAT 1/4-N03(1)	1/4"	3/8 NPT
PAT 12-01(1)	12mm	R1/8	PAT 1/4-N04(1)	1/4"	1/2 NPT
PAT 12-02(1)	12mm	R1/4	PAT 5/16-N01(1)	5/16"	1/8 NPT
PAT 12-03(1)	12mm	R3/8	PAT 5/16-N02(1)	5/16"	1/4 NPT
PAT 12-04(1)	12mm	R1/2	PAT 5/16-N03(1)	5/16"	3/8 NPT
			PAT 5/16-N04(1)	5/16"	1/2 NPT
			PAT 3/8-N01(1)	3/8"	1/8 NPT
			PAT 3/8-N02(1)	3/8"	1/4 NPT
			PAT 3/8-N03(1)	3/8"	3/8 NPT
			PAT 3/8-N04(1)	3/8"	1/2 NPT
			PAT 1/2-N01(1)	1/2"	1/8 NPT
			PAT 1/2-N02(1)	1/2"	1/4 NPT
			PAT 1/2-N03(1)	1/2"	3/8 NPT
			PAT 1/2-N04(1)	1/2"	1/2 NPT

 45 Deg. Male Elbow - Push In Fittings 45度外牙弯头气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PLH 04-M5	4mm	M5	PLH 1/8-U10	1/8"	10-32 UNF
PLH 04-M6	4mm	M6	PLH 1/8-N01	1/8"	1/8 NPT
PLH 04-01	4mm	R1/8	PLH 1/8-N02	1/8"	1/4 NPT
PLH 04-02	4mm	R1/4	PLH 5/32-U10	5/32"	10-32 UNF
PLH 06-M5	6mm	M5	PLH 5/32-N01	5/32"	1/8 NPT
PLH 06-M6	6mm	M6	PLH 5/32-N02	5/32"	1/4 NPT
PLH 06-01	6mm	R1/8	PLH 3/16-U10	3/16"	10-32 UNF
PLH 06-02	6mm	R1/4	PLH 3/16-N01	3/16"	1/8 NPT
PLH 06-03	6mm	R3/8	PLH 3/16-N02	3/16"	1/4 NPT
PLH 06-04	6mm	R1/2	PLH 3/16-N03	3/16"	3/8 NPT
PLH 08-01	8mm	R1/8	PLH 1/4-U10	1/4"	10-32 UNF
PLH 08-02	8mm	R1/4	PLH 1/4-N01	1/4"	1/8 NPT
PLH 08-03	8mm	R3/8	PLH 1/4-N02	1/4"	1/4 NPT
PLH 08-04	8mm	R1/2	PLH 1/4-N03	1/4"	3/8 NPT
PLH 10-01	10mm	R1/8	PLH 1/4-N04	1/4"	1/2 NPT
PLH 10-02	10mm	R1/4	PLH 5/16-N01	5/16"	1/8 NPT
PLH 10-03	10mm	R3/8	PLH 5/16-N02	5/16"	1/4 NPT
PLH 10-04	10mm	R1/2	PLH 5/16-N03	5/16"	3/8 NPT
PLH 12-01	12mm	R1/8	PLH 5/16-N04	5/16"	1/2 NPT
PLH 12-02	12mm	R1/4	PLH 3/8-N01	3/8"	1/8 NPT
PLH 12-03	12mm	R3/8	PLH 3/8-N02	3/8"	1/4 NPT
PLH 12-04	12mm	R1/2	PLH 3/8-N03	3/8"	3/8 NPT
PLH 14-03	14mm	R3/8	PLH 3/8-N04	3/8"	1/2 NPT
PLH 14-04	14mm	R1/2	PLH 1/2-N01	1/2"	1/8 NPT
PLH 16-03	16mm	R3/8	PLH 1/2-N02	1/2"	1/4 NPT
PLH 16-04	16mm	R1/2	PLH 1/2-N03	1/2"	3/8 NPT
			PLH 1/2-N04	1/2"	1/2 NPT

 Double Banjo Elbow - Push In Fittings 串联三通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHL 04-01(2)	4mm	R1/8	PHL 1/8-U10(2)	1/8"	10-32 UNF
PHL 04-02(2)	4mm	R1/4	PHL 1/8-N01(2)	1/8"	1/8 NPT
PHL 06-01(2)	6mm	R1/8	PHL 1/8-N02(2)	1/8"	1/4 NPT
PHL 06-02(2)	6mm	R1/4	PHL 5/32-U10(2)	5/32"	10-32 UNF
PHL 06-03(2)	6mm	R3/8	PHL 5/32-N01(2)	5/32"	1/8 NPT
PHL 06-04(2)	6mm	R1/2	PHL 5/32-N02(2)	5/32"	1/4 NPT
PHL 08-01(2)	8mm	R1/8	PHL 3/16-U10(2)	3/16"	10-32 UNF
PHL 08-02(2)	8mm	R1/4	PHL 3/16-N01(2)	3/16"	1/8 NPT
PHL 08-03(2)	8mm	R3/8	PHL 3/16-N02(2)	3/16"	1/4 NPT
PHL 08-04(2)	8mm	R1/2	PHL 3/16-N03(2)	3/16"	3/8 NPT
PHL 10-01(2)	10mm	R1/8	PHL 1/4-U10(2)	1/4"	10-32 UNF
PHL 10-02(2)	10mm	R1/4	PHL 1/4-N01(2)	1/4"	1/8 NPT
PHL 10-03(2)	10mm	R3/8	PHL 1/4-N02(2)	1/4"	1/4 NPT
PHL 10-04(2)	10mm	R1/2	PHL 1/4-N03(2)	1/4"	3/8 NPT
PHL 12-01(2)	12mm	R1/8	PHL 1/4-N04(2)	1/4"	1/2 NPT
PHL 12-02(2)	12mm	R1/4	PHL 5/16-N01(2)	5/16"	1/8 NPT
PHL 12-03(2)	12mm	R3/8	PHL 5/16-N02(2)	5/16"	1/4 NPT
PHL 12-04(2)	12mm	R1/2	PHL 5/16-N03(2)	5/16"	3/8 NPT
			PHL 5/16-N04(2)	5/16"	1/2 NPT
			PHL 3/8-N01(2)	3/8"	1/8 NPT
			PHL 3/8-N02(2)	3/8"	1/4 NPT
			PHL 3/8-N03(2)	3/8"	3/8 NPT
			PHL 3/8-N04(2)	3/8"	1/2 NPT
			PHL 1/2-N01(2)	1/2"	1/8 NPT
			PHL 1/2-N02(2)	1/2"	1/4 NPT
			PHL 1/2-N03(2)	1/2"	3/8 NPT
			PHL 1/2-N04(2)	1/2"	1/2 NPT



Double Branch Male Elbow - Push In Fittings

并联五通班卓气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAT 04-01(2)	4mm	R1/8	PAT 1/8-U10(2)	1/8"	10-32 UNF
PAT 04-02(2)	4mm	R1/4	PAT 1/8-N01(2)	1/8"	1/8 NPT
PAT 06-01(2)	6mm	R1/8	PAT 1/8-N02(2)	1/8"	1/4 NPT
PAT 06-02(2)	6mm	R1/4	PAT 5/32-U10(2)	5/32"	10-32 UNF
PAT 06-03(2)	6mm	R3/8	PAT 5/32-N01(2)	5/32"	1/8 NPT
PAT 06-04(2)	6mm	R1/2	PAT 5/32-N02(2)	5/32"	1/4 NPT
PAT 08-01(2)	8mm	R1/8	PAT 3/16-U10(2)	3/16"	10-32 UNF
PAT 08-02(2)	8mm	R1/4	PAT 3/16-N01(2)	3/16"	1/8 NPT
PAT 08-03(2)	8mm	R3/8	PAT 3/16-N02(2)	3/16"	1/4 NPT
PAT 08-04(2)	8mm	R1/2	PAT 3/16-N03(2)	3/16"	3/8 NPT
PAT 10-01(2)	10mm	R1/8	PAT 1/4-U10(2)	1/4"	10-32 UNF
PAT 10-02(2)	10mm	R1/4	PAT 1/4-N01(2)	1/4"	1/8 NPT
PAT 10-03(2)	10mm	R3/8	PAT 1/4-N02(2)	1/4"	1/4 NPT
PAT 10-04(2)	10mm	R1/2	PAT 1/4-N03(2)	1/4"	3/8 NPT
PAT 12-01(2)	12mm	R1/8	PAT 1/4-N04(2)	1/4"	1/2 NPT
PAT 12-02(2)	12mm	R1/4	PAT 5/16-N01(2)	5/16"	1/8 NPT
PAT 12-03(2)	12mm	R3/8	PAT 5/16-N02(2)	5/16"	1/4 NPT
PAT 12-04(2)	12mm	R1/2	PAT 5/16-N03(2)	5/16"	3/8 NPT
			PAT 5/16-N04(2)	5/16"	1/2 NPT
			PAT 3/8-N01(2)	3/8"	1/8 NPT
			PAT 3/8-N02(2)	3/8"	1/4 NPT
			PAT 3/8-N03(2)	3/8"	3/8 NPT
			PAT 3/8-N04(2)	3/8"	1/2 NPT
			PAT 1/2-N01(2)	1/2"	1/8 NPT
			PAT 1/2-N02(2)	1/2"	1/4 NPT
			PAT 1/2-N03(2)	1/2"	3/8 NPT
			PAT 1/2-N04(2)	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 Banjo Branch Tee - Push In Fittings T型班卓三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-01(1)	4mm	R1/8	PHT 1/8-U10(1)	1/8"	10-32 UNF
PHT 04-02(1)	4mm	R1/4	PHT 1/8-N01(1)	1/8"	1/8 NPT
PHT 06-01(1)	6mm	R1/8	PHT 1/8-N02(1)	1/8"	1/4 NPT
PHT 06-02(1)	6mm	R1/4	PHT 5/32-U10(1)	5/32"	10-32 UNF
PHT 06-03(1)	6mm	R3/8	PHT 5/32-N01(1)	5/32"	1/8 NPT
PHT 06-04(1)	6mm	R1/2	PHT 5/32-N02(1)	5/32"	1/4 NPT
PHT 08-01(1)	8mm	R1/8	PHT 3/16-U10(1)	3/16"	10-32 UNF
PHT 08-02(1)	8mm	R1/4	PHT 3/16-N01(1)	3/16"	1/8 NPT
PHT 08-03(1)	8mm	R3/8	PHT 3/16-N02(1)	3/16"	1/4 NPT
PHT 08-04(1)	8mm	R1/2	PHT 3/16-N03(1)	3/16"	3/8 NPT
PHT 10-01(1)	10mm	R1/8	PHT 1/4-U10(1)	1/4"	10-32 UNF
PHT 10-02(1)	10mm	R1/4	PHT 1/4-N01(1)	1/4"	1/8 NPT
PHT 10-03(1)	10mm	R3/8	PHT 1/4-N02(1)	1/4"	1/4 NPT
PHT 10-04(1)	10mm	R1/2	PHT 1/4-N03(1)	1/4"	3/8 NPT
PHT 12-01(1)	12mm	R1/8	PHT 1/4-N04(1)	1/4"	1/2 NPT
PHT 12-02(1)	12mm	R1/4	PHT 5/16-N01(1)	5/16"	1/8 NPT
PHT 12-03(1)	12mm	R3/8	PHT 5/16-N02(1)	5/16"	1/4 NPT
PHT 12-04(1)	12mm	R1/2	PHT 5/16-N03(1)	5/16"	3/8 NPT
			PHT 5/16-N04(1)	5/16"	1/2 NPT
			PHT 3/8-N01(1)	3/8"	1/8 NPT
			PHT 3/8-N02(1)	3/8"	1/4 NPT
			PHT 3/8-N03(1)	3/8"	3/8 NPT
			PHT 3/8-N04(1)	3/8"	1/2 NPT
			PHT 1/2-N01(1)	1/2"	1/8 NPT
			PHT 1/2-N02(1)	1/2"	1/4 NPT
			PHT 1/2-N03(1)	1/2"	3/8 NPT
			PHT 1/2-N04(1)	1/2"	1/2 NPT

 Double Banjo Branch Tee - Push In Fittings T型班卓五通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-01(2)	4mm	R1/8	PHT 1/8-U10(2)	1/8"	10-32 UNF
PHT 04-02(2)	4mm	R1/4	PHT 1/8-N01(2)	1/8"	1/8 NPT
PHT 06-01(2)	6mm	R1/8	PHT 1/8-N02(2)	1/8"	1/4 NPT
PHT 06-02(2)	6mm	R1/4	PHT 5/32-U10(2)	5/32"	10-32 UNF
PHT 06-03(2)	6mm	R3/8	PHT 5/32-N01(2)	5/32"	1/8 NPT
PHT 06-04(2)	6mm	R1/2	PHT 5/32-N02(2)	5/32"	1/4 NPT
PHT 08-01(2)	8mm	R1/8	PHT 3/16-U10(2)	3/16"	10-32 UNF
PHT 08-02(2)	8mm	R1/4	PHT 3/16-N01(2)	3/16"	1/8 NPT
PHT 08-03(2)	8mm	R3/8	PHT 3/16-N02(2)	3/16"	1/4 NPT
PHT 08-04(2)	8mm	R1/2	PHT 3/16-N03(2)	3/16"	3/8 NPT
PHT 10-01(2)	10mm	R1/8	PHT 1/4-U10(2)	1/4"	10-32 UNF
PHT 10-02(2)	10mm	R1/4	PHT 1/4-N01(2)	1/4"	1/8 NPT
PHT 10-03(2)	10mm	R3/8	PHT 1/4-N02(2)	1/4"	1/4 NPT
PHT 10-04(2)	10mm	R1/2	PHT 1/4-N03(2)	1/4"	3/8 NPT
PHT 12-01(2)	12mm	R1/8	PHT 1/4-N04(2)	1/4"	1/2 NPT
PHT 12-02(2)	12mm	R1/4	PHT 5/16-N01(2)	5/16"	1/8 NPT
PHT 12-03(2)	12mm	R3/8	PHT 5/16-N02(2)	5/16"	1/4 NPT
PHT 12-04(2)	12mm	R1/2	PHT 5/16-N03(2)	5/16"	3/8 NPT
			PHT 5/16-N04(2)	5/16"	1/2 NPT
			PHT 3/8-N01(2)	3/8"	1/8 NPT
			PHT 3/8-N02(2)	3/8"	1/4 NPT
			PHT 3/8-N03(2)	3/8"	3/8 NPT
			PHT 3/8-N04(2)	3/8"	1/2 NPT
			PHT 1/2-N01(2)	1/2"	1/8 NPT
			PHT 1/2-N02(2)	1/2"	1/4 NPT
			PHT 1/2-N03(2)	1/2"	3/8 NPT
			PHT 1/2-N04(2)	1/2"	1/2 NPT

Push In Fittings 气动快速接头

 Double Branch Male Y - Push In Fittings 并联Y型五通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PXT 04-01	4mm	R1/8	PXT 5/32-N01	5/32"	1/8"NPT
PXT 04-02	4mm	R1/4	PXT 5/32-N02	5/32"	1/4"NPT
PXT 06-01	6mm	R1/8	PXT 1/4-N01	1/4"	1/8"NPT
PXT 06-02	6mm	R1/4	PXT 1/4-N02	1/4"	1/4"NPT
PXT 06-03	6mm	R3/8	PXT 1/4-N03	1/4"	3/8"NPT
PXT 06-04	6mm	R1/2	PXT 1/4-N04	1/4"	1/2"NPT
PXT 08-01	8mm	R1/8	PXT 5/16-N01	5/16"	1/8"NPT
PXT 08-02	8mm	R1/4	PXT 5/16-N02	5/16"	1/4"NPT
PXT 08-03	8mm	R3/8	PXT 5/16-N03	5/16"	3/8"NPT
PXT 08-04	8mm	R1/2	PXT 5/16-N04	5/16"	1/2"NPT

MODEL	Tube Size	MODEL	Tube Size
PU 04	4mm	PU 1/8	1/8"
PU 06	6mm	PU 5/32	5/32"
PU 08	8mm	PU 3/16	3/16"
PU 10	10mm	PU 1/4	1/4"
PU 12	12mm	PU 5/16	5/16"
PU 14	14mm	PU 3/8	3/8"
PU 16	16mm	PU 1/2	1/2"

 Union Straight - Push In Fittings 等径直通气动快速接头			
MODEL	Tube Size	MODEL	Tube Size
PU 04	4mm	PU 1/8	1/8"
PU 06	6mm	PU 5/32	5/32"
PU 08	8mm	PU 3/16	3/16"
PU 10	10mm	PU 1/4	1/4"
PU 12	12mm	PU 5/16	5/16"
PU 14	14mm	PU 3/8	3/8"
PU 16	16mm	PU 1/2	1/2"

 Union Y - Push In Fittings Y型等径三通气动快速接头			
MODEL	Tube Size	MODEL	Tube Size
PY 04	4mm	PY 1/8	1/8"
PY 06	6mm	PY 5/32	5/32"
PY 08	8mm	PY 3/16	3/16"
PY 10	10mm	PY 1/4	1/4"
PY 12	12mm	PY 5/16	5/16"
PY 14	14mm	PY 3/8	3/8"
PY 16	16mm	PY 1/2	1/2"

 Reducer Straight - Push In Fittings 直通变径气动快速接头					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PG 06-04	6mm	4mm	PG 1/4-5/32	1/4"	5/32"
PG 08-04	8mm	4mm	PG 5/16-5/32	5/16"	5/32"
PG 08-06	8mm	6mm	PG 5/16-1/4	5/16"	1/4"
PG 10-04	10mm	4mm	PG 3/8-5/32	3/8"	5/32"
PG 10-06	10mm	6mm	PG 3/8-1/4	3/8"	1/4"
PG 10-08	10mm	8mm	PG 3/8-5/16	3/8"	5/16"
PG 12-06	12mm	6mm	PG 1/2-1/4	1/2"	1/4"
PG 12-08	12mm	8mm	PG 1/2-5/16	1/2"	5/16"
PG 12-10	12mm	10mm	PG 1/2-3/8	1/2"	3/8"
PG 16-12	16mm	12mm			
PG 16-14	16mm	14mm			

 Triple Banjo Branch Tee - Push In Fittings T型班卓七通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-01(3)	4mm	R1/8	PHT 1/8-U10(3)	1/8"	10-32 UNF
PHT 04-02(3)	4mm	R1/4	PHT 1/8-N01(3)	1/8"	1/8 NPT
PHT 06-01(3)	6mm	R1/8	PHT 1/8-N02(3)	1/8"	1/4 NPT
PHT 06-02(3)	6mm	R1/4	PHT 5/32-U10(3)	5/32"	10-32 UNF
PHT 06-03(3)	6mm	R3/8	PHT 5/32-N01(3)	5/32"	1/8 NPT
PHT 06-04(3)	6mm	R1/2	PHT 5/32-N02(3)	5/32"	1/4 NPT
PHT 08-01(3)	8mm	R1/8	PHT 3/16-U10(3)	3/16"	10-32 UNF
PHT 08-02(3)	8mm	R1/4	PHT 3/16-N01(3)	3/16"	1/8 NPT
PHT 08-03(3)	8mm	R3/8	PHT 3/16-N02(3)	3/16"	1/4 NPT
PHT 08-04(3)	8mm	R1/2	PHT 3/16-N03(3)	3/16"	3/8 NPT
PHT 10-01(3)	10mm	R1/8	PHT 1/4-U10(3)	1/4"	10-32 UNF
PHT 10-02(3)	10mm	R1/4	PHT 1/4-N01(3)	1/4"	1/8 NPT
PHT 10-03(3)	10mm	R3/8	PHT 1/4-N02(3)	1/4"	1/4 NPT
PHT 10-04(3)	10mm	R1/2	PHT 1/4-N03(3)	1/4"	3/8 NPT
PHT 12-01(3)	12mm	R1/8	PHT 1/4-N04(3)	1/4"	1/2 NPT
PHT 12-02(3)	12mm	R1/4	PHT 5/16-N01(3)	5/16"	1/8 NPT
PHT 12-03(3)	12mm	R3/8	PHT 5/16-N02(3)	5/16"	1/4 NPT
PHT 12-04(3)	12mm	R1/2	PHT 5/16-N03(3)	5/16"	3/8 NPT
			PHT 5/16-N04(3)	5/16"	1/2 NPT
			PHT 3/8-N01(3)	3/8"	1/8 NPT
			PHT 3/8-N02(3)	3/8"	1/4 NPT
			PHT 3/8-N03(3)	3/8"	3/8 NPT
			PHT 3/8-N04(3)	3/8"	1/2 NPT
			PHT 1/2-N01(3)	1/2"	1/8 NPT
			PHT 1/2-N02(3)	1/2"	1/4 NPT
			PHT 1/2-N03(3)	1/2"	3/8 NPT
			PHT 1/2-N04(3)	1/2"	1/2 NPT

 Branch Universal Female Elbow- Push In Fittings 并联三通内牙班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAF 04-01(1)	4mm	R1/8	PAF 1/8-U10(1)	1/8"	10-32 UNF
PAF 04-02(1)	4mm	R1/4	PAF 1/8-N01(1)	1/8"	1/8 NPT
PAF 06-01(1)	6mm	R1/8	PAF 1/8-N02(1)	1/8"	1/4 NPT
PAF 06-02(1)	6mm	R1/4	PAF 5/32-U10(1)	5/32"	10-32 UNF
PAF 06-03(1)	6mm	R3/8	PAF 5/32-N01(1)	5/32"	1/8 NPT
PAF 06-04(1)	6mm	R1/2	PAF 5/32-N02(1)	5/32"	1/4 NPT
PAF 08-01(1)	8mm	R1/8	PAF 3/16-U10(1)	3/16"	10-32 UNF
PAF 08-02(1)	8mm	R1/4	PAF 3/16-N01(1)	3/16"	1/8 NPT
PAF 08-03(1)	8mm	R3/8	PAF 3/16-N02(1)	3/16"	1/4 NPT
PAF 08-04(1)	8mm	R1/2	PAF 3/16-N03(1)	3/16"	3/8 NPT
PAF 10-01(1)	10mm	R1/8	PAF 1/4-U10(1)	1/4"	10-32 UNF
PAF 10-02(1)	10mm	R1/4	PAF 1/4-N01(1)	1/4"	1/8 NPT
PAF 10-03(1)	10mm	R3/8	PAF 1/4-N02(1)	1/4"	1/4 NPT
PAF 10-04(1)	10mm	R1/2	PAF 1/4-N03(1)	1/4"	3/8 NPT
PAF 12-01(1)	12mm	R1/8	PAF 1/4-N04(1)	1/4"	1/2 NPT
PAF 12-02(1)	12mm	R1/4	PAF 5/16-N01(1)	5/16"	1/8 NPT
PAF 12-03(1)	12mm	R3/8	PAF 5/16-N02(1)	5/16"	1/4 NPT
PAF 12-04(1)	12mm	R1/2	PAF 5/16-N03(1)	5/16"	3/8 NPT
			PAF 5/16-N04(1)	5/16"	1/2 NPT
			PAF 3/8-N01(1)	3/8"	1/8 NPT
			PAF 3/8-N02(1)	3/8"	1/4 NPT
			PAF 3/8-N03(1)	3/8"	3/8 NPT
			PAF 3/8-N04(1)	3/8"	1/2 NPT
			PAF 1/2-N01(1)	1/2"	1/8 NPT
			PAF 1/2-N02(1)	1/2"	1/4 NPT
			PAF 1/2-N03(1)	1/2"	3/8 NPT
			PAF 1/2-N04(1)	1/2"	1/2 NPT

 Union Elbow - Push In Fittings 等径弯头气动快速接头			
MODEL	Tube Size	MODEL	Tube Size
PV 04	4mm	PV 1/8	1/8"
PV 06	6mm	PV 5/32	5/32"
PV 08	8mm	PV 3/16	3/16"
PV 10	10mm	PV 1/4	1/4"
PV 12	12mm	PV 5/16	5/16"
PV 14	14mm	PV 3/8	3/8"
PV 16	16mm	PV 1/2	1/2"

 Union Tee - Push In Fittings 等径三通气动快速接头			
MODEL	Tube Size	MODEL	Tube Size
PE 04	4mm	PE 1/8	1/8"
PE 06	6mm	PE 5/32	5/32"
PE 08	8mm	PE 3/16	3/16"
PE 10	10mm	PE 1/4	1/4"
PE 12	12mm	PE 5/16	5/16"
PE 14	14mm	PE 3/8	3/8"
PE 16	16mm	PE 1/2	1/2"

Reducer Tee (Middle Big) - Push In Fittings

变径三通（中间大）气动快速接头

MODEL	Tube 1	Tube 2&3	MODEL	Tube 1	Tube 2&3
PGT 04-06-04	6mm	4mm	PGT 5/32-1/4-5/32	1/4"	5/32"
PGT 04-08-04	8mm	4mm	PGT 1/4-5/16-1/4	5/16"	1/4"
PGT 06-08-06	8mm	6mm	PGT 5/16-3/8-5/16	3/8"	5/16"
PGT 06-10-06	10mm	6mm	PGT 3/8-1/2-3/8	1/2"	3/8"
PGT 08-10-08	10mm	8mm			
PGT 06-12-06	12mm	6mm			
PGT 08-12-08	12mm	8mm			
PGT 10-12-10	12mm	10mm			

Push In Fittings
 气动快速接头



Reducer Y - Push In Fittings

Y型变径三通气动快速接头

MODEL	Tube 1	Tube 2&3	MODEL	Tube 1	Tube 2&3
PW 06-04-04	6mm	4mm	PW 1/4-5/32-5/32	1/4"	5/32"
PW 08-04-04	8mm	4mm	PW 5/16-5/32-5/32	5/16"	5/32"
PW 08-06-06	8mm	6mm	PW 5/16-1/4-1/4	5/16"	1/4"
PW 10-06-06	10mm	6mm	PW 3/8-1/4-1/4	3/8"	1/4"
PW 10-08-08	10mm	8mm	PW 3/8-5/16-5/16	3/8"	5/16"
PW 12-08-08	12mm	8mm	PW 1/2-5/16-5/16	1/2"	5/16"
PW 12-10-10	12mm	10mm	PW 1/2-3/8-3/8	1/2"	3/8"



Union Cross - Push In Fittings

等径十字四通气动快速接头

MODEL	Tube Size	MODEL	Tube Size
PZA 04	4mm	PZA 1/8	1/8"
PZA 06	6mm	PZA 5/32	5/32"
PZA 08	8mm	PZA 3/16	3/16"
PZA 10	10mm	PZA 1/4	1/4"
PZA 12	12mm	PZA 5/16	5/16"
		PZA 3/8	3/8"
		PZA 1/2	1/2"



Double Union Y - Push In Fittings

Y型五通气动快速接头

MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PXG 06-04	6mm	4mm	PXG 1/4-5/32	1/4"	5/32"
PXG 08	8mm	8mm	PXG 5/16	5/16"	5/16"
PXG 08-04	8mm	4mm	PXG 5/16-5/32	5/16"	5/32"
PXG 08-06	8mm	6mm	PXG 5/16-1/4	5/16"	1/4"



Push In Reducer Straight - Push In Fittings

插管式变径直通气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PGJ 06-04	6mm	4mm	PGJ 1/4-5/32	1/4"	5/32"
PGJ 08-04	8mm	4mm	PGJ 5/16-5/32	5/16"	5/32"
PGJ 08-06	8mm	6mm	PGJ 5/16-1/4	5/16"	1/4"
PGJ 10-06	10mm	6mm	PGJ 3/8-1/4	3/8"	1/4"
PGJ 10-08	10mm	8mm	PGJ 3/8-5/16	3/8"	5/16"
PGJ 12-06	12mm	6mm	PGJ 1/2-1/4	1/2"	1/4"
PGJ 12-08	12mm	8mm	PGJ 1/2-5/16	1/2"	5/16"
PGJ 12-10	12mm	10mm	PGJ 1/2-3/8	1/2"	3/8"



Push In Cap - Push In Fittings

气管堵头

MODEL	Tube Size	MODEL	Tube Size
PPF 04	4mm	PPF 5/32	5/32"
PPF 06	6mm	PPF 1/4	1/4"
PPF 08	8mm	PPF 5/16	5/16"
PPF 10	10mm	PPF 3/8	3/8"
PPF 12	12mm	PPF 1/2	1/2"
PPF 14	14mm		
PPF 16	16mm		



Bulkhead Straight - Push In Fittings

夹班直通气动快速接头

MODEL	Tube Size	MODEL	Tube Size
PM 04	4mm	PM 1/8	1/8"
PM 06	6mm	PM 5/32	5/32"
PM 08	8mm	PM 3/16	3/16"
PM 10	10mm	PM 1/4	1/4"
PM 12	12mm	PM 5/16	5/16"
PM 14	14mm	PM 3/8	3/8"
PM 16	16mm	PM 1/2	1/2"



Bulkhead Elbow - Push In Fittings

夹班弯头气动快速接头

MODEL	Tube Size	MODEL	Tube Size
PLM 04	4mm	PLM 1/8	1/8"
PLM 06	6mm	PLM 5/32	5/32"
PLM 08	8mm	PLM 3/16	3/16"
PLM 10	10mm	PLM 1/4	1/4"
PLM 12	12mm	PLM 5/16	5/16"
		PLM 3/8	3/8"
		PLM 1/2	1/2"



Push In Elbow - Push In Fittings

插管式弯头气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PLJ 06-04	6mm	4mm	PLJ 1/4-5/32	1/4"	5/32"
PLJ 08-04	8mm	4mm	PLJ 5/16-5/32	5/16"	5/32"
PLJ 08-06	8mm	6mm	PLJ 5/16-1/4	5/16"	1/4"
PLJ 10-06	10mm	6mm	PLJ 3/8-1/4	3/8"	1/4"
PLJ 10-08	10mm	8mm	PLJ 3/8-5/16	3/8"	5/16"
PLJ 12-06	12mm	6mm	PLJ 1/2-1/4	1/2"	1/4"
PLJ 12-08	12mm	8mm	PLJ 1/2-5/16	1/2"	5/16"
PLJ 12-10	12mm	10mm	PLJ 1/2-3/8	1/2"	3/8"
PLJ 04-04	4mm	4mm	PLJ 5/32-5/32	5/32"	5/32"
PLJ 06-06	6mm	6mm	PLJ 1/4-1/4	1/4"	1/4"
PLJ 08-08	8mm	8mm	PLJ 5/16-5/16	5/16"	5/16"
PLJ 10-10	10mm	10mm	PLJ 3/8-3/8	3/8"	3/8"
PLJ 12-12	12mm	12mm	PLJ 1/2--1/2	1/2"	1/2"

Push In Fittings
 气动快速接头



Push In Reducer Y - Push In Fittings

插入式Y型变径气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PWJ 06-04	6mm	4mm	PWJ 1/4-5/32	1/4"	5/32"
PWJ 08-04	8mm	4mm	PWJ 5/16-5/32	5/16"	5/32"
PWJ 08-06	8mm	6mm	PWJ 5/16-1/4	5/16"	1/4"
PWJ 10-06	10mm	6mm	PWJ 3/8-1/4	3/8"	1/4"
PWJ 10-08	10mm	8mm	PWJ 3/8-5/16	3/8"	5/16"
PWJ 12-08	12mm	8mm	PWJ 1/2-5/16	1/2"	5/16"
PWJ 12-10	12mm	10mm	PWJ 1/2-3/8	1/2"	3/8"



Push In Branch Tee - Push In Fittings

插入式T型气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PTJ 06-04	6mm	4mm	PWJ 1/4-5/32	1/4"	5/32"
PTJ 08-04	8mm	4mm	PWJ 5/16-5/32	5/16"	5/32"
PTJ 08-06	8mm	6mm	PWJ 5/16-1/4	5/16"	1/4"
PTJ 10-06	10mm	6mm	PWJ 3/8-1/4	3/8"	1/4"
PTJ 10-08	10mm	8mm	PWJ 3/8-5/16	3/8"	5/16"
PTJ 12-08	12mm	8mm	PWJ 1/2-5/16	1/2"	5/16"
PTJ 12-10	12mm	10mm	PWJ 1/2-3/8	1/2"	3/8"



Push In Run Tee - Push In Fittings

插入式T型气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PSJ 06-04	6mm	4mm	PSJ 1/4-5/32	1/4"	5/32"
PSJ 08-04	8mm	4mm	PSJ 5/16-5/32	5/16"	5/32"
PSJ 08-06	8mm	6mm	PSJ 5/16-1/4	5/16"	1/4"
PSJ 10-06	10mm	6mm	PSJ 3/8-1/4	3/8"	1/4"
PSJ 10-08	10mm	8mm	PSJ 3/8-5/16	3/8"	5/16"
PSJ 12-08	12mm	8mm	PSJ 1/2-5/16	1/2"	5/16"
PSJ 12-10	12mm	10mm	PSJ 1/2-3/8	1/2"	3/8"



Push In Y - Push In Fittings

插入式Y型等径气动快速接头

MODEL	Pole Size	Tube Size	MODEL	Pole Size	Tube Size
PYJ 04	4mm	4mm	PYJ 5/32	5/32"	5/32"
PYJ 06	6mm	6mm	PYJ 1/4	1/4"	1/4"
PYJ 08	8mm	8mm	PYJ 5/16	5/16"	5/16"
PYJ 10	10mm	10mm	PYJ 3/8	3/8"	3/8"
PYJ 12	12mm	12mm	PYJ 1/2	1/2"	1/2"
PYJ 14	14mm	14mm			
PYJ 16	16mm	16mm			



Plug - Push In Fittings

杆状管塞

MODEL	Tube Size	MODEL	Tube Size
PP 04	4mm	PP 5/32	5/32"
PP 06	6mm	PP 1/4	1/4"
PP 08	8mm	PP 5/16	5/16"
PP 10	10mm	PP 3/8	3/8"
PP 12	12mm	PP 1/2	1/2"



Tube Splicer - Push In Fittings

等径接头连通杆

MODEL	Tube Size	MODEL	Tube Size
PUJ 04	4mm	PUJ 5/32	5/32"
PUJ 06	6mm	PUJ 1/4	1/4"
PUJ 08	8mm	PUJ 5/16	5/16"
PUJ 10	10mm	PUJ 3/8	3/8"
PUJ 12	12mm	PUJ 1/2	1/2"
PUJ 14	14mm		
PUJ 16	16mm		



Reducer Tube Splicer - Push In Fittings

变径三通（中间大）气动快速接头

MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PIG 06-04	6mm	4mm	PIG 1/4-5/32	1/4"	5/32"
PIG 08-04	8mm	4mm	PIG 5/16-5/32	5/16"	5/32"
PIG 08-06	8mm	6mm	PIG 5/16-1/4	5/16"	1/4"
PIG 10-04	10mm	4mm	PIG 3/8-5/32	3/8"	5/32"
PIG 10-06	10mm	6mm	PIG 3/8-1/4	3/8"	1/4"
PIG 10-08	10mm	8mm	PIG 3/8-5/16	3/8"	5/16"
PIG 12-06	12mm	6mm	PIG 1/2-1/4	1/2"	1/4"
PIG 12-08	12mm	8mm	PIG 1/2-5/16	1/2"	5/16"
PIG 12-10	12mm	10mm	PIG 1/2-3/8	1/2"	3/8"
PIG 14-12	14mm	12mm			
PIG 16-12	16mm	12mm			



Triple Branch Union - Push In Fittings

等径五通气动快速接头

MODEL	Tube Size	Tube Size	MODEL	Tube Size	Thread Size
PK 04	4mm	4mm	PK 5/32	5/32"	5/32"
PK 06	6mm	6mm	PK 1/4	1/4"	1/4"
PK 08	8mm	8mm	PK 5/16	5/16"	5/16"

G Thread Air Fittings
 G 螺纹气动快速接头



Triple Reducer Branch - Push In Fittings
 变径五通气动快速接头

MODEL	Tube 1	Tube 2	MODEL	Tube 1	Tube 2
PKG 06-04	6mm	4mm	PKG 1/4-5/32	1/4"	5/32"
PKG 08-04	8mm	4mm	PKG 5/16-5/32	5/16"	5/32"
PKG 08-06	8mm	6mm	PKG 5/16-1/4	5/16"	1/4"
PKG 10-06	10mm	6mm	PKG 3/8-1/4	3/8"	1/4"
PKG 10-08	10mm	8mm	PKG 3/8-5/16	3/8"	5/16"



Male Triple Branch - Push In Fittings
 外螺纹等径五通气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PKB 06-01	6mm	R1/8	PKB 1/4-U10	1/4"	10-32 UNF
PKB 06-02	6mm	R1/4	PKB 1/4-N01	1/4"	1/8 NPT
PKB 06-03	6mm	R3/8	PKB 1/4-N02	1/4"	1/4 NPT
PKB 08-01	8mm	R1/8	PKB 1/4-N03	1/4"	3/8 NPT
PKB 08-02	8mm	R1/4	PKB 5/16-N01	5/16"	1/8 NPT
PKB 08-03	8mm	R3/8	PKB 5/16-N02	5/16"	1/4 NPT
			PKB 5/16-N03	5/16"	3/8 NPT



Male Reducer Triple Branch - Push In Fittings
 外螺纹变径五通气动快速接头

MODEL	Tube 1	Tube 2	Thread	MODEL	Tube 1	Tube 2	Thread
PKD 06-04-01	6mm	4mm	R1/8	PKD 1/4-5/32-1/8	1/4"	5/32"	1/8 NPT
PKD 08-04-01	8mm	4mm	R1/8	PKD 5/16-5/32-1/8	5/16"	5/32"	1/8 NPT
PKD 08-06-01	8mm	6mm	R1/8	PKD 5/16-1/4-1/8	5/16"	1/4"	1/8 NPT
PKD 08-06-02	8mm	6mm	R1/4	PKD 5/16-1/4-1/4	5/16"	1/4"	1/4 NPT
PKD 10-08-02	10mm	8mm	R1/4	PKD 3/8-5/16-1/4	3/8"	5/16"	1/4 NPT
PKD 10-08-03	10mm	8mm	R3/8	PKD 3/8-5/16-3/8	3/8"	5/16"	3/8 NPT



Male Adapter - G Thread Air Fittings
 G螺纹外牙直通气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PC 04-G01	4mm	G1/8	PC 1/4-G01	1/4"	G1/8
PC 04-G02	4mm	G1/4	PC 1/4-G02	1/4"	G1/4
PC 06-G01	6mm	G1/8	PC 5/16-G01	5/16"	G1/8
PC 06-G02	6mm	G1/4	PC 5/16-G02	5/16"	G1/4
PC 06-G03	6mm	G3/8	PC 5/16-G03	5/16"	G3/8
PC 06-G04	6mm	G1/2	PC 5/16-G04	5/16"	G1/2
PC 08-G01	8mm	G1/8	PC 3/8-G01	3/8"	G1/8
PC 08-G02	8mm	G1/4	PC 3/8-G02	3/8"	G1/4
PC 08-G03	8mm	G3/8	PC 3/8-G03	3/8"	G3/8
PC 08-G04	8mm	G1/2	PC 3/8-G04	3/8"	G1/2
PC 10-G01	10mm	G1/8	PC 1/2-G02	1/2"	G1/4
PC 10-G02	10mm	G1/4	PC 1/2-G03	1/2"	G3/8
PC 10-G03	10mm	G3/8	PC 1/2-G04	1/2"	G1/2
PC 10-G04	10mm	G1/2			
PC 12-G01	12mm	G1/8			
PC 12-G02	12mm	G1/4			
PC 12-G03	12mm	G3/8			
PC 12-G04	12mm	G1/2			
PC 14-G03	14mm	G3/8			
PC 14-G04	14mm	G1/2			
PC 16-G03	16mm	G3/8			
PC 16-G04	16mm	G1/2			



Round Male Adapter - G Thread Air Fittings
 G螺纹内六角外牙直通气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
POC 04-G01	4mm	G1/8	POC 1/4-G01	1/4"	G1/8
POC 04-G02	4mm	G1/4	POC 1/4-G02	1/4"	G1/4
POC 06-G01	6mm	G1/8	POC 5/16-G01	5/16"	G1/8
POC 06-G02	6mm	G1/4	POC 5/16-G02	5/16"	G1/4
POC 06-G03	6mm	G3/8	POC 5/16-G03	5/16"	G3/8
POC 06-G04	6mm	G1/2	POC 5/16-G04	5/16"	G1/2
POC 08-G01	8mm	G1/8	POC 3/8-G01	3/8"	G1/8
POC 08-G02	8mm	G1/4	POC 3/8-G02	3/8"	G1/4
POC 08-G03	8mm	G3/8	POC 3/8-G03	3/8"	G3/8
POC 08-G04	8mm	G1/2	POC 3/8-G04	3/8"	G1/2
POC 10-G01	10mm	G1/8	POC 1/2-G02	1/2"	G1/4
POC 10-G02	10mm	G1/4	POC 1/2-G03	1/2"	G3/8
POC 10-G03	10mm	G3/8	POC 1/2-G04	1/2"	G1/2
POC 10-G04	10mm	G1/2			
POC 12-G01	12mm	G1/8			
POC 12-G02	12mm	G1/4			
POC 12-G03	12mm	G3/8			
POC 12-G04	12mm	G1/2			
POC 14-G03	14mm	G3/8			
POC 14-G04	14mm	G1/2			
POC 16-G03	16mm	G3/8			
POC 16-G04	16mm	G1/2			

G Thread Air Fittings
 G 螺纹气动快速接头



Female Adapter - G Thread Air Fittings
 G螺纹内牙直通气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PCF 04-G01	4mm	G1/8	PCF 1/4-G01	1/4"	G1/8
PCF 04-G02	4mm	G1/4	PCF 1/4-G02	1/4"	G1/4
PCF 06-G01	6mm	G1/8	PCF 5/16-G01	5/16"	G1/8
PCF 06-G02	6mm	G1/4	PCF 5/16-G02	5/16"	G1/4
PCF 06-G03	6mm	G3/8	PCF 5/16-G03	5/16"	G3/8
PCF 06-G04	6mm	G1/2	PCF 5/16-G04	5/16"	G1/2
PCF 08-G01	8mm	G1/8	PCF 3/8-G01	3/8"	G1/8
PCF 08-G02	8mm	G1/4	PCF 3/8-G02	3/8"	G1/4
PCF 08-G03	8mm	G3/8	PCF 3/8-G03	3/8"	G3/8
PCF 08-G04	8mm	G1/2	PCF 3/8-G04	3/8"	G1/2
PCF 10-G01	10mm	G1/8	PCF 1/2-G02	1/2"	G1/4
PCF 10-G02	10mm	G1/4	PCF 1/2-G03	1/2"	G3/8
PCF 10-G03	10mm	G3/8	PCF 1/2-G04	1/2"	G1/2
PCF 10-G04	10mm	G1/2			
PCF 12-G01	12mm	G1/8			
PCF 12-G02	12mm	G1/4			
PCF 12-G03	12mm	G3/8			
PCF 12-G04	12mm	G1/2			
PCF 14-G03	14mm	G3/8			
PCF 14-G04	14mm	G1/2			
PCF 16-G03	16mm	G3/8			
PCF 16-G04	16mm	G1/2			



Female Bulkhead - G Thread Air Fittings
 G螺纹夹板内牙直通气动快速接头

MODEL	Tube Size	MODEL	Tube Size
PMF 04-G01	4mm	PMF 1/4-G01	1/4"
PMF 04-G02	4mm	PMF 1/4-G02	1/4"
PMF 06-G01	6mm	PMF 5/16-G01	5/16"
PMF 06-G02	6mm	PMF 5/16-G02	5/16"
PMF 06-G03	6mm	PMF 5/16-G03	5/16"
PMF 06-G04	6mm	PMF 5/16-G04	5/16"
PMF 08-G01	8mm	PMF 3/8-G01	3/8"
PMF 08-G02	8mm	PMF 3/8-G02	3/8"
PMF 08-G03	8mm	PMF 3/8-G03	3/8"
PMF 08-G04	8mm	PMF 3/8-G04	3/8"
PMF 10-G01	10mm	PMF 1/2-G02	1/2"
PMF 10-G02	10mm	PMF 1/2-G03	1/2"
PMF 10-G03	10mm	PMF 1/2-G04	1/2"
PMF 10-G04	10mm		
PMF 12-G01	12mm		
PMF 12-G02	12mm		
PMF 12-G03	12mm		
PMF 12-G04	12mm		
PMF 14-G03	14mm		
PMF 14-G04	14mm		
PMF 16-G03	16mm		
PMF 16-G04	16mm		



90 Deg. Male Elbow - G Thread Air Fittings
 G螺纹90度外牙弯头气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PL 04-G01	4mm	G1/8	PL 1/4-G01	1/4"	G1/8
PL 04-G02	4mm	G1/4	PL 1/4-G02	1/4"	G1/4
PL 06-G01	6mm	G1/8	PL 5/16-G01	5/16"	G1/8
PL 06-G02	6mm	G1/4	PL 5/16-G02	5/16"	G1/4
PL 06-G03	6mm	G3/8	PL 5/16-G03	5/16"	G3/8
PL 06-G04	6mm	G1/2	PL 5/16-G04	5/16"	G1/2
PL 08-G01	8mm	G1/8	PL 3/8-G01	3/8"	G1/8
PL 08-G02	8mm	G1/4	PL 3/8-G02	3/8"	G1/4
PL 08-G03	8mm	G3/8	PL 3/8-G03	3/8"	G3/8
PL 08-G04	8mm	G1/2	PL 3/8-G04	3/8"	G1/2
PL 10-G01	10mm	G1/8	PL 1/2-G02	1/2"	G1/4
PL 10-G02	10mm	G1/4	PL 1/2-G03	1/2"	G3/8
PL 10-G03	10mm	G3/8	PL 1/2-G04	1/2"	G1/2
PL 10-G04	10mm	G1/2			
PL 12-G01	12mm	G1/8			
PL 12-G02	12mm	G1/4			
PL 12-G03	12mm	G3/8			
PL 12-G04	12mm	G1/2			
PL 14-G03	14mm	G3/8			
PL 14-G04	14mm	G1/2			
PL 16-G03	16mm	G3/8			
PL 16-G04	16mm	G1/2			



Female Elbow - G Thread Air Fittings
 G螺纹内牙弯头气动快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PLF 04-G01	4mm	G1/8	PLF 1/4-G01	1/4"	G1/8
PLF 04-G02	4mm	G1/4	PLF 1/4-G02	1/4"	G1/4
PLF 06-G01	6mm	G1/8	PLF 5/16-G01	5/16"	G1/8
PLF 06-G02	6mm	G1/4	PLF 5/16-G02	5/16"	G1/4
PLF 06-G03	6mm	G3/8	PLF 5/16-G03	5/16"	G3/8
PLF 06-G04	6mm	G1/2	PLF 5/16-G04	5/16"	G1/2
PLF 08-G01	8mm	G1/8	PLF 3/8-G01	3/8"	G1/8
PLF 08-G02	8mm	G1/4	PLF 3/8-G02	3/8"	G1/4
PLF 08-G03	8mm	G3/8	PLF 3/8-G03	3/8"	G3/8
PLF 08-G04	8mm	G1/2	PLF 3/8-G04	3/8"	G1/2
PLF 10-G01	10mm	G1/8	PLF 1/2-G02	1/2"	G1/4
PLF 10-G02	10mm	G1/4	PLF 1/2-G03	1/2"	G3/8
PLF 10-G03	10mm	G3/8	PLF1/2-G04	1/2"	G1/2
PLF 10-G04	10mm	G1/2			
PLF 12-G01	12mm	G1/8			
PLF 12-G02	12mm	G1/4			
PLF 12-G03	12mm	G3/8			
PLF 12-G04	12mm	G1/2			
PLF 14-G03	14mm	G3/8			
PLF 14-G04	14mm	G1/2			
PLF 16-G03	16mm	G3/8			
PLF 16-G04	16mm	G1/2			

G Thread Air Fittings
 G 螺纹气动快速接头

 Extended Male Elbow - G Thread Air Fittings G螺纹加长型外牙弯头气动快速接					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PLL 04-G01	4mm	G1/8	PLL 1/4-G01	1/4"	G1/8
PLL 04-G02	4mm	G1/4	PLL 1/4-G02	1/4"	G1/4
PLL 06-G01	6mm	G1/8	PLL 5/16-G01	5/16"	G1/8
PLL 06-G02	6mm	G1/4	PLL 5/16-G02	5/16"	G1/4
PLL 06-G03	6mm	G3/8	PLL 5/16-G03	5/16"	G3/8
PLL 06-G04	6mm	G1/2	PLL 5/16-G04	5/16"	G1/2
PLL 08-G01	8mm	G1/8	PLL 3/8-G01	3/8"	G1/8
PLL 08-G02	8mm	G1/4	PLL 3/8-G02	3/8"	G1/4
PLL 08-G03	8mm	G3/8	PLL 3/8-G03	3/8"	G3/8
PLL 08-G04	8mm	G1/2	PLL 3/8-G04	3/8"	G1/2
PLL 10-G01	10mm	G1/8	PLL 1/2-G02	1/2"	G1/4
PLL 10-G02	10mm	G1/4	PLL 1/2-G03	1/2"	G3/8
PLL 10-G03	10mm	G3/8	PLL 1/2-G04	1/2"	G1/2
PLL 10-G04	10mm	G1/2			
PLL 12-G01	12mm	G1/8			
PLL 12-G02	12mm	G1/4			
PLL 12-G03	12mm	G3/8			
PLL 12-G04	12mm	G1/2			
PLL 14-G03	14mm	G3/8			
PLL 14-G04	14mm	G1/2			
PLL 16-G03	16mm	G3/8			
PLL 16-G04	16mm	G1/2			

 Male Y - G Thread Air Fittings G螺纹Y型外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PX 04-G01	4mm	G1/8	PX 1/4-G01	1/4"	G1/8
PX 04-G02	4mm	G1/4	PX 1/4-G02	1/4"	G1/4
PX 06-G01	6mm	G1/8	PX 5/16-G01	5/16"	G1/8
PX 06-G02	6mm	G1/4	PX 5/16-G02	5/16"	G1/4
PX 06-G03	6mm	G3/8	PX 5/16-G03	5/16"	G3/8
PX 06-G04	6mm	G1/2	PX 5/16-G04	5/16"	G1/2
PX 08-G01	8mm	G1/8	PX 3/8-G01	3/8"	G1/8
PX 08-G02	8mm	G1/4	PX 3/8-G02	3/8"	G1/4
PX 08-G03	8mm	G3/8	PX 3/8-G03	3/8"	G3/8
PX 08-G04	8mm	G1/2	PX 3/8-G04	3/8"	G1/2
PX 10-G01	10mm	G1/8	PX 1/2-G02	1/2"	G1/4
PX 10-G02	10mm	G1/4	PX 1/2-G03	1/2"	G3/8
PX 10-G03	10mm	G3/8	PX 1/2-G04	1/2"	G1/2
PX 10-G04	10mm	G1/2			
PX 12-G01	12mm	G1/8			
PX 12-G02	12mm	G1/4			
PX 12-G03	12mm	G3/8			
PX 12-G04	12mm	G1/2			
PX 14-G03	14mm	G3/8			
PX 14-G04	14mm	G1/2			
PX 16-G03	16mm	G3/8			
PX 16-G04	16mm	G1/2			

G Thread Air Fittings
 G 螺纹气动快速接头

 Female Branch Tee - G Thread Air Fittings G螺纹中间内牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PBF 04-G01	4mm	G1/8	PBF 1/4-G01	1/4"	G1/8
PBF 04-G02	4mm	G1/4	PBF 1/4-G02	1/4"	G1/4
PBF 06-G01	6mm	G1/8	PBF 5/16-G01	5/16"	G1/8
PBF 06-G02	6mm	G1/4	PBF 5/16-G02	5/16"	G1/4
PBF 06-G03	6mm	G3/8	PBF 5/16-G03	5/16"	G3/8
PBF 06-G04	6mm	G1/2	PBF 5/16-G04	5/16"	G1/2
PBF 08-G01	8mm	G1/8	PBF 3/8-G01	3/8"	G1/8
PBF 08-G02	8mm	G1/4	PBF 3/8-G02	3/8"	G1/4
PBF 08-G03	8mm	G3/8	PBF 3/8-G03	3/8"	G3/8
PBF 08-G04	8mm	G1/2	PBF 3/8-G04	3/8"	G1/2
PBF 10-G01	10mm	G1/8	PBF 1/2-G02	1/2"	G1/4
PBF 10-G02	10mm	G1/4	PBF 1/2-G03	1/2"	G3/8
PBF 10-G03	10mm	G3/8	PBF 1/2-G04	1/2"	G1/2
PBF 10-G04	10mm	G1/2			
PBF 12-G01	12mm	G1/8			
PBF 12-G02	12mm	G1/4			
PBF 12-G03	12mm	G3/8			
PBF 12-G04	12mm	G1/2			
PBF 14-G03	14mm	G3/8			
PBF 14-G04	14mm	G1/2			
PBF 16-G03	16mm	G3/8			
PBF 16-G04	16mm	G1/2			

 Male Banjo - G Thread Air Fittings G螺纹外牙班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PH 04-G01	4mm	G1/8	PH 1/4-G01	1/4"	G1/8
PH 04-G02	4mm	G1/4	PH 1/4-G02	1/4"	G1/4
PH 06-G01	6mm	G1/8	PH 5/16-G01	5/16"	G1/8
PH 06-G02	6mm	G1/4	PH 5/16-G02	5/16"	G1/4
PH 06-G03	6mm	G3/8	PH 5/16-G03	5/16"	G3/8
PH 06-G04	6mm	G1/2	PH 5/16-G04	5/16"	G1/2
PH 08-G01	8mm	G1/8	PH 3/8-G01	3/8"	G1/8
PH 08-G02	8mm	G1/4	PH 3/8-G02	3/8"	G1/4
PH 08-G03	8mm	G3/8	PH 3/8-G03	3/8"	G3/8
PH 08-G04	8mm	G1/2	PH 3/8-G04	3/8"	G1/2
PH 10-G01	10mm	G1/8	PH 1/2-G02	1/2"	G1/4
PH 10-G02	10mm	G1/4	PH 1/2-G03	1/2"	G3/8
PH 10-G03	10mm	G3/8	PH 1/2-G04	1/2"	G1/2
PH 10-G04	10mm	G1/2			
PH 12-G01	12mm	G1/8			
PH 12-G02	12mm	G1/4			
PH 12-G03	12mm	G3/8			
PH 12-G04	12mm	G1/2			
PH 14-G03	14mm	G3/8			
PH 14-G04	14mm	G1/2			
PH 16-G03	16mm	G3/8			
PH 16-G04	16mm	G1/2			

 Male Branch Tee - G Thread Air Fittings G螺纹中间外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PB 04-G01	4mm	G1/8	PB 1/4-G01	1/4"	G1/8
PB 04-G02	4mm	G1/4	PB 1/4-G02	1/4"	G1/4
PB 06-G01	6mm	G1/8	PB 5/16-G01	5/16"	G1/8
PB 06-G02	6mm	G1/4	PB 5/16-G02	5/16"	G1/4
PB 06-G03	6mm	G3/8	PB 5/16-G03	5/16"	G3/8
PB 06-G04	6mm	G1/2	PB 5/16-G04	5/16"	G1/2
PB 08-G01	8mm	G1/8	PB 3/8-G01	3/8"	G1/8
PB 08-G02	8mm	G1/4	PB 3/8-G02	3/8"	G1/4
PB 08-G03	8mm	G3/8	PB 3/8-G03	3/8"	G3/8
PB 08-G04	8mm	G1/2	PB 3/8-G04	3/8"	G1/2
PB 10-G01	10mm	G1/8	PB 1/2-G02	1/2"	G1/4
PB 10-G02	10mm	G1/4	PB 1/2-G03	1/2"	G3/8
PB 10-G03	10mm	G3/8	PB 1/2-G04	1/2"	G1/2
PB 10-G04	10mm	G1/2			
PB 12-G01	12mm	G1/8			
PB 12-G02	12mm	G1/4			
PB 12-G03	12mm	G3/8			
PB 12-G04	12mm	G1/2			
PB 14-G03	14mm	G3/8			
PB 14-G04	14mm	G1/2			
PB 16-G03	16mm	G3/8			
PB 16-G04	16mm	G1/2			

 Male Run Tee - G Thread Air Fittings G螺纹侧面外牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PD 04-G01	4mm	G1/8	PD 1/4-G01	1/4"	G1/8
PD 04-G02	4mm	G1/4	PD 1/4-G02	1/4"	G1/4
PD 06-G01	6mm	G1/8	PD 5/16-G01	5/16"	G1/8
PD 06-G02	6mm	G1/4	PD 5/16-G02	5/16"	G1/4
PD 06-G03	6mm	G3/8	PD 5/16-G03	5/16"	G3/8
PD 06-G04	6mm	G1/2	PD 5/16-G04	5/16"	G1/2
PD 08-G01	8mm	G1/8	PD 3/8-G01	3/8"	G1/8
PD 08-G02	8mm	G1/4	PD 3/8-G02	3/8"	G1/4
PD 08-G03	8mm	G3/8	PD 3/8-G03	3/8"	G3/8
PD 08-G04	8mm	G1/2	PD 3/8-G04	3/8"	G1/2
PD 10-G01	10mm	G1/8	PD 1/2-G02	1/2"	G1/4
PD 10-G02	10mm	G1/4	PD 1/2-G03	1/2"	G3/8
PD 10-G03	10mm	G3/8	PD 1/2-G04	1/2"	G1/2
PD 10-G04	10mm	G1/2			
PD 12-G01	12mm	G1/8			
PD 12-G02	12mm	G1/4			
PD 12-G03	12mm	G3/8			
PD 12-G04	12mm	G1/2			
PD 14-G03	14mm	G3/8			
PD 14-G04	14mm	G1/2			
PD 16-G03	16mm	G3/8			
PD 16-G04	16mm	G1/2			

 Female Run Tee - G Thread Air Fittings G螺纹侧面内牙三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PDF 04-G01	4mm	G1/8	PDF 1/4-G01	1/4"	G1/8
PDF 04-G02	4mm	G1/4	PDF 1/4-G02	1/4"	G1/4
PDF 06-G01	6mm	G1/8	PDF 5/16-G01	5/16"	G1/8
PDF 06-G02	6mm	G1/4	PDF 5/16-G02	5/16"	G1/4
PDF 06-G03	6mm	G3/8	PDF 5/16-G03	5/16"	G3/8
PDF 06-G04	6mm	G1/2	PDF 5/16-G04	5/16"	G1/2
PDF 08-G01	8mm	G1/8	PDF 3/8-G01	3/8"	G1/8
PDF 08-G02	8mm	G1/4	PDF 3/8-G02	3/8"	G1/4
PDF 08-G03	8mm	G3/8	PDF 3/8-G03	3/8"	G3/8
PDF 08-G04	8mm	G1/2	PDF 3/8-G04	3/8"	G1/2
PDF 10-G01	10mm	G1/8	PDF 1/2-G02	1/2"	G1/4
PDF 10-G02	10mm	G1/4	PDF 1/2-G03	1/2"	G3/8
PDF 10-G03	10mm	G3/8	PDF 1/2-G04	1/2"	G1/2
PDF 10-G04	10mm	G1/2			
PDF 12-G01	12mm	G1/8			
PDF 12-G02	12mm	G1/4			
PDF 12-G03	12mm	G3/8			
PDF 12-G04	12mm	G1/2			
PDF 14-G03	14mm	G3/8			
PDF 14-G04	14mm	G1/2			
PDF 16-G03	16mm	G3/8			
PDF 16-G04	16mm	G1/2			

 Female Banjo - G Thread Air Fittings G螺纹内牙班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHF 04-G01	4mm	G1/8	PHF 1/4-G01	1/4"	G1/8
PHF 04-G02	4mm	G1/4	PHF 1/4-G02	1/4"	G1/4
PHF 06-G01	6mm	G1/8	PHF 5/16-G01	5/16"	G1/8
PHF 06-G02	6mm	G1/4	PHF 5/16-G02	5/16"	G1/4
PHF 06-G03	6mm	G3/8	PHF 5/16-G03	5/16"	G3/8
PHF 06-G04	6mm	G1/2	PHF 5/16-G04	5/16"	G1/2
PHF 08-G01	8mm	G1/8	PHF 3/8-G01	3/8"	G1/8
PHF 08-G02	8mm	G1/4	PHF 3/8-G02	3/8"	G1/4
PHF 08-G03	8mm	G3/8	PHF 3/8-G03	3/8"	G3/8
PHF 08-G04	8mm	G1/2	PHF 3/8-G04	3/8"	G1/2
PHF 10-G01	10mm	G1/8	PHF 1/2-G02	1/2"	G1/4
PHF 10-G02	10mm	G1/4	PHF 1/2-G03	1/2"	G3/8
PHF 10-G03	10mm	G3/8	PHF 1/2-G04	1/2"	G1/2
PHF 10-G04	10mm	G1/2			
PHF 12-G01	12mm	G1/8			
PHF 12-G02	12mm	G1/4			
PHF 12-G03	12mm	G3/8			
PHF 12-G04	12mm	G1/2			
PHF 14-G03	14mm	G3/8			
PHF 14-G04	14mm	G1/2			
PHF 16-G03	16mm	G3/8			
PHF 16-G04	16mm	G1/2			

G Thread Air Fittings
 G 螺纹气动快速接头

 Branch Union Elbow - G Thread Air Fittings G螺纹并联三通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAT 04-G01(1)	4mm	G1/8	PAT 1/4-G01(1)	1/4"	G1/8
PAT 04-G02(1)	4mm	G1/4	PAT 1/4-G02(1)	1/4"	G1/4
PAT 06-G01(1)	6mm	G1/8	PAT 5/16-G01(1)	5/16"	G1/8
PAT 06-G02(1)	6mm	G1/4	PAT 5/16-G02(1)	5/16"	G1/4
PAT 06-G03(1)	6mm	G3/8	PAT 5/16-G03(1)	5/16"	G3/8
PAT 06-G04(1)	6mm	G1/2	PAT 5/16-G04(1)	5/16"	G1/2
PAT 08-G01(1)	8mm	G1/8	PAT 3/8-G01(1)	3/8"	G1/8
PAT 08-G02(1)	8mm	G1/4	PAT 3/8-G02(1)	3/8"	G1/4
PAT 08-G03(1)	8mm	G3/8	PAT 3/8-G03(1)	3/8"	G3/8
PAT 08-G04(1)	8mm	G1/2	PAT 3/8-G04(1)	3/8"	G1/2
PAT 10-G01(1)	10mm	G1/8	PAT 1/2-G02(1)	1/2"	G1/4
PAT 10-G02(1)	10mm	G1/4	PAT 1/2-G03(1)	1/2"	G3/8
PAT 10-G03(1)	10mm	G3/8	PAT 1/2-G04(1)	1/2"	G1/2
PAT 10-G04(1)	10mm	G1/2			
PAT 12-G01(1)	12mm	G1/8			
PAT 12-G02(1)	12mm	G1/4			
PAT 12-G03(1)	12mm	G3/8			
PAT 12-G04(1)	12mm	G1/2			

 Triple Branch Elbow - G Thread Air Fittings G螺纹并联七通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAT 04-G01(3)	4mm	G1/8	PAT 1/4-G01(3)	1/4"	G1/8
PAT 04-G02(3)	4mm	G1/4	PAT 1/4-G02(3)	1/4"	G1/4
PAT 06-G01(3)	6mm	G1/8	PAT 5/16-G01(3)	5/16"	G1/8
PAT 06-G02(3)	6mm	G1/4	PAT 5/16-G02(3)	5/16"	G1/4
PAT 06-G03(3)	6mm	G3/8	PAT 5/16-G03(3)	5/16"	G3/8
PAT 06-G04(3)	6mm	G1/2	PAT 5/16-G04(3)	5/16"	G1/2
PAT 08-G01(3)	8mm	G1/8	PAT 3/8-G01(3)	3/8"	G1/8
PAT 08-G02(3)	8mm	G1/4	PAT 3/8-G02(3)	3/8"	G1/4
PAT 08-G03(3)	8mm	G3/8	PAT 3/8-G03(3)	3/8"	G3/8
PAT 08-G04(3)	8mm	G1/2	PAT 3/8-G04(3)	3/8"	G1/2
PAT 10-G01(3)	10mm	G1/8	PAT 1/2-G02(3)	1/2"	G1/4
PAT 10-G02(3)	10mm	G1/4	PAT 1/2-G03(3)	1/2"	G3/8
PAT 10-G03(3)	10mm	G3/8	PAT 1/2-G04(3)	1/2"	G1/2
PAT 10-G04(3)	10mm	G1/2			
PAT 12-G01(3)	12mm	G1/8			
PAT 12-G02(3)	12mm	G1/4			
PAT 12-G03(3)	12mm	G3/8			
PAT 12-G04(3)	12mm	G1/2			

G Thread Air Fittings
 G 螺纹气动快速接头

 Triple Banjo - G Thread Air Fittings G螺纹串联四通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHL 04-G01(3)	4mm	G1/8	PHL 1/4-G01(3)	1/4"	G1/8
PHL 04-G02(3)	4mm	G1/4	PHL 1/4-G02(3)	1/4"	G1/4
PHL 06-G01(3)	6mm	G1/8	PHL 5/16-G01(3)	5/16"	G1/8
PHL 06-G02(3)	6mm	G1/4	PHL 5/16-G02(3)	5/16"	G1/4
PHL 06-G03(3)	6mm	G3/8	PHL 5/16-G03(3)	5/16"	G3/8
PHL 06-G04(3)	6mm	G1/2	PHL 5/16-G04(3)	5/16"	G1/2
PHL 08-G01(3)	8mm	G1/8	PHL 3/8-G01(3)	3/8"	G1/8
PHL 08-G02(3)	8mm	G1/4	PHL 3/8-G02(3)	3/8"	G1/4
PHL 08-G03(3)	8mm	G3/8	PHL 3/8-G03(3)	3/8"	G3/8
PHL 08-G04(3)	8mm	G1/2	PHL 3/8-G04(3)	3/8"	G1/2
PHL 10-G01(3)	10mm	G1/8	PHL 1/2-G02(3)	1/2"	G1/4
PHL 10-G02(3)	10mm	G1/4	PHL 1/2-G03(3)	1/2"	G3/8
PHL 10-G03(3)	10mm	G3/8	PHL 1/2-G04(3)	1/2"	G1/2
PHL 10-G04(3)	10mm	G1/2			
PHL 12-G01(3)	12mm	G1/8			
PHL 12-G02(3)	12mm	G1/4			
PHL 12-G03(3)	12mm	G3/8			
PHL 12-G04(3)	12mm	G1/2			

 Double Banjo Branch - G Thread Air Fittings G螺纹T型班卓五通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-G01(2)	4mm	G1/8	PHT 1/4-G01(2)	1/4"	G1/8
PHT 04-G02(2)	4mm	G1/4	PHT 1/4-G02(2)	1/4"	G1/4
PHT 06-G01(2)	6mm	G1/8	PHT 5/16-G01(2)	5/16"	G1/8
PHT 06-G02(2)	6mm	G1/4	PHT 5/16-G02(2)	5/16"	G1/4
PHT 06-G03(2)	6mm	G3/8	PHT 5/16-G03(2)	5/16"	G3/8
PHT 06-G04(2)	6mm	G1/2	PHT 5/16-G04(2)	5/16"	G1/2
PHT 08-G01(2)	8mm	G1/8	PHT 3/8-G01(2)	3/8"	G1/8
PHT 08-G02(2)	8mm	G1/4	PHT 3/8-G02(2)	3/8"	G1/4
PHT 08-G03(2)	8mm	G3/8	PHT 3/8-G03(2)	3/8"	G3/8
PHT 08-G04(2)	8mm	G1/2	PHT 3/8-G04(2)	3/8"	G1/2
PHT 10-G01(2)	10mm	G1/8	PHT 1/2-G02(2)	1/2"	G1/4
PHT 10-G02(2)	10mm	G1/4	PHT 1/2-G03(2)	1/2"	G3/8
PHT 10-G03(2)	10mm	G3/8	PHT 1/2-G04(2)	1/2"	G1/2
PHT 10-G04(2)	10mm	G1/2			
PHT 12-G01(2)	12mm	G1/8			
PHT 12-G02(2)	12mm	G1/4			
PHT 12-G03(2)	12mm	G3/8			
PHT 12-G04(2)	12mm	G1/2			

 Double Branch Elbow - G Thread Air Fittings G螺纹双并联五通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PAT 04-G01(2)	4mm	G1/8	PAT 1/4-G01(2)	1/4"	G1/8
PAT 04-G02(2)	4mm	G1/4	PAT 1/4-G02(2)	1/4"	G1/4
PAT 06-G01(2)	6mm	G1/8	PAT 5/16-G01(2)	5/16"	G1/8
PAT 06-G02(2)	6mm	G1/4	PAT 5/16-G02(2)	5/16"	G1/4
PAT 06-G03(2)	6mm	G3/8	PAT 5/16-G03(2)	5/16"	G3/8
PAT 06-G04(2)	6mm	G1/2	PAT 5/16-G04(2)	5/16"	G1/2
PAT 08-G01(2)	8mm	G1/8	PAT 3/8-G01(2)	3/8"	G1/8
PAT 08-G02(2)	8mm	G1/4	PAT 3/8-G02(2)	3/8"	G1/4
PAT 08-G03(2)	8mm	G3/8	PAT 3/8-G03(2)	3/8"	G3/8
PAT 08-G04(2)	8mm	G1/2	PAT 3/8-G04(2)	3/8"	G1/2
PAT 10-G01(2)	10mm	G1/8	PAT 1/2-G02(2)	1/2"	G1/4
PAT 10-G02(2)	10mm	G1/4	PAT 1/2-G03(2)	1/2"	G3/8
PAT 10-G03(2)	10mm	G3/8	PAT 1/2-G04(2)	1/2"	G1/2
PAT 10-G04(2)	10mm	G1/2			
PAT 12-G01(2)	12mm	G1/8			
PAT 12-G02(2)	12mm	G1/4			
PAT 12-G03(2)	12mm	G3/8			
PAT 12-G04(2)	12mm	G1/2			

 Double Banjo - G Thread Air Fittings G螺纹串联三通班卓气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHL 04-G01(2)	4mm	G1/8	PHL 1/4-G01(2)	1/4"	G1/8
PHL 04-G02(2)	4mm	G1/4	PHL 1/4-G02(2)	1/4"	G1/4
PHL 06-G01(2)	6mm	G1/8	PHL 5/16-G01(2)	5/16"	G1/8
PHL 06-G02(2)	6mm	G1/4	PHL 5/16-G02(2)	5/16"	G1/4
PHL 06-G03(2)	6mm	G3/8	PHL 5/16-G03(2)	5/16"	G3/8
PHL 06-G04(2)	6mm	G1/2	PHL 5/16-G04(2)	5/16"	G1/2
PHL 08-G01(2)	8mm	G1/8	PHL 3/8-G01(2)	3/8"	G1/8
PHL 08-G02(2)	8mm	G1/4	PHL 3/8-G02(2)	3/8"	G1/4
PHL 08-G03(2)	8mm	G3/8	PHL 3/8-G03(2)	3/8"	G3/8
PHL 08-G04(2)	8mm	G1/2	PHL 3/8-G04(2)	3/8"	G1/2
PHL 10-G01(2)	10mm	G1/8	PHL 1/2-G02(2)	1/2"	G1/4
PHL 10-G02(2)	10mm	G1/4	PHL 1/2-G03(2)	1/2"	G3/8
PHL 10-G03(2)	10mm	G3/8	PHL 1/2-G04(2)	1/2"	G1/2
PHL 10-G04(2)	10mm	G1/2			
PHL 12-G01(2)	12mm	G1/8			
PHL 12-G02(2)	12mm	G1/4			
PHL 12-G03(2)	12mm	G3/8			
PHL 12-G04(2)	12mm	G1/2			

 Banjo Branch Tee - G Thread Air Fittings G螺纹T型班卓三通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-G01(1)	4mm	G1/8	PHT 1/4-G01(1)	1/4"	G1/8
PHT 04-G02(1)	4mm	G1/4	PHT 1/4-G02(1)	1/4"	G1/4
PHT 06-G01(1)	6mm	G1/8	PHT 5/16-G01(1)	5/16"	G1/8
PHT 06-G02(1)	6mm	G1/4	PHT 5/16-G02(1)	5/16"	G1/4
PHT 06-G03(1)	6mm	G3/8	PHT 5/16-G03(1)	5/16"	G3/8
PHT 06-G04(1)	6mm	G1/2	PHT 5/16-G04(1)	5/16"	G1/2
PHT 08-G01(1)	8mm	G1/8	PHT 3/8-G01(1)	3/8"	G1/8
PHT 08-G02(1)	8mm	G1/4	PHT 3/8-G02(1)	3/8"	G1/4
PHT 08-G03(1)	8mm	G3/8	PHT 3/8-G03(1)	3/8"	G3/8
PHT 08-G04(1)	8mm	G1/2	PHT 3/8-G04(1)	3/8"	G1/2
PHT 10-G01(1)	10mm	G1/8	PHT 1/2-G02(1)	1/2"	G1/4
PHT 10-G02(1)	10mm	G1/4	PHT 1/2-G03(1)	1/2"	G3/8
PHT 10-G03(1)	10mm	G3/8	PHT 1/2-G04(1)	1/2"	G1/2
PHT 10-G04(1)	10mm	G1/2			
PHT 12-G01(1)	12mm	G1/8			
PHT 12-G02(1)	12mm	G1/4			
PHT 12-G03(1)	12mm	G3/8			
PHT 12-G04(1)	12mm	G1/2			

 Triple Banjo Branch - G Thread Air Fittings G螺纹T型班卓七通气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHT 04-G01(3)	4mm	G1/8	PHT 1/4-G01(3)	1/4"	G1/8
PHT 04-G02(3)	4mm	G1/4	PHT 1/4-G02(3)	1/4"	G1/4
PHT 06-G01(3)	6mm	G1/8	PHT 5/16-G01(3)	5/16"	G1/8
PHT 06-G02(3)	6mm	G1/4	PHT 5/16-G02(3)	5/16"	G1/4
PHT 06-G03(3)	6mm	G3/8	PHT 5/16-G03(3)	5/16"	G3/8
PHT 06-G04(3)	6mm	G1/2	PHT 5/16-G04(3)	5/16"	G1/2
PHT 08-G01(3)	8mm	G1/8	PHT 3/8-G01(3)	3/8"	G1/8
PHT 08-G02(3)	8mm	G1/4	PHT 3/8-G02(3)	3/8"	G1/4
PHT 08-G03(3)	8mm	G3/8	PHT 3/8-G03(3)	3/8"	G3/8
PHT 08-G04(3)	8mm	G1/2	PHT 3/8-G04(3)	3/8"	G1/2
PHT 10-G01(3)	10mm	G1/8	PHT 1/2-G02(3)	1/2"	G1/4
PHT 10-G02(3)	10mm	G1/4	PHT 1/2-G03(3)	1/2"	G3/8
PHT 10-G03(3)	10mm	G3/8	PHT 1/2-G04(3)	1/2"	G1/2
PHT 10-G04(3)	10mm	G1/2			
PHT 12-G01(3)	12mm	G1/8			
PHT 12-G02(3)	12mm	G1/4			
PHT 12-G03(3)	12mm	G3/8			
PHT 12-G04(3)	12mm	G1/2			

 Male Triple Branch - G Thread Air Fittings G螺纹等径五通外牙气动快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PKB 06-G01	6mm	G1/8	PKB 1/4-G01	1/4"	G1/8
PKB 06-G02	6mm	G1/4	PKB 1/4-G02	1/4"	G1/4
PKB 06-G03	6mm	G3/8	PKB 1/4-G03	1/4"	G3/8
PKB 08-G01	8mm	G1/8	PKB 5/16-G01	5/16"	G1/8
PKB 08-G02	8mm	G1/4	PKB 5/16-G02	5/16"	G1/4
PKB 08-G03	8mm	G3/8	PKB 5/16-G03	5/16"	G3/8



Male Triple Reducer - G Thread Air Fittings
G螺纹变径五通外牙气动快速接头

MODEL	Tube 1	Tube 2	Thread	MODEL	Tube 1	Tube 2	Thread
PKD 06-04-G01	6mm	4mm	G1/8	PKD 1/4-5/32-G1/8	1/4"	5/32"	G1/8
PKD 08-04-G01	8mm	4mm	G1/8	PKD 5/16-5/32-G1/8	5/16"	5/32"	G1/8
PKD 08-06-G01	8mm	6mm	G1/8	PKD 5/16-1/4-G1/8	5/16"	1/4"	G1/8
PKD 08-06-G02	8mm	6mm	G1/4	PKD 5/16-1/4-G1/4	5/16"	1/4"	G1/4
PKD 10-08-G02	10mm	8mm	G1/4	PKD 3/8-5/16-G1/4	3/8"	5/16"	G1/4
PKD 10-08-G03	10mm	8mm	G3/8	PKD 3/8-5/16-G3/8	3/8"	5/16"	G3/8



Brass Sleeve Plastic Body Union Fittings

铜按钮塑料壳体直通气动接头

MODEL	Tube Size	MODEL	Tube Size
PUS 04	4mm	PUS 1/8	1/8"
PUS 06	6mm	PUS 5/32	5/32"
PUS 08	8mm	PUS 3/16	3/16"
PUS 10	10mm	PUS 1/4	1/4"
PUS 12	12mm	PUS 5/16	5/16"
PUS 14	14mm	PUS 3/8	3/8"
PUS 16	16mm	PUS 1/2	1/2"

Compact Push In Fittings
 迷你气动接头

Features
 特点

迷你型气动接头 (COMPACT), 比普通型号体积小40%, 外型尺寸小20%, 是小型化的 ONE-TOUCHFITTING. 由于表面有镀络处理, 所以耐腐蚀性突出。

The compact fittings which volume is 40% smaller and size is 20% smaller than normal one, it s minimized one touch fitting

The Anti-corrosive of this products is obvious due to chromium coating process

How To Order 产品订购

PC 6 - 01 C

Compact (迷你型)

Thread Size, 01 is 1/8 Thread
 M3 is Metric 3mm Thread
 M5 is Metric 5mm Thread
 M6 is Metric 6mm Thread


Tube Outer Diameter, 6mm
 软管外径, 6mm

Model Type, PC means Male Adapter 外螺纹直通
 PL means 90 Deg. Male Elbow 90度外螺纹弯头 etc....

SPECIFICATIONS
 技术参数

使用流体/Fluid	空气、真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60℃
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon

Structure Chart
 结构图



	Male Adapter 外六角外牙直通	
MODEL	Tube Size	Thread Size
PC 03-M3C	3mm	M3
PC 03-M5C	3mm	M5
PC 03-M6C	3mm	M6
PC 04-M3C	4mm	M3
PC 04-M5C	4mm	M5
PC 04-M6C	4mm	M6
PC 06-M5C	6mm	M5
PC 06-M6C	6mm	M6
PC 06-01C	6mm	R1/8

	Round Male Adapter 内六角外牙直通	
MODEL	Tube Size	Thread Size
POC 03-M3C	3mm	M3
POC 03-M5C	3mm	M5
POC 03-M6C	3mm	M6
POC 04-M3C	4mm	M3
POC 04-M5C	4mm	M5
POC 04-M6C	4mm	M6
POC 06-M5C	6mm	M5
POC 06-M6C	6mm	M6
POC 06-01C	6mm	R1/8

	Female Adapter 外六角内牙直		Male Elbow 直角弯头																																																												
<table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>PCF 03-M3C</td><td>3mm</td><td>M3</td></tr><tr><td>PCF 03-M5C</td><td>3mm</td><td>M5</td></tr><tr><td>PCF 03-M6C</td><td>3mm</td><td>M6</td></tr><tr><td>PCF 04-M3C</td><td>4mm</td><td>M3</td></tr><tr><td>PCF 04-M5C</td><td>4mm</td><td>M5</td></tr><tr><td>PCF 04-M6C</td><td>4mm</td><td>M6</td></tr><tr><td>PCF 06-M5C</td><td>6mm</td><td>M5</td></tr><tr><td>PCF 06-M6C</td><td>6mm</td><td>M6</td></tr><tr><td>PCF 06-01C</td><td>6mm</td><td>R1/8</td></tr></table>	MODEL	Tube Size	Thread Size	PCF 03-M3C	3mm	M3	PCF 03-M5C	3mm	M5	PCF 03-M6C	3mm	M6	PCF 04-M3C	4mm	M3	PCF 04-M5C	4mm	M5	PCF 04-M6C	4mm	M6	PCF 06-M5C	6mm	M5	PCF 06-M6C	6mm	M6	PCF 06-01C	6mm	R1/8		<table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>PL 03-M3C</td><td>3mm</td><td>M3</td></tr><tr><td>PL 03-M5C</td><td>3mm</td><td>M5</td></tr><tr><td>PL 03-M6C</td><td>3mm</td><td>M6</td></tr><tr><td>PL 04-M3C</td><td>4mm</td><td>M3</td></tr><tr><td>PL 04-M5C</td><td>4mm</td><td>M5</td></tr><tr><td>PL 04-M6C</td><td>4mm</td><td>M6</td></tr><tr><td>PL 06-M5C</td><td>6mm</td><td>M5</td></tr><tr><td>PL 06-M6C</td><td>6mm</td><td>M6</td></tr><tr><td>PL 06-01C</td><td>6mm</td><td>R1/8</td></tr></table>	MODEL	Tube Size	Thread Size	PL 03-M3C	3mm	M3	PL 03-M5C	3mm	M5	PL 03-M6C	3mm	M6	PL 04-M3C	4mm	M3	PL 04-M5C	4mm	M5	PL 04-M6C	4mm	M6	PL 06-M5C	6mm	M5	PL 06-M6C	6mm	M6	PL 06-01C	6mm	R1/8	
MODEL	Tube Size	Thread Size																																																													
PCF 03-M3C	3mm	M3																																																													
PCF 03-M5C	3mm	M5																																																													
PCF 03-M6C	3mm	M6																																																													
PCF 04-M3C	4mm	M3																																																													
PCF 04-M5C	4mm	M5																																																													
PCF 04-M6C	4mm	M6																																																													
PCF 06-M5C	6mm	M5																																																													
PCF 06-M6C	6mm	M6																																																													
PCF 06-01C	6mm	R1/8																																																													
MODEL	Tube Size	Thread Size																																																													
PL 03-M3C	3mm	M3																																																													
PL 03-M5C	3mm	M5																																																													
PL 03-M6C	3mm	M6																																																													
PL 04-M3C	4mm	M3																																																													
PL 04-M5C	4mm	M5																																																													
PL 04-M6C	4mm	M6																																																													
PL 06-M5C	6mm	M5																																																													
PL 06-M6C	6mm	M6																																																													
PL 06-01C	6mm	R1/8																																																													

	Extended Male Elbow 加长型直角弯头	
MODEL	Tube Size	Thread Size
PLL 03-M3C	3mm	M3
PLL 03-M5C	3mm	M5
PLL 03-M6C	3mm	M6
PLL 04-M3C	4mm	M3
PLL 04-M5C	4mm	M5
PLL 04-M6C	4mm	M6
PLL 06-M5C	6mm	M5
PLL 06-M6C	6mm	M6
PLL 06-01C	6mm	R1/8

	Male Branch Tee 中间外牙三通	
MODEL	Tube Size	Thread Size
PB 03-M3C	3mm	M3
PB 03-M5C	3mm	M5
PB 03-M6C	3mm	M6
PB 04-M3C	4mm	M3
PB 04-M5C	4mm	M5
PB 04-M6C	4mm	M6
PB 06-M5C	6mm	M5
PB 06-M6C	6mm	M6
PB 06-01C	6mm	R1/8

	Male Run Tee			Union	
	侧面外牙三通			等径直通	
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Tube Size
PD 03-M3C	3mm	M3	PU 03C	3mm	3mm
PD 03-M5C	3mm	M5	PU 04C	4mm	4mm
PD 03-M6C	3mm	M6	PU 06C	6mm	6mm
PD 04-M3C	4mm	M3			
PD 04-M5C	4mm	M5			
PD 04-M6C	4mm	M6			
PD 06-M5C	6mm	M5			
PD 06-M6C	6mm	M6			
PD 06-01C	6mm	R1/8			

	Union Elbow 等径弯头				
	Union Y Y型等径三通				
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PV 03C	3mm	3mm	PY 03C	3mm	3mm
PV 04C	4mm	4mm	PY 04C	4mm	4mm
PV 06C	6mm	6mm	PY 06C	6mm	6mm

	Union Tee T型等径三通	
MODEL	Tube Size	Tube Size
PE 03C	3mm	3mm
PE 04C	4mm	4mm
PE 06C	6mm	6mm

	Union Bulkhead 夹班等径直通	
MODEL	Tube Size	Tube Size
PM 03C	3mm	3mm
PM 04C	4mm	4mm
PM 06C	6mm	6mm

Air Flow Control Valve
 气动节流阀

Features
 特点


节流阀可控制空气装置的工作速度以及气压信号的传输
 该压缩设计可提供跟大功率设计一样的速度范围的变化
 限入型与限出型适合于各种型号
 所有R跟NPT螺纹胶都起密封作用
 所有直螺纹都用标准的O型圈
 Accurate regulation of an optimal airflow rate for precise motion control. The compact design provides the comparable range of speed as the larger ones do. Control-out and control-in types are available for all models. All R and NPT threads are Pre-Coated sealant. All cylindrical threads are standard with O-Ring seals..

Specifications
 技术参数

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60°C
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon


Control Way
 控制方向

排气节流阀正装/Exhaust Control out




Model Example: PSE Series
 型号举例： PSE 系列

进气节流阀反装/Entering air Control in



Model Example: PSC Series
 型号举例： PSC 系列

Structure Chart
 结构图



Speed Controller - Control Out
 限出型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSE 04-M5	4mm	M5	PSE 5/32-N01	5/32"	1/8 NPT
PSE 04-M6	4mm	M6	PSE 5/32-N02	5/32"	1/4 NPT
PSE 04-01	4mm	R1/8	PSE 1/4-N01	1/4"	1/8 NPT
PSE 04-02	4mm	R1/4	PSE 1/4-N02	1/4"	1/4 NPT
PSE 06-M5	6mm	M5	PSE 5/16-N01	5/16"	1/8 NPT
PSE 06-M6	6mm	M6	PSE 5/16-N02	5/16"	1/4 NPT
PSE 06-01	6mm	R1/8	PSE 5/16-N03	5/16"	3/8 NPT
PSE 06-02	6mm	R1/4	PSE 3/8-N01	3/8"	1/8 NPT
PSE 06-03	6mm	R3/8	PSE 3/8-N02	3/8"	1/4 NPT
PSE 06-04	6mm	R1/2	PSE 3/8-N03	3/8"	3/8 NPT
PSE 08-01	8mm	R1/8	PSE 3/8-N04	3/8"	1/2 NPT
PSE 08-02	8mm	R1/4	PSE 1/2-N02	1/2"	1/4 NPT
PSE 08-03	8mm	R3/8	PSE 1/2-N03	1/2"	3/8 NPT
PSE 08-04	8mm	R1/2	PSE 1/2-N04	1/2"	1/2 NPT
PSE 10-01	10mm	R1/8			
PSE 10-02	10mm	R1/4			
PSE 10-03	10mm	R3/8			
PSE 10-04	10mm	R1/2			
PSE 12-01	12mm	R1/8			
PSE 12-02	12mm	R1/4			
PSE 12-03	12mm	R3/8			
PSE 12-04	12mm	R1/2			

Speed Controller - Control In
 限入型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSC 04-M5	4mm	M5	PSC 5/32-N01	5/32"	1/8 NPT
PSC 04-M6	4mm	M6	PSC 5/32-N02	5/32"	1/4 NPT
PSC 04-01	4mm	R1/8	PSC 1/4-N01	1/4"	1/8 NPT
PSC 04-02	4mm	R1/4	PSC 1/4-N02	1/4"	1/4 NPT
PSC 06-M5	6mm	M5	PSC 5/16-N01	5/16"	1/8 NPT
PSC 06-M6	6mm	M6	PSC 5/16-N02	5/16"	1/4 NPT
PSC 06-01	6mm	R1/8	PSC 5/16-N03	5/16"	3/8 NPT
PSC 06-02	6mm	R1/4	PSC 3/8-N01	3/8"	1/8 NPT
PSC 06-03	6mm	R3/8	PSC 3/8-N02	3/8"	1/4 NPT
PSC 06-04	6mm	R1/2	PSC 3/8-N03	3/8"	3/8 NPT
PSC 08-01	8mm	R1/8	PSC 3/8-N04	3/8"	1/2 NPT
PSC 08-02	8mm	R1/4	PSC 1/2-N02	1/2"	1/4 NPT
PSC 08-03	8mm	R3/8	PSC 1/2-N03	1/2"	3/8 NPT
PSC 08-04	8mm	R1/2	PSC 1/2-N04	1/2"	1/2 NPT
PSC 10-01	10mm	R1/8			
PSC 10-02	10mm	R1/4			
PSC 10-03	10mm	R3/8			
PSC 10-04	10mm	R1/2			
PSC 12-01	12mm	R1/8			
PSC 12-02	12mm	R1/4			
PSC 12-03	12mm	R3/8			
PSC 12-04	12mm	R1/2			

Speed Controller - Control Out - G Thread
 G螺纹-限出型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSE 04-M5	4mm	M5	PSE 1/4-G01	1/4"	G1/8
PSE 04-M6	4mm	M6	PSE 1/4-G02	1/4"	G1/4
PSE 04-G01	4mm	G1/8	PSE 5/16-G01	5/16"	G1/8
PSE 04-G02	4mm	G1/4	PSE 5/16-G02	5/16"	G1/4
PSE 06-M5	6mm	M5	PSE 5/16-G03	5/16"	G3/8
PSE 06-M6	6mm	M6	PSE 3/8-G01	3/8"	G1/8
PSE 06-G01	6mm	G1/8	PSE 3/8-G02	3/8"	G1/4
PSE 06-G02	6mm	G1/4	PSE 3/8-G03	3/8"	G3/8
PSE 06-G03	6mm	G3/8	PSE 3/8-G04	3/8"	G1/2
PSE 06-G04	6mm	G1/2	PSE 1/2-G02	1/2"	G1/4
PSE 08-G01	8mm	G1/8	PSE 1/2-G03	1/2"	G3/8
PSE 08-G02	8mm	G1/4	PSE 1/2-G04	1/2"	G1/2
PSE 08-G03	8mm	G3/8			
PSE 08-G04	8mm	G1/2			
PSE 10-G01	10mm	G1/8			
PSE 10-G02	10mm	G1/4			
PSE 10-G03	10mm	G3/8			
PSE 10-G04	10mm	G1/2			
PSE 12-G01	12mm	G1/8			
PSE 12-G02	12mm	G1/4			
PSE 12-G03	12mm	G3/8			
PSE 12-G04	12mm	G1/2			

Speed Controller - Control Out - G Thread
 G螺纹-限入型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSC 04-G01	4mm	G1/8	PSC 1/4-G01	1/4"	G1/8
PSC 04-G02	4mm	G1/4	PSC 1/4-G02	1/4"	G1/4
PSC 06-G01	6mm	G1/8	PSC 5/16-G01	5/16"	G1/8
PSC 06-G02	6mm	G1/4	PSC 5/16-G02	5/16"	G1/4
PSC 06-G03	6mm	G3/8	PSC 5/16-G03	5/16"	G3/8
PSC 06-G04	6mm	G1/2	PSC 5/16-G04	5/16"	G1/2
PSC 08-G01	8mm	G1/8	PSC 3/8-G01	3/8"	G1/8
PSC 08-G02	8mm	G1/4	PSC 3/8-G02	3/8"	G1/4
PSC 08-G03	8mm	G3/8	PSC 3/8-G03	3/8"	G3/8
PSC 08-G04	8mm	G1/2	PSC 3/8-G04	3/8"	G1/2
PSC 10-G01	10mm	G1/8	PSC 1/2-G02	1/2"	G1/4
PSC 10-G02	10mm	G1/4	PSC 1/2-G03	1/2"	G3/8
PSC 10-G03	10mm	G3/8	PSC 1/2-G04	1/2"	G1/2
PSC 10-G04	10mm	G1/2			
PSC 12-G01	12mm	G1/8			
PSC 12-G02	12mm	G1/4			
PSC 12-G03	12mm	G3/8			
PSC 12-G04	12mm	G1/2			

Air Flow Control Valve 气动流量控制阀



Speed Controller - Control Out
限出型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSCD 04-M5	4mm	M5	PSCD 5/32-N01	5/32"	1/8 NPT
PSCD 04-M6	4mm	M6	PSCD 5/32-N02	5/32"	1/4 NPT
PSCD 04-01	4mm	R1/8	PSCD 1/4-N01	1/4"	1/8 NPT
PSCD 04-02	4mm	R1/4	PSCD 1/4-N02	1/4"	1/4 NPT
PSCD 06-M5	6mm	M5	PSCD 5/16-N01	5/16"	1/8 NPT
PSCD 06-M6	6mm	M6	PSCD 5/16-N02	5/16"	1/4 NPT
PSCD 06-01	6mm	R1/8	PSCD 5/16-N03	5/16"	3/8 NPT
PSCD 06-02	6mm	R1/4	PSCD 3/8-N01	3/8"	1/8 NPT
PSCD 06-03	6mm	R3/8	PSCD 3/8-N02	3/8"	1/4 NPT
PSCD 06-04	6mm	R1/2	PSCD 3/8-N03	3/8"	3/8 NPT
PSCD 08-01	8mm	R1/8	PSCD 3/8-N04	3/8"	1/2 NPT
PSCD 08-02	8mm	R1/4	PSCD 1/2-N02	1/2"	1/4 NPT
PSCD 08-03	8mm	R3/8	PSCD 1/2-N03	1/2"	3/8 NPT
PSCD 08-04	8mm	R1/2	PSCD 1/2-N04	1/2"	1/2 NPT
PSCD 10-01	10mm	R1/8			
PSCD 10-02	10mm	R1/4			
PSCD 10-03	10mm	R3/8			
PSCD 10-04	10mm	R1/2			
PSCD 12-01	12mm	R1/8			
PSCD 12-02	12mm	R1/4			
PSCD 12-03	12mm	R3/8			
PSCD 12-04	12mm	R1/2			



Speed Controller - Control In
限入型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSCD 04-M5B	4mm	M5	PSCD 5/32-N01B	5/32"	1/8 NPT
PSCD 04-M6B	4mm	M6	PSCD 5/32-N02B	5/32"	1/4 NPT
PSCD 04-01B	4mm	R1/8	PSCD 1/4-N01B	1/4"	1/8 NPT
PSCD 04-02B	4mm	R1/4	PSCD 1/4-N02B	1/4"	1/4 NPT
PSCD 06-M5B	6mm	M5	PSCD 5/16-N01B	5/16"	1/8 NPT
PSCD 06-M6B	6mm	M6	PSCD 5/16-N02B	5/16"	1/4 NPT
PSCD 06-01B	6mm	R1/8	PSCD 5/16-N03B	5/16"	3/8 NPT
PSCD 06-02B	6mm	R1/4	PSCD 3/8-N01B	3/8"	1/8 NPT
PSCD 06-03B	6mm	R3/8	PSCD 3/8-N02B	3/8"	1/4 NPT
PSCD 06-04B	6mm	R1/2	PSCD 3/8-N03B	3/8"	3/8 NPT
PSCD 08-01B	8mm	R1/8	PSCD 3/8-N04B	3/8"	1/2 NPT
PSCD 08-02B	8mm	R1/4	PSCD 1/2-N02B	1/2"	1/4 NPT
PSCD 08-03B	8mm	R3/8	PSCD 1/2-N03B	1/2"	3/8 NPT
PSCD 08-04B	8mm	R1/2	PSCD 1/2-N04B	1/2"	1/2 NPT
PSCD 10-01B	10mm	R1/8			
PSCD 10-02B	10mm	R1/4			
PSCD 10-03B	10mm	R3/8			
PSCD 10-04B	10mm	R1/2			
PSCD 12-01B	12mm	R1/8			
PSCD 12-02B	12mm	R1/4			
PSCD 12-03B	12mm	R3/8			
PSCD 12-04B	12mm	R1/2			



G 螺纹 - 限出型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSCD 04-G01	4mm	G1/8	PSCD 5/32-G01	5/32"	G1/8
PSCD 04-G02	4mm	G1/4	PSCD 5/32-G02	5/32"	G1/4
PSCD 06-G01	6mm	G1/8	PSCD 1/4-G01	1/4"	G1/8
PSCD 06-G02	6mm	G1/4	PSCD 1/4-G02	1/4"	G1/4
PSCD 06-G03	6mm	G3/8	PSCD 5/16-G01	5/16"	G1/8
PSCD 06-G04	6mm	G1/2	PSCD 5/16-G02	5/16"	G1/4
PSCD 08-G01	8mm	G1/8	PSCD 5/16-G03	5/16"	G3/8
PSCD 08-G02	8mm	G1/4	PSCD 3/8-G01	3/8"	G1/8
PSCD 08-G03	8mm	G3/8	PSCD 3/8-G02	3/8"	G1/4
PSCD 08-G04	8mm	G1/2	PSCD 3/8-G03	3/8"	G3/8
PSCD 10-G01	10mm	G1/8	PSCD 3/8-G04	3/8"	G1/2
PSCD 10-G02	10mm	G1/4	PSCD 1/2-G02	1/2"	G1/4
PSCD 10-G03	10mm	G3/8	PSCD 1/2-G03	1/2"	G3/8
PSCD 10-G04	10mm	G1/2	PSCD 1/2-G04	1/2"	G1/2
PSCD 12-G01	12mm	G1/8			
PSCD 12-G02	12mm	G1/4			
PSCD 12-G03	12mm	G3/8			
PSCD 12-G04	12mm	G1/2			



G Thread Speed Controller - Control In
G 螺纹 - 限入型气动节流调速阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PSCD 04-G01B	4mm	G1/8	PSCD 5/32-G01B	5/32"	G1/8
PSCD 04-G02B	4mm	G1/4	PSCD 5/32-G02B	5/32"	G1/4
PSCD 06-G01B	6mm	G1/8	PSCD 1/4-G01B	1/4"	G1/8
PSCD 06-G02B	6mm	G1/4	PSCD 1/4-G02B	1/4"	G1/4
PSCD 06-G03B	6mm	G3/8	PSCD 5/16-G01B	5/16"	G1/8
PSCD 06-G04B	6mm	G1/2	PSCD 5/16-G02B	5/16"	G1/4
PSCD 08-G01B	8mm	G1/8	PSCD 5/16-G03B	5/16"	G3/8
PSCD 08-G02B	8mm	G1/4	PSCD 3/8-G01B	3/8"	G1/8
PSCD 08-G03B	8mm	G3/8	PSCD 3/8-G02B	3/8"	G1/4
PSCD 08-G04B	8mm	G1/2	PSCD 3/8-G03B	3/8"	G3/8
PSCD 10-G01B	10mm	G1/8	PSCD 3/8-G04B	3/8"	G1/2
PSCD 10-G02B	10mm	G1/4	PSCD 1/2-G02B	1/2"	G1/4
PSCD 10-G03B	10mm	G3/8	PSCD 1/2-G03B	1/2"	G3/8
PSCD 10-G04B	10mm	G1/2	PSCD 1/2-G04B	1/2"	G1/2
PSCD 12-G01B	12mm	G1/8			
PSCD 12-G02B	12mm	G1/4			
PSCD 12-G03B	12mm	G3/8			
PSCD 12-G04B	12mm	G1/2			



Union Speed Controller
管道节流阀

MODEL	Tube Size	MODEL	Tube Size
PSF 04	4mm	PSF 1/4	1/4"
PSF 06	6mm	PSF 5/16	5/16"
PSF 08	8mm	PSF 3/8	3/8"
PSF 10	10mm	PSF 1/2	1/2"
PSF 12	12mm		

Hand (Shut-Off) Valve 手閥

Hand (Shut-Off) Valve 手阀

Features 特点

手控阀门是用来控制空气流向
手控阀门和球阀是控制气动装置空气压力的开与关
当设备要进行必要的检查和维修保养，手控阀可使剩余压力
都释放


Hand valves Used for switching compressed air. Hand valves and ball valves switched air on/off air pressure devices by simply turning the handle. It can removed the remaining pressure in the device when maintenance or inspection is possible. There are 4 types of hand valves available depending on the method applied to air pressure flow.

Specifications 技术参数

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60°C
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon

两通/TOW WAY 空白/BLANK;

三通/THREE WAY 如果你需要三通手阀,请在型号后面加上B,比如: PHVFF 08-08B。
When you order Three-Way hand valve, please put B after model type, For example: PHVFF08-08B



Structure Chart 结构图

Hand (Shut-Off) Valve 手阀

 Hand Valve - Tube To Thread 手阀 - 气流从管子到螺纹					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHVFS 06-01	6mm	R1/8	PHVFS 1/4-N01	1/4"	1/8 NPT
PHVFS 06-02	6mm	R1/4	PHVFS 1/4-N02	1/4"	1/4 NPT
PHVFS 06-03	6mm	R3/8	PHVFS 1/4-N03	1/4"	3/8 NPT
PHVFS 08-01	8mm	R1/8	PHVFS 5/16-N01	5/16"	1/8 NPT
PHVFS 08-02	8mm	R1/4	PHVFS 5/16-N02	5/16"	1/4 NPT
PHVFS 08-03	8mm	R3/8	PHVFS 5/16-N03	5/16"	3/8 NPT
PHVFS 10-02	10mm	R1/4	PHVFS 3/8-N02	3/8"	1/4 NPT
PHVFS 10-03	10mm	R3/8	PHVFS 3/8-N03	3/8"	3/8 NPT
PHVFS 10-04	10mm	R1/2	PHVFS 3/8-N04	3/8"	1/2 NPT
PHVFS 12-02	12mm	R1/4	PHVFS 1/2-N02	1/2"	1/4 NPT
PHVFS 12-03	12mm	R3/8	PHVFS 1/2-N03	1/2"	3/8 NPT
PHVFS 12-04	12mm	R1/2	PHVFS 1/2-N04	1/2"	1/2 NPT

 Hand Valve - Thread To Tube 手阀 - 气流从螺纹到管子					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHVSF 06-01	6mm	R1/8	PHVSF 1/4-N01	1/4"	1/8 NPT
PHVSF 06-02	6mm	R1/4	PHVSF 1/4-N02	1/4"	1/4 NPT
PHVSF 06-03	6mm	R3/8	PHVSF 1/4-N03	1/4"	3/8 NPT
PHVSF 08-01	8mm	R1/8	PHVSF 5/16-N01	5/16"	1/8 NPT
PHVSF 08-02	8mm	R1/4	PHVSF 5/16-N02	5/16"	1/4 NPT
PHVSF 08-03	8mm	R3/8	PHVSF 5/16-N03	5/16"	3/8 NPT
PHVSF 10-02	10mm	R1/4	PHVSF 3/8-N02	3/8"	1/4 NPT
PHVSF 10-03	10mm	R3/8	PHVSF 3/8-N03	3/8"	3/8 NPT
PHVSF 10-04	10mm	R1/2	PHVSF 3/8-N04	3/8"	1/2 NPT
PHVSF 12-02	12mm	R1/4	PHVSF 1/2-N02	1/2"	1/4 NPT
PHVSF 12-03	12mm	R3/8	PHVSF 1/2-N03	1/2"	3/8 NPT
PHVSF 12-04	12mm	R1/2	PHVSF 1/2-N04	1/2"	1/2 NPT

 Hand Valve - Tube To G Thread 手阀 - 气流从管子到G螺纹					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHVFS 06-G01	6mm	G1/8	PHVFS 1/4-G01	1/4"	G1/8
PHVFS 06-G02	6mm	G1/4	PHVFS 1/4-G02	1/4"	G1/4
PHVFS 06-G03	6mm	G3/8	PHVFS 1/4-G03	1/4"	G3/8
PHVFS 08-G01	8mm	G1/8	PHVFS 5/16-G01	5/16"	G1/8
PHVFS 08-G02	8mm	G1/4	PHVFS 5/16-G02	5/16"	G1/4
PHVFS 08-G03	8mm	G3/8	PHVFS 5/16-G03	5/16"	G3/8
PHVFS 10-G02	10mm	G1/4	PHVFS 3/8-G02	3/8"	G1/4
PHVFS 10-G03	10mm	G3/8	PHVFS 3/8-G03	3/8"	G3/8
PHVFS 10-G04	10mm	G1/2	PHVFS 3/8-G04	3/8"	G1/2
PHVFS 12-G02	12mm	G1/4	PHVFS 1/2-G02	1/2"	G1/4
PHVFS 12-G03	12mm	G3/8	PHVFS 1/2-G03	1/2"	G3/8
PHVFS 12-G04	12mm	G1/2	PHVFS 1/2-G04	1/2"	G1/2

 Hand Valve - Tube To Tube 手阀 - 气流从管子到管子					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PHVFF 06-06	6mm	6mm	PHVFF 1/4-1/4	1/4"	1/4"
PHVFF 08-06	8mm	6mm	PHVFF 5/16-1/4	5/16"	1/4"
PHVFF 08-08	8mm	8mm	PHVFF 5/16-5/16	5/16"	5/16"
PHVFF 10-08	10mm	8mm	PHVFF 3/8-5/16	3/8"	5/16"
PHVFF 10-10	10mm	10mm	PHVFF 3/8-3/8	3/8"	3/8"
PHVFF 12-10	12mm	10mm	PHVFF 1/2-3/8	1/2"	3/8"
PHVFF 12-12	12mm	12mm	PHVFF 1/2-1/2	1/2"	1/2"

 Hand Valve - Thread To Thread 手阀 - 气流从螺纹到螺纹					
MODEL	Thread Size	Thread Size	MODEL	Thread Size	Thread Size
PHVSS 01-01	R1/8	R1/8	PHVSS N01-N01	1/8 NPT	1/8 NPT
PHVSS 02-01	R1/4	R1/8	PHVSS N02-N01	1/4 NPT	1/8 NPT
PHVSS 02-02	R1/4	R1/4	PHVSS N02-N02	1/4 NPT	1/4 NPT
PHVSS 03-02	R3/8	R1/4	PHVSS N03-N02	3/8 NPT	1/4 NPT
PHVSS 03-03	R3/8	R3/8	PHVSS N03-N03	3/8 NPT	3/8 NPT
PHVSS 04-03	R1/2	R3/8	PHVSS N04-N03	1/2 NPT	3/8 NPT
PHVSS 04-04	R1/2	R1/2	PHVSS N04-N04	1/2 NPT	1/2 NPT

 Hand Valve - G Thread To G Thread 手阀 - 气流从G螺纹到G螺纹					
MODEL	Thread Size	Thread Size			
PHVSS G01-G01	G1/8	G1/8			
PHVSS G02-G01	G1/4	G1/8			
PHVSS G02-G02	G1/4	G1/4			
PHVSS G03-G02	G3/8	G1/4			
PHVSS G03-G03	G3/8	G3/8			
PHVSS G04-G03	G1/2	G3/8			
PHVSS G04-G04	G1/2	G1/2			

 Hand Valve - G Thread To Tube 手阀 - 气流从G螺纹到管子					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PHVSF 06-G01	6mm	G1/8	PHVSF 1/4-G01	1/4"	G1/8
PHVSF 06-G02	6mm	G1/4	PHVSF 1/4-G02	1/4"	G1/4
PHVSF 06-G03	6mm	G3/8	PHVSF 1/4-G03	1/4"	G3/8
PHVSF 08-G01	8mm	G1/8	PHVSF 5/16-G01	5/16"	G1/8
PHVSF 08-G02	8mm	G1/4	PHVSF 5/16-G02	5/16"	G1/4
PHVSF 08-G03	8mm	G3/8	PHVSF 5/16-G03	5/16"	G3/8
PHVSF 10-G02	10mm	G1/4	PHVSF 3/8-G02	3/8"	G1/4
PHVSF 10-G03	10mm	G3/8	PHVSF 3/8-G03	3/8"	G3/8
PHVSF 10-G04	10mm	G1/2	PHVSF 3/8-G04	3/8"	G1/2
PHVSF 12-G02	12mm	G1/4	PHVSF 1/2-G02	1/2"	G1/4
PHVSF 12-G03	12mm	G3/8	PHVSF 1/2-G03	1/2"	G3/8
PHVSF 12-G04	12mm	G1/2	PHVSF 1/2-G04	1/2"	G1/2

Hand Ball Valve 手动球阀

 Hand Ball Valve - Tube To Tube 球形手阀 - 管子到管子					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PBVU 06-06	6mm	6mm	PBVU 1/4-1/4	1/4"	1/4"
PBVU 08-08	8mm	8mm	PBVU 5/16-5/16	5/16"	5/16"
PBVU 10-10	10mm	10mm	PBVU 3/8-3/8	3/8"	3/8"
PBVU 12-12	12mm	12mm	PBVU 1/2-1/2	1/2"	1/2"

 Hand Ball Valve - Tube To Tube Elbow 球形手阀 - 90度管子到管子					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PBUL 06-06	6mm	6mm	PBUL 1/4-1/4	1/4"	1/4"
PBUL 08-06	8mm	6mm	PBUL 5/16-1/4	5/16"	5/16"
PBUL 08-08	8mm	8mm	PBUL 5/16-5/16	5/16"	5/16"

 Hand Ball Valve - Tube To Thread 球形手阀 - 管子到螺纹					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PBVC 06-01	6mm	R1/8	PBVC 1/4-N01	1/4	1/8NPT
PBVC 06-02	6mm	R1/4	PBVC 1/4-N02	1/4	1/4NPT
PBVC 06-03	6mm	R3/8	PBVC 1/4-N03	1/4	3/8NPT
PBVC 08-01	8mm	R1/8	PBVC 5/16-N01	5/16	1/8NPT
PBVC 08-02	8mm	R1/4	PBVC 5/16-N02	5/16	1/4NPT
PBVC 08-03	8mm	R3/8	PBVC 5/16-N03	5/16	3/8NPT

 Hand Ball Valve - Tube To G Thread 球形手阀 - 管子到G螺纹					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PBVC 06-G01	6mm	G1/8	PBVC 1/4-G01	1/4	G1/8
PBVC 06-G02	6mm	G1/4	PBVC 1/4-G02	1/4	G1/4
PBVC 06-G03	6mm	G3/8	PBVC 1/4-G03	1/4	G3/8
PBVC 08-G01	8mm	G1/8	PBVC 5/16-G01	5/16	G1/8
PBVC 08-G02	8mm	G1/4	PBVC 5/16-G02	5/16	G1/4
PBVC 08-G03	8mm	G3/8	PBVC 5/16-G03	5/16	G3/8

 Hand Ball Valve - Tube To Thread Elbow 球形手阀 - 90度管子到螺纹					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PBL 06-01	6mm	R1/8	PBL 1/4-N01	1/4	1/8NPT
PBL 06-02	6mm	R1/4	PBL 1/4-N02	1/4	1/4NPT
PBL 06-03	6mm	R3/8	PBL 1/4-N03	1/4	3/8NPT
PBL 08-01	8mm	R1/8	PBL 5/16-N01	5/16	1/8NPT
PBL 08-02	8mm	R1/4	PBL 5/16-N02	5/16	1/4NPT
PBL 08-03	8mm	R3/8	PBL 5/16-N03	5/16	3/8NPT



The mini ball valves are ideal for use in piping or radiant system where space is limited. Mini ball valves are primarily used in air, gas, liquid and steam applications. The quarter-turn lever is small enough to fit in a confined space, but powerful enough to create positive shut-off. 迷你球阀适用于空间有限的管道或辐射系统。主要用于空气，气体，液体和蒸汽应用。四分之一转杠杆足够小，以适应一个有限的空间。
 Handle Color: Red, Blue, Black etc.
 手柄颜色：红色，蓝色，黑色等
 Body Material: Brass / Stainless Steel
 材质：铜镀镍 / 不锈钢
 Surface: Nickel Plated, Polishing, Sand Blast etc.
 表面处理：镀镍，抛光，喷砂
 Thread Size: 1/8, 1/4, 3/8,1/2, 3/4
 Thread Type: BSPT , BSPP (G), NPT

 Mini Ball Valve - Female To Female 迷你球阀 - 内螺纹到内螺纹					
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
MBVFF 01	R1/8	MBVFF G01	G1/8	MBVFF N01	1/8NPT
MBVFF 02	R1/4	MBVFF G02	G1/4	MBVFF N02	1/4NPT
MBVFF 03	R3/8	MBVFF G03	G3/8	MBVFF N03	3/8NPT
MBVFF 04	R1/2	MBVFF G04	G1/2	MBVFF N04	1/2NPT

 Mini Ball Valve - Male To Female 迷你球阀 - 外螺纹到内螺纹					
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
MBVMF 01	R1/8	MBVMF G01	G1/8	MBVMF N01	1/8NPT
MBVMF 02	R1/4	MBVMF G02	G1/4	MBVMF N02	1/4NPT
MBVMF 03	R3/8	MBVMF G03	G3/8	MBVMF N03	3/8NPT
MBVMF 04	R1/2	MBVMF G04	G1/2	MBVMF N04	1/2NPT

 Mini Ball Valve - Male To Male 迷你球阀 - 外螺纹到外螺纹					
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
MBVMM 01	R1/8	MBVMM G01	G1/8	MBVMM N01	1/8NPT
MBVMM 02	R1/4	MBVMM G02	G1/4	MBVMM N02	1/4NPT
MBVMM 03	R3/8	MBVMM G03	G3/8	MBVMM N03	3/8NPT
MBVMM 04	R1/2	MBVMM G04	G1/2	MBVMM N04	1/2NPT

Check Valve 单向阀

Check Valve 单向阀

Features 特点

单向阀允许气流通过一个方向流通，但是阻止了相反的方向
 单向阀可使工作压力保持在0.1kgf/cm2,真空中保持在1.42PSI ,并且在低压下进行管道连接
 The check valves permit the airflow in one direction but stops in the reverse direction.
 The check valve works at the pressure of 0.1kgf/cm2,keeps 1.42PSI in vacuum and connects at a low pressure.

Applications 作用

单向阀允许空气朝一个方向流动使输出压力保持恒定量
 Check valves permit airflow in one direction.
 Used for maintain the output pressure at a constant level.

Specifications 技术参数

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60℃
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon



Male Adapter Check Valve
 外牙直通单向阀


MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CVPC 04-M5	4mm	M5	CVPC 5/32-N01	5/32	1/8NPT
CVPC 04-M6	4mm	M6	CVPC 1/4-N01	1/4	1/8NPT
CVPC 04-01	4mm	R1/8	CVPC 1/4-N02	1/4	1/4NPT
CVPC 06-01	6mm	R1/8	CVPC 5/16-N01	5/16	1/8NPT
CVPC 06-02	6mm	R1/4	CVPC 5/16-N02	5/16	1/4NPT
CVPC 08-01	8mm	R1/8	CVPC 5/16-N03	5/16	3/8NPT
CVPC 08-02	8mm	R1/4	CVPC 3/8-N02	3/8	1/4NPT
CVPC 08-03	8mm	R3/8	CVPC 3/8-N03	3/8	3/8NPT
CVPC 10-02	10mm	R1/4	CVPC 3/8-N04	3/8	1/2NPT
CVPC 10-03	10mm	R3/8	CVPC 1/2-N03	1/2	3/8NPT
CVPC 10-04	10mm	R1/2	CVPC 1/2-N04	1/2	1/2NPT
CVPC 12-03	12mm	R3/8			
CVPC 12-04	12mm	R1/2			



G Thread Male Adapter Check
 G螺纹外牙直通单向阀

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CVPC 04-G01	4mm	G1/8	CVPC 5/32-G01	5/32	G1/8
CVPC 06-G01	6mm	G1/8	CVPC 1/4-G01	1/4	G1/8
CVPC 06-G02	6mm	G1/4	CVPC 1/4-G02	1/4	G1/4
CVPC 08-G01	8mm	G1/8	CVPC 5/16-G01	5/16	G1/8
CVPC 08-G02	8mm	G1/4	CVPC 5/16-G02	5/16	G1/4
CVPC 08-G03	8mm	G3/8	CVPC 5/16-G03	5/16	G3/8
CVPC 10-G02	10mm	G1/4	CVPC 3/8-G02	3/8	G1/4
CVPC 10-G03	10mm	G3/8	CVPC 3/8-G03	3/8	G3/8
CVPC 10-G04	10mm	G1/2	CVPC 3/8-G04	3/8	G1/2
CVPC 12-G03	12mm	G3/8	CVPC 1/2-G03	1/2	G3/8
CVPC 12-G04	12mm	G1/2	CVPC 1/2-G04	1/2	G1/2

Structure Chart 结构图



Check Valve 单向阀



Female To Male
 内牙到外牙直通

MODEL	Thread Size	Thread Size	MODEL	Thread Size	Thread Size
CVPFM 01-01	R1/8	R1/8	CVPFM N01-N01	1/8NPT	1/8NPT
CVPFM 02-02	R1/4	R1/4	CVPFM N02-N02	1/4NPT	1/4NPT
CVPFM 03-03	R3/8	R3/8	CVPFM N03-N03	3/8NPT	3/8NPT
CVPFM 04-04	R1/2	R1/2	CVPFM N04-N04	1/2NPT	1/2NPT



Female To Female
 内牙到内牙直通

MODEL	Thread Size	Thread Size	MODEL	Thread Size	Thread Size
CVPFF 01-01	R1/8	R1/8	CVPFF N01-N01	1/8NPT	1/8NPT
CVPFF 02-02	R1/4	R1/4	CVPFF N02-0N2	1/4NPT	1/4NPT
CVPFF 03-03	R3/8	R3/8	CVPFF N03-N03	3/8NPT	3/8NPT
CVPFF 04-04	R1/2	R1/2	CVPFF N04-N04	1/2NPT	1/2NPT



G Thread Female To G Thread
 G螺纹内牙到G螺纹内牙直通

MODEL	Thread Size	Thread Size			
CVPFF G01-G01	G1/8	G1/8			
CVPFF G02-G02	G1/4	G1/4			
CVPFF G03-G03	G3/8	G3/8			
CVPFF G04-G04	G1/2	G1/2			



All Brass Union Y Check Valve
 全铜Y型三通单向阀

MODEL	Tube Size	MODEL	Tube Size
MCVPY 4	4 mm	MCVPY 5/32	5/32
MCVPY 6	6mm	MCVPY 1/4	1/4
MCVPY 8	8mm	MCVPY 5/16	5/16
MCVPY 10	10mm	MCVPY 3/8	3/8
MCVPY 12	12mm	MCVPY 1/2	1/2




Male To Female
 外牙到内牙直通

MODEL	Thread Size	Thread Size	MODEL	Thread Size	Thread Size
CVPMF 01-01	R1/8	R1/8	CVPMF N01-N01	1/8NPT	1/8NPT
CVPMF 02-02	R1/4	R1/4	CVPMF N02-N02	1/4NPT	1/4NPT
CVPMF 03-03	R3/8	R3/8	CVPMF N03-N03	3/8NPT	3/8NPT
CVPMF 04-04	R1/2	R1/2	CVPMF N04-N04	1/2NPT	1/2NPT



G Male To G Female
 G 外牙到G内牙直通

MODEL	Thread Size	Thread Size			
CVPMF G01-G01	G1/8	G1/8			
CVPMF G02-G02	G1/4	G1/4			
CVPMF G03-G03	G3/8	G3/8			
CVPMF G04-G04	G1/2	G1/2			



G Female To G Male
 G 内牙到G外牙直通

MODEL	Thread Size	Thread Size			
CVPMF G01-G01	G1/8	G1/8			
CVPMF G02-G02	G1/4	G1/4			
CVPMF G03-G03	G3/8	G3/8			
CVPMF G04-G04	G1/2	G1/2			



Union Y Check Valve
 Y型三通单向阀

MODEL	Tube Size	MODEL	Tube Size
CVPY 4	4 mm	CVPY 5/32	5/32
CVPY 6	6mm	CVPY 1/4	1/4
CVPY 8	8mm	CVPY 5/16	5/16
CVPY 10	10mm	CVPY 3/8	3/8
CVPY 12	12mm	CVPY 1/2	1/2



Union Straight Check Valve
 两通单向阀

MODEL	Tube Size	MODEL	Tube Size
CVPU 4	4mm	CVPU 5/32	5/32
CVPU 6	6mm	CVPU 1/4	1/4
CVPU 8	8mm	CVPU 5/16	5/16
CVPU 10	10mm	CVPU 3/8	3/8
CVPU 12	12mm	CVPU 1/2	1/2

Stop Fittings 截止阀

Stop Fittings 截止阀

Features 特点

当管子断开连接时，气体是完全被阻挡住的，只有当重新连接上并且确保安全后，气体才能流通。Air is completely blocked when the tube is released and the air flows again only after connection to ensure safety. The air flows only when the tube is connected.

Applications 作用


用在气动管经常更换的地方 Used in the place where pneumatic Hose frequently changes.

SPECIFICATIONS 技术参数

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	0-1.0MPa
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	0~60℃
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon

 Male Adapter Stop Fittings 外牙直通截止阀					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SPC 04-01	4mm	R1/8	SPC 5/32-N01	5/32	1/8NPT
SPC 06-01	6mm	R1/8	SPC 1/4-N01	1/4	1/8NPT
SPC 06-02	6mm	R1/4	SPC 1/4-N02	1/4	1/4NPT
SPC 08-01	8mm	R1/8	SPC 5/16-N01	5/16	1/8NPT
SPC 08-02	8mm	R1/4	SPC 5/16-N02	5/16	1/4NPT
SPC 08-03	8mm	R3/8	SPC 5/16-N03	5/16	3/8NPT
SPC 10-02	10mm	R1/4	SPC 3/8-N02	3/8	1/4NPT
SPC 10-03	10mm	R3/8	SPC 3/8-N03	3/8	3/8NPT
SPC 10-04	10mm	R1/2	SPC 3/8-N04	3/8	1/2NPT
SPC 12-03	12mm	R3/8	SPC 1/2-N03	1/2	3/8NPT
SPC 12-04	12mm	R1/2	SPC 1/2-N04	1/2	1/2NPT

Structure Chart 结构图



 G Thread Male Adapter Stop Fittings G螺纹外牙直通截止阀					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SPC 04-G01	4mm	G1/8"	SPC 5/32-G01	5/32	G1/8
SPC 06-G01	6mm	G1/8"	SPC 1/4-G01	1/4	G1/8
SPC 06-G02	6mm	G1/4"	SPC 1/4-G02	1/4	G1/4
SPC 08-G01	8mm	G1/8"	SPC 5/16-G01	5/16	G1/8
SPC 08-G02	8mm	G1/4"	SPC 5/16-G02	5/16	G1/4
SPC 08-G03	8mm	G3/8"	SPC 5/16-G03	5/16	G3/8
SPC 10-G02	10mm	G1/4"	SPC 3/8-G02	3/8	G1/4
SPC 10-G03	10mm	G3/8"	SPC 3/8-G03	3/8	G3/8
SPC 10-G04	10mm	G1/2"	SPC 3/8-G04	3/8	G1/2
SPC 12-G03	12mm	G3/8"	SPC 1/2-G03	1/2	G3/8
SPC 12-G04	12mm	G1/2"	SPC 1/2-G04	1/2	G1/2

Stop Fittings 截止阀

 Male Elbow Stop Fittings 外牙弯头截止阀					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SPL 04-01	4mm	R1/8	SPL 5/32-N01	5/32	1/8NPT
SPL 06-01	6mm	R1/8	SPL 1/4-N01	1/4	1/8NPT
SPL 06-02	6mm	R1/4	SPL 1/4-N02	1/4	1/4NPT
SPL 08-01	8mm	R1/8	SPL 5/16-N01	5/16	1/8NPT
SPL 08-02	8mm	R1/4	SPL 5/16-N02	5/16	1/4NPT
SPL 08-03	8mm	R3/8	SPL 5/16-N03	5/16	3/8NPT
SPL 10-02	10mm	R1/4	SPL 3/8-N02	3/8	1/4NPT
SPL 10-03	10mm	R3/8	SPL 3/8-N03	3/8	3/8NPT
SPL 10-04	10mm	R1/2	SPL 3/8-N04	3/8	1/2NPT
SPL 12-03	12mm	R3/8	SPL 1/2-N03	1/2	3/8NPT
SPL 12-04	12mm	R1/2	SPL 1/2-N04	1/2	1/2NPT


 Union Stop Fittings 等径直通截止阀			
MODEL	Tube Size	MODEL	Tube Size
SPU 4	4mm	SPU 5/32	5/32
SPU 6	6mm	SPU 1/4	1/4
SPU 8	8mm	SPU 5/16	5/16
SPU 10	10mm	SPU 3/8	3/8
SPU 12	12mm	SPU 1/2	1/2

Rotary Fittings 旋转接头

Tube Size / 管子尺寸	4mm	6mm	1/4	8mm	5/16	10mm	3/8	12mm	1/2
Max Rotate Speed / 最大允许转速	500 RPM	500 RPM	500 RPM	400 RPM	400 RPM	300 RPM	300 RPM	250 RPM	250 RPM

 Male Adapter Rotary Fittings 外牙直通旋转接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
RC 04-M5	4mm	M5	RC 1/4-N01	1/4"	1/8 NPT
RC 04-M6	4mm	M6	RC 1/4-N02	1/4"	1/4 NPT
RC 04-01	4mm	R1/8	RC 5/16-N01	5/16"	1/8 NPT
RC 04-02	4mm	R1/4	RC 5/16-N02	5/16"	1/4 NPT
RC 06-M5	6mm	M5	RC 5/16-N03	5/16"	3/8 NPT
RC 06-M6	6mm	M6	RC 3/8-N02	3/8"	1/4 NPT
RC 06-01	6mm	R1/8	RC 3/8-N03	3/8"	3/8 NPT
RC 06-02	6mm	R1/4	RC 3/8-N04	3/8"	1/2 NPT
RC 08-01	8mm	R1/8	RC 1/2-N02	1/2"	1/4 NPT
RC 08-02	8mm	R1/4	RC 1/2-N03	1/2"	3/8 NPT
RC 08-03	8mm	R3/8	RC 1/2-N04	1/2"	1/2 NPT
RC 10-02	10mm	R1/4			
RC 10-03	10mm	R3/8			
RC 10-04	10mm	R1/2			
RC 12-02	12mm	R1/4			
RC 12-03	12mm	R3/8			
RC 12-04	12mm	R1/2			
RC 16-04	16mm	R1/2			

 G Thread Male Elbow Stop Fittings G 螺纹外牙弯头截止阀					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SPL 04-G01	4mm	G1/8"	SPL 5/32-G01	5/32	G1/8
SPL 06-G01	6mm	G1/8"	SPL 1/4-G01	1/4	G1/8
SPL 06-G02	6mm	G1/4"	SPL 1/4-G02	1/4	G1/4
SPL 08-G01	8mm	G1/8"	SPL 5/16-G01	5/16	G1/8
SPL 08-G02	8mm	G1/4"	SPL 5/16-G02	5/16	G1/4
SPL 08-G03	8mm	G3/8"	SPL 5/16-G03	5/16	G3/8
SPL 10-G02	10mm	G1/4"	SPL 3/8-G02	3/8	G1/4
SPL 10-G03	10mm	G3/8"	SPL 3/8-G03	3/8	G3/8
SPL 10-G04	10mm	G1/2"	SPL 3/8-G04	3/8	G1/2
SPL 12-G03	12mm	G3/8"	SPL 1/2-G03	1/2	G3/8
SPL 12-G04	12mm	G1/2"	SPL 1/2-G04	1/2	G1/2



 Male Elbow Rotary Fittings 外牙弯头旋转接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
RL 04-M5	4mm	M5	RL 1/4-N01	1/4"	1/8 NPT
RL 04-M6	4mm	M6	RL 1/4-N02	1/4"	1/4 NPT
RL 04-01	4mm	R1/8	RL 5/16-N01	5/16"	1/8 NPT
RL 04-02	4mm	R1/4	RL 5/16-N02	5/16"	1/4 NPT
RL 06-M5	6mm	M5	RL 5/16-N03	5/16"	3/8 NPT
RL 06-M6	6mm	M6	RL 3/8-N02	3/8"	1/4 NPT
RL 06-01	6mm	R1/8	RL 3/8-N03	3/8"	3/8 NPT
RL 06-02	6mm	R1/4	RL 3/8-N04	3/8"	1/2 NPT
RL 08-01	8mm	R1/8	RL 1/2-N02	1/2"	1/4 NPT
RL 08-02	8mm	R1/4	RL 1/2-N03	1/2"	3/8 NPT
RL 08-03	8mm	R3/8	RL 1/2-N04	1/2"	1/2 NPT
RL 10-02	10mm	R1/4			
RL 10-03	10mm	R3/8			
RL 10-04	10mm	R1/2			
RL 12-02	12mm	R1/4			
RL 12-03	12mm	R3/8			
RL 12-04	12mm	R1/2			
RL 16-04	16mm	R1/2			

C Type Nickel Plated Brass Push In Fittings
C型全铜镀镍快速接头

Features
特点

全铜快插式气动管接头用于气动管类系统管接头具有各种各样的型号，可以满足你在气动管类系统中的所有需要即使安装之后，管道的方向仍然可以自由改变镀镍的铜体可以防腐蚀和污染所有R跟NPT螺纹胶都起密封作用所有直螺纹都用标准的O型圈

Push-in fitting are used in pneumatics piping. The tube fittings come in a wide variety of models to meet all your needs in pneumatics piping. Even after installation, the direction of the tube can be changed freely. Nickel-Plated metal body ensures Anti-Corrosion and Anti-ContaminationAll R and NPT threads are Pre-Coated sealant. All cylindrical threads are standard with O-Ring

Specifications
技术参数

使用流体/Fluid	空气,真空,油/Air,Vacuum,Oil
使用压力范围/Operating Pressure	0-10.0MPa (Custom made for 40MPa)
负压/Negative Pressure	-100KPa(10Torr)
耐压/Max Pressure	12MPa
用环境及流体温度/Operating Temperature	0~60℃ NBR Sealing / 0 ~ 250℃ FKM Sealing
适用软管/Applicable Tube	PU及尼龙管和金属管/Polyurethane, Nylon, Metal

How to Order
产品订购

CMPC

6

-

G

01

Thread Size, 02 is 1/4 Thread

01 is 1/8 Thread

03 is 3/8 Thread

04 is 1/2 Thread

Thread Type, G is BSPP Thread

N is NPT Thread

Blank is BSPT Thread

Tube Outer Diameter, 6mm


软管外径, 6mm

Model Type, CMPC means C Type Nickel Plated Brass Push In Fittings Male Adapter

型号, CMPC 表示C型全铜镀镍外螺纹直通快速接头

CMPL means 90 Deg. Male Elbow 90度外螺纹弯头

Structure Chart
结构图





Male Adapter All Brass Air Fittings
全铜外牙直通快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPC 04-M5	4mm	M5	CMPC 5/32-N01	5/32"	1/8 NPT
CMPC 04-01	4mm	R1/8	CMPC 5/32-N02	5/32"	1/4 NPT
CMPC 04-02	4mm	R1/4	CMPC 1/4-N01	1/4"	1/8 NPT
CMPC 06-M5	6mm	M5	CMPC 1/4-N02	1/4"	1/4 NPT
CMPC 06-01	6mm	R1/8	CMPC 1/4-N03	1/4"	3/8 NPT
CMPC 06-02	6mm	R1/4	CMPC 1/4-N04	1/4"	1/2 NPT
CMPC 06-03	6mm	R3/8	CMPC 5/16-N01	5/16"	1/8 NPT
CMPC 06-04	6mm	R1/2	CMPC 5/16-N02	5/16"	1/4 NPT
CMPC 08-01	8mm	R1/8	CMPC 5/16-N03	5/16"	3/8 NPT
CMPC 08-02	8mm	R1/4	CMPC 5/16-N04	5/16"	1/2 NPT
CMPC 08-03	8mm	R3/8	CMPC 3/8-N01	3/8"	1/8 NPT
CMPC 08-04	8mm	R1/2	CMPC 3/8-N02	3/8"	1/4 NPT
CMPC 10-01	10mm	R1/8	CMPC 3/8-N03	3/8"	3/8 NPT
CMPC 10-02	10mm	R1/4	CMPC 3/8-N04	3/8"	1/2 NPT
CMPC 10-03	10mm	R3/8	CMPC 1/2-N01	1/2"	1/8 NPT
CMPC 10-04	10mm	R1/2	CMPC 1/2-N02	1/2"	1/4 NPT
CMPC 12-01	12mm	R1/8	CMPC 1/2-N03	1/2"	3/8 NPT
CMPC 12-02	12mm	R1/4	CMPC 1/2-N04	1/2"	1/2 NPT
CMPC 12-03	12mm	R3/8			
CMPC 12-04	12mm	R1/2			
CMPC 14-02	14mm	R1/4			
CMPC 14-03	14mm	R3/8			
CMPC 14-04	14mm	R1/2			
CMPC 16-02	16mm	R1/4			
CMPC 16-03	16mm	R3/8			
CMPC 16-04	16mm	R1/2			



G Thread Male Adapter All Brass Air Fittings
G 螺纹全铜外牙直通快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPC 04-G01	4mm	G1/8	CMPC 5/32-G01	5/32"	G1/8
CMPC 04-G02	4mm	G1/4	CMPC 5/32-G02	5/32"	G1/4
CMPC 06-G01	6mm	G1/8	CMPC 1/4-G01	1/4"	G1/8
CMPC 06-G02	6mm	G1/4	CMPC 1/4-G02	1/4"	G1/4
CMPC 06-G03	6mm	G3/8	CMPC 1/4-G03	1/4"	G3/8
CMPC 06-G04	6mm	G1/2	CMPC 1/4-G04	1/4"	G1/2
CMPC 08-G01	8mm	G1/8	CMPC 5/16-G01	5/16"	G1/8
CMPC 08-G02	8mm	G1/4	CMPC 5/16-G02	5/16"	G1/4
CMPC 08-G03	8mm	G3/8	CMPC 5/16-G03	5/16"	G3/8
CMPC 08-G04	8mm	G1/2	CMPC 5/16-G04	5/16"	G1/2
CMPC 10-G01	10mm	G1/8	CMPC 3/8-G01	3/8"	G1/8
CMPC 10-G02	10mm	G1/4	CMPC 3/8-G02	3/8"	G1/4
CMPC 10-G03	10mm	G3/8	CMPC 3/8-G03	3/8"	G3/8
CMPC 10-G04	10mm	G1/2	CMPC 3/8-G04	3/8"	G1/2
CMPC 12-G01	12mm	G1/8	CMPC 1/2-G01	1/2"	G1/8
CMPC 12-G02	12mm	G1/4	CMPC 1/2-G02	1/2"	G1/4
CMPC 12-G03	12mm	G3/8	CMPC 1/2-G03	1/2"	G3/8
CMPC 12-G04	12mm	G1/2	CMPC 1/2-G04	1/2"	G1/2
CMPC 14-G02	14mm	G1/4			
CMPC 14-G03	14mm	G3/8			
CMPC 14-G04	14mm	G1/2			
CMPC 16-G02	16mm	G1/4			
CMPC 16-G03	16mm	G3/8			
CMPC 16-G04	16mm	G1/2			



Female Adapter All Brass Air Fittings
全铜内牙直通快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPCF 04-M5	4mm	M5	CMPCF 5/32-N01	5/32"	1/8 NPT
CMPCF 04-01	4mm	R1/8	CMPCF 5/32-N02	5/32"	1/4 NPT
CMPCF 04-02	4mm	R1/4	CMPCF 1/4-N01	1/4"	1/8 NPT
CMPCF 06-M5	6mm	M5	CMPCF 1/4-N02	1/4"	1/4 NPT
CMPCF 06-01	6mm	R1/8	CMPCF 1/4-N03	1/4"	3/8 NPT
CMPCF 06-02	6mm	R1/4	CMPCF 1/4-N04	1/4"	1/2 NPT
CMPCF 06-03	6mm	R3/8	CMPCF 5/16-N01	5/16"	1/8 NPT
CMPCF 06-04	6mm	R1/2	CMPCF 5/16-N02	5/16"	1/4 NPT
CMPCF 08-01	8mm	R1/8	CMPCF 5/16-N03	5/16"	3/8 NPT
CMPCF 08-02	8mm	R1/4	CMPCF 5/16-N04	5/16"	1/2 NPT
CMPCF 08-03	8mm	R3/8	CMPCF 3/8-N01	3/8"	1/8 NPT
CMPCF 08-04	8mm	R1/2	CMPCF 3/8-N02	3/8"	1/4 NPT
CMPCF 10-01	10mm	R1/8	CMPCF 3/8-N03	3/8"	3/8 NPT
CMPCF 10-02	10mm	R1/4	CMPCF 3/8-N04	3/8"	1/2 NPT
CMPCF 10-03	10mm	R3/8	CMPCF 1/2-N01	1/2"	1/8 NPT
CMPCF 10-04	10mm	R1/2	CMPCF 1/2-N02	1/2"	1/4 NPT
CMPCF 12-01	12mm	R1/8	CMPCF 1/2-N03	1/2"	3/8 NPT
CMPCF 12-02	12mm	R1/4	CMPCF 1/2-N04	1/2"	1/2 NPT
CMPCF 12-03	12mm	R3/8			
CMPCF 12-04	12mm	R1/2			
CMPCF 14-02	14mm	R1/4			
CMPCF 14-03	14mm	R3/8			
CMPCF 14-04	14mm	R1/2			
CMPCF 16-02	16mm	R1/4			
CMPCF 16-03	16mm	R3/8			
CMPCF 16-04	16mm	R1/2			



G Thread Female Adapter All Brass Air Fittings
G 螺纹全铜内牙直通快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPCF 04-G01	4mm	G1/8	CMPCF 5/32-G01	5/32"	G1/8
CMPCF 04-G02	4mm	G1/4	CMPCF 5/32-G02	5/32"	G1/4
CMPCF 06-G01	6mm	G1/8	CMPCF 1/4-G01	1/4"	G1/8
CMPCF 06-G02	6mm	G1/4	CMPCF 1/4-G02	1/4"	G1/4
CMPCF 06-G03	6mm	G3/8	CMPCF 1/4-G03	1/4"	G3/8
CMPCF 06-G04	6mm	G1/2	CMPCF 1/4-G04	1/4"	G1/2
CMPCF 08-G01	8mm	G1/8	CMPCF 5/16-G01	5/16"	G1/8
CMPCF 08-G02	8mm	G1/4	CMPCF 5/16-G02	5/16"	G1/4
CMPCF 08-G03	8mm	G3/8	CMPCF 5/16-G03	5/16"	G3/8
CMPCF 08-G04	8mm	G1/2	CMPCF 5/16-G04	5/16"	G1/2
CMPCF 10-G01	10mm	G1/8	CMPCF 3/8-G01	3/8"	G1/8
CMPCF 10-G02	10mm	G1/4	CMPCF 3/8-G02	3/8"	G1/4
CMPCF 10-G03	10mm	G3/8	CMPCF 3/8-G03	3/8"	G3/8
CMPCF 10-G04	10mm	G1/2	CMPCF 3/8-G04	3/8"	G1/2
CMPCF 12-G01	12mm	G1/8	CMPCF 1/2-G01	1/2"	G1/8
CMPCF 12-G02	12mm	G1/4	CMPCF 1/2-G02	1/2"	G1/4
CMPCF 12-G03	12mm	G3/8	CMPCF 1/2-G03	1/2"	G3/8
CMPCF 12-G04	12mm	G1/2	CMPCF 1/2-G04	1/2"	G1/2
CMPCF 14-G02	14mm	G1/4			
CMPCF 14-G03	14mm	G3/8			
CMPCF 14-G04	14mm	G1/2			
CMPCF 16-G02	16mm	G1/4			
CMPCF 16-G03	16mm	G3/8			
CMPCF 16-G04	16mm	G1/2			

C Type Brass Air Fittings
C型全铜快速接头

 Male Elbow All Brass Air Fittings 全铜外牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPL 04-M5	4mm	M5	CMPL 5/32-N01	5/32"	1/8 NPT
CMPL 04-01	4mm	R1/8	CMPL 5/32-N02	5/32"	1/4 NPT
CMPL 04-02	4mm	R1/4	CMPL 1/4-N01	1/4"	1/8 NPT
CMPL 06-M5	6mm	M5	CMPL 1/4-N02	1/4"	1/4 NPT
CMPL 06-01	6mm	R1/8	CMPL 1/4-N03	1/4"	3/8 NPT
CMPL 06-02	6mm	R1/4	CMPL 1/4-N04	1/4"	1/2 NPT
CMPL 06-03	6mm	R3/8	CMPL 5/16-N01	5/16"	1/8 NPT
CMPL 06-04	6mm	R1/2	CMPL 5/16-N02	5/16"	1/4 NPT
CMPL 08-01	8mm	R1/8	CMPL 5/16-N03	5/16"	3/8 NPT
CMPL 08-02	8mm	R1/4	CMPL 5/16-N04	5/16"	1/2 NPT
CMPL 08-03	8mm	R3/8	CMPL 3/8-N01	3/8"	1/8 NPT
CMPL 08-04	8mm	R1/2	CMPL 3/8-N02	3/8"	1/4 NPT
CMPL 10-01	10mm	R1/8	CMPL 3/8-N03	3/8"	3/8 NPT
CMPL 10-02	10mm	R1/4	CMPL 3/8-N04	3/8"	1/2 NPT
CMPL 10-03	10mm	R3/8	CMPL 1/2-N01	1/2"	1/8 NPT
CMPL 10-04	10mm	R1/2	CMPL 1/2-N02	1/2"	1/4 NPT
CMPL 12-01	12mm	R1/8	CMPL 1/2-N03	1/2"	3/8 NPT
CMPL 12-02	12mm	R1/4	CMPL 1/2-N04	1/2"	1/2 NPT
CMPL 12-03	12mm	R3/8			
CMPL 12-04	12mm	R1/2			
CMPL 14-02	14mm	R1/4			
CMPL 14-03	14mm	R3/8			
CMPL 14-04	14mm	R1/2			
CMPL 16-02	16mm	R1/4			
CMPL 16-03	16mm	R3/8			
CMPL 16-04	16mm	R1/2			

 G Thread Male Elbow All Brass Air Fittings G 螺纹全铜外牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPL 04-G01	4mm	G1/8	CMPL 5/32-G01	5/32"	G1/8
CMPL 04-G02	4mm	G1/4	CMPL 5/32-G02	5/32"	G1/4
CMPL 06-G01	6mm	G1/8	CMPL 1/4-G01	1/4"	G1/8
CMPL 06-G02	6mm	G1/4	CMPL 1/4-G02	1/4"	G1/4
CMPL 06-G03	6mm	G3/8	CMPL 1/4-G03	1/4"	G3/8
CMPL 06-G04	6mm	G1/2	CMPL 1/4-G04	1/4"	G1/2
CMPL 08-G01	8mm	G1/8	CMPL 5/16-G01	5/16"	G1/8
CMPL 08-G02	8mm	G1/4	CMPL 5/16-G02	5/16"	G1/4
CMPL 08-G03	8mm	G3/8	CMPL 5/16-G03	5/16"	G3/8
CMPL 08-G04	8mm	G1/2	CMPL 5/16-G04	5/16"	G1/2
CMPL 10-G01	10mm	G1/8	CMPL 3/8-G01	3/8"	G1/8
CMPL 10-G02	10mm	G1/4	CMPL 3/8-G02	3/8"	G1/4
CMPL 10-G03	10mm	G3/8	CMPL 3/8-G03	3/8"	G3/8
CMPL 10-G04	10mm	G1/2	CMPL 3/8-G04	3/8"	G1/2
CMPL 12-G01	12mm	G1/8	CMPL 1/2-G01	1/2"	G1/8
CMPL 12-G02	12mm	G1/4	CMPL 1/2-G02	1/2"	G1/4
CMPL 12-G03	12mm	G3/8	CMPL 1/2-G03	1/2"	G3/8
CMPL 12-G04	12mm	G1/2	CMPL 1/2-G04	1/2"	G1/2
CMPL 14-G02	14mm	G1/4			
CMPL 14-G03	14mm	G3/8			
CMPL 14-G04	14mm	G1/2			
CMPL 16-G02	16mm	G1/4			
CMPL 16-G03	16mm	G3/8			
CMPL 16-G04	16mm	G1/2			

C Type Brass Air Fittings
C型全铜快速接头

 Male Banjo All Brass Air Fittings 全铜外牙班卓快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPH 04-M5	4mm	M5	CMPH 5/32-N01	5/32"	1/8 NPT
CMPH 04-01	4mm	R1/8	CMPH 5/32-N02	5/32"	1/4 NPT
CMPH 04-02	4mm	R1/4	CMPH 1/4-N01	1/4"	1/8 NPT
CMPH 06-M5	6mm	M5	CMPH 1/4-N02	1/4"	1/4 NPT
CMPH 06-01	6mm	R1/8	CMPH 1/4-N03	1/4"	3/8 NPT
CMPH 06-02	6mm	R1/4	CMPH 1/4-N04	1/4"	1/2 NPT
CMPH 06-03	6mm	R3/8	CMPH 5/16-N01	5/16"	1/8 NPT
CMPH 06-04	6mm	R1/2	CMPH 5/16-N02	5/16"	1/4 NPT
CMPH 08-01	8mm	R1/8	CMPH 5/16-N03	5/16"	3/8 NPT
CMPH 08-02	8mm	R1/4	CMPH 5/16-N04	5/16"	1/2 NPT
CMPH 08-03	8mm	R3/8	CMPH 3/8-N01	3/8"	1/8 NPT
CMPH 08-04	8mm	R1/2	CMPH 3/8-N02	3/8"	1/4 NPT
CMPH 10-01	10mm	R1/8	CMPH 3/8-N03	3/8"	3/8 NPT
CMPH 10-02	10mm	R1/4	CMPH 3/8-N04	3/8"	1/2 NPT
CMPH 10-03	10mm	R3/8	CMPH 1/2-N01	1/2"	1/8 NPT
CMPH 10-04	10mm	R1/2	CMPH 1/2-N02	1/2"	1/4 NPT
CMPH 12-01	12mm	R1/8	CMPH 1/2-N03	1/2"	3/8 NPT
CMPH 12-02	12mm	R1/4	CMPH 1/2-N04	1/2"	1/2 NPT
CMPH 12-03	12mm	R3/8			
CMPH 12-04	12mm	R1/2			
CMPH 14-02	14mm	R1/4			
CMPH 14-03	14mm	R3/8			
CMPH 14-04	14mm	R1/2			
CMPH 16-02	16mm	R1/4			
CMPH 16-03	16mm	R3/8			
CMPH 16-04	16mm	R1/2			

 G Thread Male Banjo Brass Air Fittings G 螺纹全铜外牙班卓直通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPH 04-G01	4mm	G1/8	CMPH 5/32-G01	5/32"	G1/8
CMPH 04-G02	4mm	G1/4	CMPH 5/32-G02	5/32"	G1/4
CMPH 06-G01	6mm	G1/8	CMPH 1/4-G01	1/4"	G1/8
CMPH 06-G02	6mm	G1/4	CMPH 1/4-G02	1/4"	G1/4
CMPH 06-G03	6mm	G3/8	CMPH 1/4-G03	1/4"	G3/8
CMPH 06-G04	6mm	G1/2	CMPH 1/4-G04	1/4"	G1/2
CMPH 08-G01	8mm	G1/8	CMPH 5/16-G01	5/16"	G1/8
CMPH 08-G02	8mm	G1/4	CMPH 5/16-G02	5/16"	G1/4
CMPH 08-G03	8mm	G3/8	CMPH 5/16-G03	5/16"	G3/8
CMPH 08-G04	8mm	G1/2	CMPH 5/16-G04	5/16"	G1/2
CMPH 10-G01	10mm	G1/8	CMPH 3/8-G01	3/8"	G1/8
CMPH 10-G02	10mm	G1/4	CMPH 3/8-G02	3/8"	G1/4
CMPH 10-G03	10mm	G3/8	CMPH 3/8-G03	3/8"	G3/8
CMPH 10-G04	10mm	G1/2	CMPH 3/8-G04	3/8"	G1/2
CMPH 12-G01	12mm	G1/8	CMPH 1/2-G01	1/2"	G1/8
CMPH 12-G02	12mm	G1/4	CMPH 1/2-G02	1/2"	G1/4
CMPH 12-G03	12mm	G3/8	CMPH 1/2-G03	1/2"	G3/8
CMPH 12-G04	12mm	G1/2	CMPH 1/2-G04	1/2"	G1/2
CMPH 14-G02	14mm	G1/4			
CMPH 14-G03	14mm	G3/8			
CMPH 14-G04	14mm	G1/2			
CMPH 16-G02	16mm	G1/4			
CMPH 16-G03	16mm	G3/8			
CMPH 16-G04	16mm	G1/2			

 Female Elbow All Brass Air Fittings 全铜内牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPLF 04-M5	4mm	M5	CMPLF 5/32-N01	5/32"	1/8 NPT
CMPLF 04-01	4mm	R1/8	CMPLF 5/32-N02	5/32"	1/4 NPT
CMPLF 04-02	4mm	R1/4	CMPLF 1/4-N01	1/4"	1/8 NPT
CMPLF 06-M5	6mm	M5	CMPLF 1/4-N02	1/4"	1/4 NPT
CMPLF 06-01	6mm	R1/8	CMPLF 1/4-N03	1/4"	3/8 NPT
CMPLF 06-02	6mm	R1/4	CMPLF 1/4-N04	1/4"	1/2 NPT
CMPLF 06-03	6mm	R3/8	CMPLF 5/16-N01	5/16"	1/8 NPT
CMPLF 06-04	6mm	R1/2	CMPLF 5/16-N02	5/16"	1/4 NPT
CMPLF 08-01	8mm	R1/8	CMPLF 5/16-N03	5/16"	3/8 NPT
CMPLF 08-02	8mm	R1/4	CMPLF 5/16-N04	5/16"	1/2 NPT
CMPLF 08-03	8mm	R3/8	CMPLF 3/8-N01	3/8"	1/8 NPT
CMPLF 08-04	8mm	R1/2	CMPLF 3/8-N02	3/8"	1/4 NPT
CMPLF 10-01	10mm	R1/8	CMPLF 3/8-N03	3/8"	3/8 NPT
CMPLF 10-02	10mm	R1/4	CMPLF 3/8-N04	3/8"	1/2 NPT
CMPLF 10-03	10mm	R3/8	CMPLF 1/2-N01	1/2"	1/8 NPT
CMPLF 10-04	10mm	R1/2	CMPLF 1/2-N02	1/2"	1/4 NPT
CMPLF 12-01	12mm	R1/8	CMPLF 1/2-N03	1/2"	3/8 NPT
CMPLF 12-02	12mm	R1/4	CMPLF 1/2-N04	1/2"	1/2 NPT
CMPLF 12-03	12mm	R3/8			
CMPLF 12-04	12mm	R1/2			
CMPLF 14-02	14mm	R1/4			
CMPLF 14-03	14mm	R3/8			
CMPLF 14-04	14mm	R1/2			
CMPLF 16-02	16mm	R1/4			
CMPLF 16-03	16mm	R3/8			
CMPLF 16-04	16mm	R1/2			

 G Thread Female Elbow All Brass Air Fittings G 螺纹全铜内牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPLF 04-G01	4mm	G1/8	CMPLF 5/32-G01	5/32"	G1/8
CMPLF 04-G02	4mm	G1/4	CMPLF 5/32-G02	5/32"	G1/4
CMPLF 06-G01	6mm	G1/8	CMPLF 1/4-G01	1/4"	G1/8
CMPLF 06-G02	6mm	G1/4	CMPLF 1/4-G02	1/4"	G1/4
CMPLF 06-G03	6mm	G3/8	CMPLF 1/4-G03	1/4"	G3/8
CMPLF 06-G04	6mm	G1/2	CMPLF 1/4-G04	1/4"	G1/2
CMPLF 08-G01	8mm	G1/8	CMPLF 5/16-G01	5/16"	G1/8
CMPLF 08-G02	8mm	G1/4	CMPLF 5/16-G02	5/16"	G1/4
CMPLF 08-G03	8mm	G3/8	CMPLF 5/16-G03	5/16"	G3/8
CMPLF 08-G04	8mm	G1/2	CMPLF 5/16-G04	5/16"	G1/2
CMPLF 10-G01	10mm	G1/8	CMPLF 3/8-G01	3/8"	G1/8
CMPLF 10-G02	10mm	G1/4	CMPLF 3/8-G02	3/8"	G1/4
CMPLF 10-G03	10mm	G3/8	CMPLF 3/8-G03	3/8"	G3/8
CMPLF 10-G04	10mm	G1/2	CMPLF 3/8-G04	3/8"	G1/2
CMPLF 12-G01	12mm	G1/8	CMPLF 1/2-G01	1/2"	G1/8
CMPLF 12-G02	12mm	G1/4	CMPLF 1/2-G02	1/2"	G1/4
CMPLF 12-G03	12mm	G3/8	CMPLF 1/2-G03	1/2"	G3/8
CMPLF 12-G04	12mm	G1/2	CMPLF 1/2-G04	1/2"	G1/2
CMPLF 14-G03	14mm	G3/8			
CMPLF 14-G04	14mm	G1/2			
CMPLF 16-G02	16mm	G1/4			
CMPLF 16-G03	16mm	G3/8			
CMPLF 16-G04	16mm	G1/2			

 Male Branch Tee All Brass Air Fittings 全铜中间外牙三通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPB 04-M5	4mm	M5	CMPB 5/32-N01	5/32"	1/8 NPT
CMPB 04-01	4mm	R1/8	CMPB 5/32-N02	5/32"	1/4 NPT
CMPB 04-02	4mm	R1/4	CMPB 1/4-N01	1/4"	1/8 NPT
CMPB 06-M5	6mm	M5	CMPB 1/4-N02	1/4"	1/4 NPT
CMPB 06-01	6mm	R1/8	CMPB 1/4-N03	1/4"	3/8 NPT
CMPB 06-02	6mm	R1/4	CMPB 1/4-N04	1/4"	1/2 NPT
CMPB 06-03	6mm	R3/8	CMPB 5/16-N01	5/16"	1/8 NPT
CMPB 06-04	6mm	R1/2	CMPB 5/16-N02	5/16"	1/4 NPT
CMPB 08-01	8mm	R1/8	CMPB 5/16-N03	5/16"	3/8 NPT
CMPB 08-02	8mm	R1/4	CMPB 5/16-N04	5/16"	1/2 NPT
CMPB 08-03	8mm	R3/8	CMPB 3/8-N01	3/8"	1/8 NPT
CMPB 08-04	8mm	R1/2	CMPB 3/8-N02	3/8"	1/4 NPT
CMPB 10-01	10mm	R1/8	CMPB 3/8-N03	3/8"	3/8 NPT
CMPB 10-02	10mm	R1/4	CMPB 3/8-N04	3/8"	1/2 NPT
CMPB 10-03	10mm	R3/8	CMPB 1/2-N01	1/2"	1/8 NPT
CMPB 10-04	10mm	R1/2	CMPB 1/2-N02	1/2"	1/4 NPT
CMPB 12-01	12mm	R1/8	CMPB 1/2-N03	1/2"	3/8 NPT
CMPB 12-02	12mm	R1/4	CMPB 1/2-N04	1/2"	1/2 NPT
CMPB 12-03	12mm	R3/8			
CMPB 12-04	12mm	R1/2			
CMPB 14-02	14mm	R1/4			
CMPB 14-03	14mm	R3/8			
CMPB 14-04	14mm	R1/2			
CMPB 16-02	16mm	R1/4			
CMPB 16-03	16mm	R3/8			
CMPB 16-04	16mm	R1/2			

 G Thread Male Branch Tee All Brass Air Fittings G螺纹全铜中间外牙三通快速接头			
--	--	--	--

C Type Brass Air Fittings
C型全铜快速接头

 Male Run Tee All Brass Air Fittings 全铜侧外牙三通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPD 04-M5	4mm	M5	CMPD 5/32-N01	5/32"	1/8 NPT
CMPD 04-01	4mm	R1/8	CMPD 5/32-N02	5/32"	1/4 NPT
CMPD 04-02	4mm	R1/4	CMPD 1/4-N01	1/4"	1/8 NPT
CMPD 06-M5	6mm	M5	CMPD 1/4-N02	1/4"	1/4 NPT
CMPD 06-01	6mm	R1/8	CMPD 1/4-N03	1/4"	3/8 NPT
CMPD 06-02	6mm	R1/4	CMPD 1/4-N04	1/4"	1/2 NPT
CMPD 06-03	6mm	R3/8	CMPD 5/16-N01	5/16"	1/8 NPT
CMPD 06-04	6mm	R1/2	CMPD 5/16-N02	5/16"	1/4 NPT
CMPD 08-01	8mm	R1/8	CMPD 5/16-N03	5/16"	3/8 NPT
CMPD 08-02	8mm	R1/4	CMPD 5/16-N04	5/16"	1/2 NPT
CMPD 08-03	8mm	R3/8	CMPD 3/8-N01	3/8"	1/8 NPT
CMPD 08-04	8mm	R1/2	CMPD 3/8-N02	3/8"	1/4 NPT
CMPD 10-01	10mm	R1/8	CMPD 3/8-N03	3/8"	3/8 NPT
CMPD 10-02	10mm	R1/4	CMPD 3/8-N04	3/8"	1/2 NPT
CMPD 10-03	10mm	R3/8	CMPD 1/2-N01	1/2"	1/8 NPT
CMPD 10-04	10mm	R1/2	CMPD 1/2-N02	1/2"	1/4 NPT
CMPD 12-01	12mm	R1/8	CMPD 1/2-N03	1/2"	3/8 NPT
CMPD 12-02	12mm	R1/4	CMPD 1/2-N04	1/2"	
CMPD 12-03	12mm	R3/8			
CMPD 12-04	12mm	R1/2			
CMPD 14-02	14mm	R1/4			
CMPD14-03	14mm	R3/8			
CMPD 14-04	14mm	R1/2			
CMPD 16-02	16mm	R1/4			
CMPD 16-03	16mm	R3/8			
CMPD 16-04	16mm	R1/2			

 G Thread Male Run Tee All Brass Air Fittings G 螺纹全铜侧外牙三通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	TBread Size
CMPD 04-G01	4mm	G1/8	CMPD 5/32-G01	5/32"	G1/8
CMPD 04-G02	4mm	G1/4	CMPD 5/32-G02	5/32"	G1/4
CMPD 06-G01	6mm	G1/8	CMPD 1/4-G01	1/4"	G1/8
CMPD 06-G02	6mm	G1/4	CMPD 1/4-G02	1/4"	G1/4
CMPD 06-G03	6mm	G3/8	CMPD 1/4-G03	1/4"	G3/8
CMPD 06-G04	6mm	G1/2	CMPD 1/4-G04	1/4"	G1/2
CMPD 08-G01	8mm	G1/8	CMPD 5/16-G01	5/16"	G1/8
CMPD 08-G02	8mm	G1/4	CMPD 5/16-G02	5/16"	G1/4
CMPD 08-G03	8mm	G3/8	CMPD 5/16-G03	5/16"	G3/8
CMPD 08-G04	8mm	G1/2	CMPD 5/16-G04	5/16"	G1/2
CMPD 10-G01	10mm	G1/8	CMPD 3/8-G01	3/8"	G1/8
CMPD 10-G02	10mm	G1/4	CMPD 3/8-G02	3/8"	G1/4
CMPD 10-G03	10mm	G3/8	CMPD 3/8-G03	3/8"	G3/8
CMPD 10-G04	10mm	G1/2	CMPD 3/8-G04	3/8"	G1/2
CMPD 12-G01	12mm	G1/8	CMPD 1/2-G01	1/2"	G1/8
CMPD 12-G02	12mm	G1/4	CMPD 1/2-G02	1/2"	G1/4
CMPD 12-G03	12mm	G3/8	CMPD 1/2-G03	1/2"	G3/8
CMPD 12-G04	12mm	G1/2	CMPD 1/2-G04	1/2"	G1/2
CMPD 14-G02	14mm	G1/4			
CMPD 14-G03	14mm	G3/8			
CMPD 14-G04	14mm	G1/2			
CMPD 16-G02	16mm	G1/4			
CMPD 16-G03	16mm	G3/8			
CMPD 16-G04	16mm	G1/2			

 All Brass Air Flow Control Valve 全铜气动节流阀					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPSE 04-M5	4mm	M5	CMPSE 5/32-N01	5/32"	1/8 NPT
CMPSE 04-01	4mm	R1/8	CMPSE 5/32-N02	5/32"	1/4 NPT
CMPSE 04-02	4mm	R1/4	CMPSE 1/4-N01	1/4"	1/8 NPT
CMPSE 06-M5	6mm	M5	CMPSE 1/4-N02	1/4"	1/4 NPT
CMPSE 06-01	6mm	R1/8	CMPSE 1/4-N03	1/4"	3/8 NPT
CMPSE 06-02	6mm	R1/4	CMPSE 1/4-N04	1/4"	1/2 NPT
CMPSE 06-03	6mm	R3/8	CMPSE 5/16-N01	5/16"	1/8 NPT
CMPSE 06-04	6mm	R1/2	CMPSE 5/16-N02	5/16"	1/4 NPT
CMPSE 08-01	8mm	R1/8	CMPSE 5/16-N03	5/16"	3/8 NPT
CMPSE 08-02	8mm	R1/4	CMPSE 5/16-N04	5/16"	1/2 NPT
CMPSE 08-03	8mm	R3/8	CMPSE 3/8-N01	3/8"	1/8 NPT
CMPSE 08-04	8mm	R1/2	CMPSE 3/8-N02	3/8"	1/4 NPT
CMPSE 10-01	10mm	R1/8	CMPSE 3/8-N03	3/8"	3/8 NPT
CMPSE 10-02	10mm	R1/4	CMPSE 3/8-N04	3/8"	1/2 NPT
CMPSE 10-03	10mm	R3/8	CMPSE 1/2-N01	1/2"	1/8 NPT
CMPSE 10-04	10mm	R1/2	CMPSE 1/2-N02	1/2"	1/4 NPT
CMPSE 12-01	12mm	R1/8	CMPSE 1/2-N03	1/2"	3/8 NPT
CMPSE 12-02	12mm	R1/4	CMPSE 1/2-N04	1/2"	1/2 NPT
CMPSE 12-03	12mm	R3/8			
CMPSE 12-04	12mm	R1/2			
CMPSE 14-02	14mm	R1/4			
CMPSE 14-03	14mm	R3/8			
CMPSE 14-04	14mm	R1/2			
CMPSE 16-02	16mm	R1/4			
CMPSE 16-03	16mm	R3/8			
CMPSE 16-04	16mm	R1/2			

 All Brass Air Flow Control Valve G 螺纹全铜气动节流阀					
MODEL	Tube Size	Thread Size	MOSEEL	Tube Size	TBreaSE Size
CMPSE 04-G01	4mm	G1/8	CMPSE 5/32-G01	5/32"	G1/8
CMPSE 04-G02	4mm	G1/4	CMPSE 5/32-G02	5/32"	G1/4
CMPSE 06-G01	6mm	G1/8	CMPSE 1/4-G01	1/4"	G1/8
CMPSE 06-G02	6mm	G1/4	CMPSE 1/4-G02	1/4"	G1/4
CMPSE 06-G03	6mm	G3/8	CMPSE 1/4-G03	1/4"	G3/8
CMPSE 06-G04	6mm	G1/2	CMPSE 1/4-G04	1/4"	G1/2
CMPSE 08-G01	8mm	G1/8	CMPSE 5/16-G01	5/16"	G1/8
CMPSE 08-G02	8mm	G1/4	CMPSE 5/16-G02	5/16"	G1/4
CMPSE 08-G03	8mm	G3/8	CMPSE 5/16-G03	5/16"	G3/8
CMPSE 08-G04	8mm	G1/2	CMPSE 5/16-G04	5/16"	G1/2
CMPSE 10-G01	10mm	G1/8	CMPSE 3/8-G01	3/8"	G1/8
CMPSE 10-G02	10mm	G1/4	CMPSE 3/8-G02	3/8"	G1/4
CMPSE 10-G03	10mm	G3/8	CMPSE 3/8-G03	3/8"	G3/8
CMPSE 10-G04	10mm	G1/2	CMPSE 3/8-G04	3/8"	G1/2
CMPSE 12-G01	12mm	G1/8	CMPSE 1/2-G01	1/2"	G1/8
CMPSE 12-G02	12mm	G1/4	CMPSE 1/2-G02	1/2"	G1/4
CMPSE 12-G03	12mm	G3/8	CMPSE 1/2-G03	1/2"	G3/8
CMPSE 12-G04	12mm	G1/2	CMPSE 1/2-G04	1/2"	G1/2
CMPSE 14-G02	14mm	G1/4			
CMPSE 14-G03	14mm	G3/8			
CMPSE 14-G04	14mm	G1/2			
CMPSE 16-G02	16mm	G1/4			
CMPSE 16-G03	16mm	G3/8			
CMPSE 16-G04	16mm	G1/2			

C Type Brass Air Fittings
C型全铜快速接头

 Union All Brass Air Fittings 全铜等径直通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPU 04	4mm	CMPU 5/32	5/32"
CMPU 06	6mm	CMPU 1/4	1/4"
CMPU 08	8mm	CMPU 5/16	5/16"
CMPU 10	10mm	CMPU 3/8	3/8"
CMPU 12	12mm	CMPU 1/2	1/2"
CMPU 14	14mm		
CMPU 16	16mm		

 Union Elbow All Brass Air Fittings 全铜等径L型弯头快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPV 04	4mm	CMPV 5/32	5/32"
CMPV 06	6mm	CMPV 1/4	1/4"
CMPV 08	8mm	CMPV 5/16	5/16"
CMPV 10	10mm	CMPV 3/8	3/8"
CMPV 12	12mm	CMPV 1/2	1/2"
CMPV 14	14mm		
CMPV 16	16mm		

 Union Cross All Brass Air Fittings 全铜等径十字四通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPZA 04	4mm	CMPZA 5/32	5/32"
CMPZA 06	6mm	CMPZA 1/4	1/4"
CMPZA 08	8mm	CMPZA 5/16	5/16"
CMPZA 10	10mm	CMPZA 3/8	3/8"
CMPZA 12	12mm	CMPZA 1/2	1/2"
CMPZA 14	14mm		
CMPZA 16	16mm		

 Union Five-Way All Brass Air Fittings 全铜等径五通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPK 04	4mm	CMPK 5/32	5/32"
CMPK 06	6mm	CMPK 1/4	1/4"
CMPK 08	8mm	CMPK 5/16	5/16"
CMPK 10	10mm	CMPK 3/8	3/8"
CMPK 12	12mm	CMPK 1/2	1/2"
CMPK 14	14mm		
CMPK 16	16mm		

 Union Tee All Brass Air Fittings 全铜等径T型三通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPE 04	4mm	CMPE 5/32	5/32"
CMPE 06	6mm	CMPE 1/4	1/4"
CMPE 08	8mm	CMPE 5/16	5/16"
CMPE 10	10mm	CMPE 3/8	3/8"
CMPE 12	12mm	CMPE 1/2	1/2"
CMPE 14	14mm		
CMPE 16	16mm		

 Union Tee All Brass Air Fittings 全铜等径Y型三通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPY 04	4mm	CMPY 5/32	5/32"
CMPY 06	6mm	CMPY 1/4	1/4"
CMPY 08	8mm	CMPY 5/16	5/16"
CMPY 10	10mm	CMPY 3/8	3/8"
CMPY 12	12mm	CMPY 1/2	1/2"
CMPY 14	14mm		
CMPY 16	16mm		

 Union Bulkhead All Brass Air Fittings 全铜等径夹板直通快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPM 04	4mm	CMPM 5/32	5/32"
CMPM 06	6mm	CMPM 1/4	1/4"
CMPM 08	8mm	CMPM 5/16	5/16"
CMPM 10	10mm	CMPM 3/8	3/8"
CMPM 12	12mm	CMPM 1/2	1/2"
CMPM 14	14mm		
CMPM 16	16mm		

 Union Bulkhead Elbow All Brass Air Fittings 全铜等径夹板弯头快速接头			
MODEL	Tube Size	MODEL	Tube Size
CMPLM 04	4mm	CMPLM 5/32	5/32"
CMPLM 06	6mm	CMPLM 1/4	1/4"
CMPLM 08	8mm	CMPLM 5/16	5/16"
CMPLM 10	10mm	CMPLM 3/8	3/8"
CMPLM 12	12mm	CMPLM 1/2	1/2"
CMPLM 14	14mm		
CMPLM 16	16mm		

C Type Brass Air Fittings
C型全铜快速接头



Reducer Straight All Brass Air Fittings

全铜变径直通快速接头

MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
CMPG 06-04	6mm	4mm	CMPG 1/4-5/32	1/4"	5/32"
CMPG 08-04	8mm	4mm	CMPG 5/16-5/32	5/16"	5/32"
CMPG 08-06	8mm	6mm	CMPG 5/16-1/4	5/16"	1/4"
CMPG 10-06	10mm	6mm	CMPG 3/8-1/4	3/8"	1/4"
CMPG 10-08	10mm	8mm	CMPG 3/8-5/16	3/8"	5/16"
CMPG 12-08	12mm	8mm	CMPG 1/2-5/16	1/2"	5/16"
CMPG 12-10	12mm	10mm	CMPG 1/2-3/8	1/2"	3/8"



Reducer Tee (Middle Small) All Brass Air Fittings

全铜变径三通（中间小）快速接头

MODEL	Tube 1&2	Tube 3	MODEL	Tube 1&2	Tube 3
CMPEG 06-04-06	6mm	4mm	CMPEG 1/4-5/32-1/4	1/4"	5/32"
CMPEG 08-04-08	8mm	4mm	CMPEG 5/16-5/32-5/16	5/16"	5/32"
CMPEG 08-06-08	8mm	6mm	CMPEG 5/16-1/4-5/16	5/16"	1/4"
CMPEG 10-06-10	10mm	6mm	CMPEG 3/8-1/4-3/8	3/8"	1/4"
CMPEG 10-08-10	10mm	8mm	CMPEG 3/8-5/16-3/8	3/8"	5/16"
CMPEG 12-08-12	12mm	8mm	CMPEG 1/2-5/16-1/2	1/2"	5/16"
CMPEG 12-10-12	12mm	10mm	CMPEG 1/2-3/8-1/2	1/2"	3/8"



Female Bulkhead All Brass Air Fittings

全铜变径三通（中间小）快速接头

MODEL	Tube Size	MODEL	Tube Size
CMPMF 04-M5	4mm	M5	1/8 NPT
CMPMF 04-01	4mm	R1/8	1/4 NPT
CMPMF 04-02	4mm	R1/4	3/8 NPT
CMPMF 06-M5	6mm	M5	1/2 NPT
CMPMF 06-01	6mm	R1/8	3/8 NPT
CMPMF 06-02	6mm	R1/4	1/2 NPT
CMPMF 06-03	6mm	R3/8	1/8 NPT
CMPMF 06-04	6mm	R1/2	1/4 NPT
CMPMF 08-01	8mm	R1/8	3/8 NPT
CMPMF 08-02	8mm	R1/4	1/2 NPT
CMPMF 08-03	8mm	R3/8	1/8 NPT
CMPMF 08-04	8mm	R1/2	1/4 NPT
CMPMF 10-01	10mm	R1/8	3/8 NPT
CMPMF 10-02	10mm	R1/4	1/2 NPT
CMPMF 10-03	10mm	R3/8	1/8 NPT
CMPMF 10-04	10mm	R1/2	1/4 NPT
CMPMF 12-01	12mm	R1/8	3/8 NPT
CMPMF 12-02	12mm	R1/4	1/2 NPT
CMPMF 12-03	12mm	R3/8	
CMPMF 12-04	12mm	R1/2	
CMPMF 14-02	14mm	R1/4	
CMPMF 14-03	14mm	R3/8	
CMPMF 14-04	14mm	R1/2	
CMPMF 16-02	16mm	R1/4	
CMPMF 16-03	16mm	R3/8	
CMPMF 16-04	16mm	R1/2	



Push In Plug All Brass Air Fittings

全铜插入式变径快速接头

MODEL	Tube 1	Tube 2	MODEL	Tube 1	Tube 2
CMPGJ 06-04	6mm	4mm	CMPGJ 1/4-5/32	1/4"	5/32"
CMPGJ 08-04	8mm	4mm	CMPGJ 5/16-5/32	5/16"	5/32"
CMPGJ 08-06	8mm	6mm	CMPGJ 5/16-1/4	5/16"	1/4"
CMPGJ 10-06	10mm	6mm	CMPGJ 3/8-1/4	3/8"	1/4"
CMPGJ 10-08	10mm	8mm	CMPGJ 3/8-5/16	3/8"	5/16"
CMPGJ 12-08	12mm	8mm	CMPGJ 1/2-5/16	1/2"	5/16"
CMPGJ 12-10	12mm	10mm	CMPGJ 1/2-3/8	1/2"	3/8"



G Thread Female Bulkhead All Brass Air Fittings

G 螺纹全铜内螺纹夹板快速接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPMF 04-G01	4mm	G1/8	CMPMF 5/32-G01	5/32"	G1/8
CMPMF 04-G02	4mm	G1/4	CMPMF 5/32-G02	5/32"	G1/4
CMPMF 06-G01	6mm	G1/8	CMPMF 1/4-G01	1/4"	G1/8
CMPMF 06-G02	6mm	G1/4	CMPMF 1/4-G02	1/4"	G1/4
CMPMF 06-G03	6mm	G3/8	CMPMF 1/4-G03	1/4"	G3/8
CMPMF 06-G04	6mm	G1/2	CMPMF 1/4-G04	1/4"	G1/2
CMPMF 08-G01	8mm	G1/8	CMPMF 5/16-G01	5/16"	G1/8
CMPMF 08-G02	8mm	G1/4	CMPMF 5/16-G02	5/16"	G1/4
CMPMF 08-G03	8mm	G3/8	CMPMF 5/16-G03	5/16"	G3/8
CMPMF 08-G04	8mm	G1/2	CMPMF 5/16-G04	5/16"	G1/2
CMPMF 10-G01	10mm	G1/8	CMPMF 3/8-G01	3/8"	G1/8
CMPMF 10-G02	10mm	G1/4	CMPMF 3/8-G02	3/8"	G1/4
CMPMF 10-G03	10mm	G3/8	CMPMF 3/8-G03	3/8"	G3/8
CMPMF 10-G04	10mm	G1/2	CMPMF 3/8-G04	3/8"	G1/2
CMPMF 12-G01	12mm	G1/8	CMPMF 1/2-G01	1/2"	G1/8
CMPMF 12-G02	12mm	G1/4	CMPMF 1/2-G02	1/2"	G1/4
CMPMF 12-G03	12mm	G3/8	CMPMF 1/2-G03	1/2"	G3/8
CMPMF 12-G04	12mm	G1/2	CMPMF 1/2-G04	1/2"	G1/2
CMPMF 14-G02	14mm	G1/4			
CMPMF 14-G03	14mm	G3/8			
CMPMF 14-G04	14mm	G1/2			
CMPMF 16-G02	16mm	G1/4			
CMPMF 16-G03	16mm	G3/8			
CMPMF 16-G04	16mm	G1/2			

Universal Thread Fittings
通用螺纹全铜快速接头

Universal Thread Brass Push In Air Fittings
通用螺纹全铜快速接头

Features 特点

通用螺纹(Sprint)全铜气动快速接头的设计适用于装配所有内螺纹形式(BSP、GAS、G和R型)。新型号是可互换的锥形螺纹配件，BSPT和BSPP。这种特殊的密封方法具有类似于其他锥形螺纹的锁紧效果。密封圈由聚四氟乙烯(Teflon®)制成，不受磨损，可重复使用。可以更换尼龙、铝和其他材料的垫圈，消除了“斑点面”的需要，从而减小了配件的尺寸。密封可在倾斜、凹面和凸面上实现。


Universal Thread (Sprint) Brass Push In Fittings are designed to allow assembly with all female thread forms, BSP, GAS, "G" and "R" types. The new model is interchangeable with tapered thread fittings, both BSPT and BSPP. The special sealing method has a locking effect similar to that of other tapered threads. The sealing ring is made of PTFE (Teflon®), is not subject to wear, and can be used repeatedly. Nylon, aluminum and washers of other materials can be replaced, eliminating the need for a "spot face" and thus reducing the fitting size. Sealing is achieved on inclined, concave and convex surfaces.

Body 壳体

- 全金属，镀镍车身和螺纹
- 由黄铜锻件制成的紧凑的黄铜阀体
- 适用于高温、低温、特殊液体、食品级兼容性的标准丁腈橡胶或专用o型环
- 广泛的形状和配置
- 旋钮上的卷曲设计可以保持完整的ID流动
- 旋转型提供基于冷锻黄铜的机械卷曲锁，而不是旋转铸造或“薄”黄铜
- 用于转向器和直道的全内径流量，在较大尺寸上具有高凸出度
- 在直线配件上的内部六角

- All-Metal, Nickel-Plated body and Threads
- Compact Brass bodies from Brass forgings
- Standard Buna-N or Specialized O-ring choices for High-Temp, Low-Temp, Special Fluids, Food-Grade compatibility
- Broad Range of shapes and configurations
- Crimp design on Swivels maintains Full ID Flow path
- Swivels offer Mechanical crimping lock

Structure Chart 结构图



Collet 爪子

- 镀镍，全金属夹头和释放环
- 夹头设计提供更大的抓地力下的压力或油管张力
- 夹头释放机制基于握持齿的松弛坡度，而不是从部分切割的管中分离“咬环”
- 可拆卸的夹头和管o形环

- Nickel-Plated, All-metal Collet and Release ring
- Collet design offers greater grip strength under higher pressure or tubing tension
- Collet release mechanism based on relaxed slope of grip teeth, as opposed to disengaging "bite-rings" from partially cut tubes
- Removable Collet and tube o-rings

Universal Thread Fittings 通用螺纹全铜快速接头

 Male Adapter Universal Thread Fittings 通用螺纹外牙直通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPCU 04-G01	4mm	G1/8	CMPCU 5/32-G01	5/32"	G1/8
CMPCU 04-G02	4mm	G1/4	CMPCU 5/32-G02	5/32"	G1/4
CMPCU 06-G01	6mm	G1/8	CMPCU 1/4-G01	1/4"	G1/8
CMPCU 06-G02	6mm	G1/4	CMPCU 1/4-G02	1/4"	G1/4
CMPCU 06-G03	6mm	G3/8	CMPCU 1/4-G03	1/4"	G3/8
CMPCU 06-G04	6mm	G1/2	CMPCU 1/4-G04	1/4"	G1/2
CMPCU 08-G01	8mm	G1/8	CMPCU 5/16-G01	5/16"	G1/8
CMPCU 08-G02	8mm	G1/4	CMPCU 5/16-G02	5/16"	G1/4
CMPCU 08-G03	8mm	G3/8	CMPCU 5/16-G03	5/16"	G3/8
CMPCU 08-G04	8mm	G1/2	CMPCU 5/16-G04	5/16"	G1/2
CMPCU 10-G01	10mm	G1/8	CMPCU 3/8-G01	3/8"	G1/8
CMPCU 10-G02	10mm	G1/4	CMPCU 3/8-G02	3/8"	G1/4
CMPCU 10-G03	10mm	G3/8	CMPCU 3/8-G03	3/8"	G3/8
CMPCU 10-G04	10mm	G1/2	CMPCU 3/8-G04	3/8"	G1/2
CMPCU 12-G01	12mm	G1/8	CMPCU 1/2-G01	1/2"	G1/8
CMPCU 12-G02	12mm	G1/4	CMPCU 1/2-G02	1/2"	G1/4
CMPCU 12-G03	12mm	G3/8	CMPCU 1/2-G03	1/2"	G3/8
CMPCU 12-G04	12mm	G1/2	CMPCU 1/2-G04	1/2"	G1/2
CMPCU 14-G02	14mm	G1/4			
CMPCU 14-G03	14mm	G3/8			
CMPCU 14-G04	14mm	G1/2			
CMPCU 16-G02	16mm	G1/4			
CMPCU 16-G03	16mm	G3/8			
CMPCU 16-G04	16mm	G1/2			

 Extended Male Elbow Universal Thread Fittings 通用螺纹加长型外牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPLLU 04-G01	4mm	G1/8	CMPLLU 5/32-G01	5/32"	G1/8
CMPLLU 04-G02	4mm	G1/4	CMPLLU 5/32-G02	5/32"	G1/4
CMPLLU 06-G01	6mm	G1/8	CMPLLU 1/4-G01	1/4"	G1/8
CMPLLU 06-G02	6mm	G1/4	CMPLLU 1/4-G02	1/4"	G1/4
CMPLLU 06-G03	6mm	G3/8	CMPLLU 1/4-G03	1/4"	G3/8
CMPLLU 06-G04	6mm	G1/2	CMPLLU 1/4-G04	1/4"	G1/2
CMPLLU 08-G01	8mm	G1/8	CMPLLU 5/16-G01	5/16"	G1/8
CMPLLU 08-G02	8mm	G1/4	CMPLLU 5/16-G02	5/16"	G1/4
CMPLLU 08-G03	8mm	G3/8	CMPLLU 5/16-G03	5/16"	G3/8
CMPLLU 08-G04	8mm	G1/2	CMPLLU 5/16-G04	5/16"	G1/2
CMPLLU 10-G01	10mm	G1/8	CMPLLU 3/8-G01	3/8"	G1/8
CMPLLU 10-G02	10mm	G1/4	CMPLLU 3/8-G02	3/8"	G1/4
CMPLLU 10-G03	10mm	G3/8	CMPLLU 3/8-G03	3/8"	G3/8
CMPLLU 10-G04	10mm	G1/2	CMPLLU 3/8-G04	3/8"	G1/2
CMPLLU 12-G01	12mm	G1/8	CMPLLU 1/2-G01	1/2"	G1/8
CMPLLU 12-G02	12mm	G1/4	CMPLLU 1/2-G02	1/2"	G1/4
CMPLLU 12-G03	12mm	G3/8	CMPLLU 1/2-G03	1/2"	G3/8
CMPLLU 12-G04	12mm	G1/2	CMPLLU 1/2-G04	1/2"	G1/2
CMPLLU 14-G02	14mm	G1/4			
CMPLLU 14-G03	14mm	G3/8			
CMPLLU 14-G04	14mm	G1/2			
CMPLLU 16-G02	16mm	G1/4			
CMPLLU 16-G03	16mm	G3/8			
CMPLLU 16-G04	16mm	G1/2			

Universal Thread Fittings 通用螺纹全铜快速接头


 Male Branch Tee Universal Thread Fittings 通用螺纹中间外牙快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	TBread Size
CMPBU 04-G01	4mm	G1/8	CMPBU 5/32-G01	5/32"	G1/8
CMPBU 04-G02	4mm	G1/4	CMPBU 5/32-G02	5/32"	G1/4
CMPBU 06-G01	6mm	G1/8	CMPBU 1/4-G01	1/4"	G1/8
CMPBU 06-G02	6mm	G1/4	CMPBU 1/4-G02	1/4"	G1/4
CMPBU 06-G03	6mm	G3/8	CMPBU 1/4-G03	1/4"	G3/8
CMPBU 06-G04	6mm	G1/2	CMPBU 1/4-G04	1/4"	G1/2
CMPBU 08-G01	8mm	G1/8	CMPBU 5/16-G01	5/16"	G1/8
CMPBU 08-G02	8mm	G1/4	CMPBU 5/16-G02	5/16"	G1/4
CMPBU 08-G03	8mm	G3/8	CMPBU 5/16-G03	5/16"	G3/8
CMPBU 08-G04	8mm	G1/2	CMPBU 5/16-G04	5/16"	G1/2
CMPBU 10-G01	10mm	G1/8	CMPBU 3/8-G01	3/8"	G1/8
CMPBU 10-G02	10mm	G1/4	CMPBU 3/8-G02	3/8"	G1/4
CMPBU 10-G03	10mm	G3/8	CMPBU 3/8-G03	3/8"	G3/8
CMPBU 10-G04	10mm	G1/2	CMPBU 3/8-G04	3/8"	G1/2
CMPBU 12-G01	12mm	G1/8	CMPBU 1/2-G01	1/2"	G1/8
CMPBU 12-G02	12mm	G1/4	CMPBU 1/2-G02	1/2"	G1/4
CMPBU 12-G03	12mm	G3/8	CMPBU 1/2-G03	1/2"	G3/8
CMPBU 12-G04	12mm	G1/2	CMPBU 1/2-G04	1/2"	G1/2
CMPBU 14-G02	14mm	G1/4			
CMPBU 14-G03	14mm	G3/8			
CMPBU 14-G04	14mm	G1/2			
CMPBU 16-G02	16mm	G1/4			
CMPBU 16-G03	16mm	G3/8			
CMPBU 16-G04	16mm	G1/2			

 Male Run Tee Universal Thread Fittings 通用螺纹侧面外牙快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	TBread Size
CMPDU 04-G01	4mm	G1/8	CMPDU 5/32-G01	5/32"	G1/8
CMPDU 04-G02	4mm	G1/4	CMPDU 5/32-G02	5/32"	G1/4
CMPDU 06-G01	6mm	G1/8	CMPDU 1/4-G01	1/4"	G1/8
CMPDU 06-G02	6mm	G1/4	CMPDU 1/4-G02	1/4"	G1/4
CMPDU 06-G03	6mm	G3/8	CMPDU 1/4-G03	1/4"	G3/8
CMPDU 06-G04	6mm	G1/2	CMPDU 1/4-G04	1/4"	G1/2
CMPDU 08-G01	8mm	G1/8	CMPDU 5/16-G01	5/16"	G1/8
CMPDU 08-G02	8mm	G1/4	CMPDU 5/16-G02	5/16"	G1/4
CMPDU 08-G03	8mm	G3/8	CMPDU 5/16-G03	5/16"	G3/8
CMPDU 08-G04	8mm	G1/2	CMPDU 5/16-G04	5/16"	G1/2
CMPDU 10-G01	10mm	G1/8	CMPDU 3/8-G01	3/8"	G1/8
CMPDU 10-G02	10mm	G1/4	CMPDU 3/8-G02	3/8"	G1/4
CMPDU 10-G03	10mm	G3/8	CMPDU 3/8-G03	3/8"	G3/8
CMPDU 10-G04	10mm	G1/2	CMPDU 3/8-G04	3/8"	G1/2
CMPDU 12-G01	12mm	G1/8	CMPDU 1/2-G01	1/2"	G1/8
CMPDU 12-G02	12mm	G1/4	CMPDU 1/2-G02	1/2"	G1/4
CMPDU 12-G03	12mm	G3/8	CMPDU 1/2-G03	1/2"	G3/8
CMPDU 12-G04	12mm	G1/2	CMPDU 1/2-G04	1/2"	G1/2
CMPDU 14-G02	14mm	G1/4			
CMPDU 14-G03	14mm	G3/8			
CMPDU 14-G04	14mm	G1/2			
CMPDU 16-G02	16mm	G1/4			
CMPDU 16-G03	16mm	G3/8			
CMPDU 16-G04	16mm	G1/2			

 Male Elbow Universal Thread Fittings 通用螺纹外牙直角弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPLU 04-G01	4mm	G1/8	CMPLU 5/32-G01	5/32"	G1/8
CMPLU 04-G02	4mm	G1/4	CMPLU 5/32-G02	5/32"	G1/4
CMPLU 06-G01	6mm	G1/8	CMPLU 1/4-G01	1/4"	G1/8
CMPLU 06-G02	6mm	G1/4	CMPLU 1/4-G02	1/4"	G1/4
CMPLU 06-G03	6mm	G3/8	CMPLU 1/4-G03	1/4"	G3/8
CMPLU 06-G04	6mm	G1/2	CMPLU 1/4-G04	1/4"	G1/2
CMPLU 08-G01	8mm	G1/8	CMPLU 5/16-G01	5/16"	G1/8
CMPLU 08-G02	8mm	G1/4	CMPLU 5/16-G02	5/16"	G1/4
CMPLU 08-G03	8mm	G3/8	CMPLU 5/16-G03	5/16"	G3/8
CMPLU 08-G04	8mm	G1/2	CMPLU 5/16-G04	5/16"	G1/2
CMPLU 10-G01	10mm	G1/8	CMPLU 3/8-G01	3/8"	G1/8
CMPLU 10-G02	10mm	G1/4	CMPLU 3/8-G02	3/8"	G1/4
CMPLU 10-G03	10mm	G3/8	CMPLU 3/8-G03	3/8"	G3/8
CMPLU 10-G04	10mm	G1/2	CMPLU 3/8-G04	3/8"	G1/2
CMPLU 12-G01	12mm	G1/8	CMPLU 1/2-G01	1/2"	G1/8
CMPLU 12-G02	12mm	G1/4	CMPLU 1/2-G02	1/2"	G1/4
CMPLU 12-G03	12mm	G3/8	CMPLU 1/2-G03	1/2"	G3/8
CMPLU 12-G04	12mm	G1/2	CMPLU 1/2-G04	1/2"	G1/2
CMPLU 14-G02	14mm	G1/4			
CMPLU 14-G03	14mm	G3/8			
CMPLU 14-G04	14mm	G1/2			
CMPLU 16-G02	16mm	G1/4			
CMPLU 16-G03	16mm	G3/8			
CMPLU 16-G04	16mm	G1/2			

 45 Degree Male Elbow Universal Thread Fittings 通用螺纹外牙45度弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CMPL45U 04-G01	4mm	G1/8	CMPL45U 5/32-G01	5/32"	G1/8
CMPL45U 04-G02	4mm	G1/4	CMPL45U 5/32-G02	5/32"	G1/4
CMPL45U 06-G01	6mm	G1/8	CMPL45U 1/4-G01	1/4"	G1/8
CMPL45U 06-G02	6mm	G1/4	CMPL45U 1/4-G02	1/4"	G1/4
CMPL45U 06-G03	6mm	G3/8	CMPL45U 1/4-G03	1/4"	G3/8
CMPL45U 06-G04	6mm	G1/2	CMPL45U 1/4-G04	1/4"	G1/2
CMPL45U 08-G01	8mm	G1/8	CMPL45U 5/16-G01	5/16"	G1/8
CMPL45U 08-G02	8mm	G1/4	CMPL45U 5/16-G02	5/16"	G1/4
CMPL45U 08-G03	8mm	G3/8	CMPL45U 5/16-G03	5/16"	G3/8
CMPL45U 08-G04	8mm	G1/2	CMPL45U 5/16-G04	5/16"	G1/2
CMPL45U 10-G01	10mm	G1/8	CMPL45U 3/8-G01	3/8"	G1/8
CMPL45U 10-G02	10mm	G1/4	CMPL45U 3/8-G02	3/8"	G1/4
CMPL45U 10-G03	10mm	G3/8	CMPL45U 3/8-G03	3/8"	G3/8
CMPL45U 10-G04	10mm	G1/2	CMPL45U 3/8-G04	3/8"	G1/2
CMPL45U 12-G01	12mm	G1/8	CMPL45U 1/2-G01	1/2"	G1/8
CMPL45U 12-G02	12mm	G1/4	CMPL45U 1/2-G02	1/2"	G1/4
CMPL45U 12-G03	12mm	G3/8	CMPL45U 1/2-G03	1/2"	G3/8
CMPL45U 12-G04	12mm	G1/2	CMPL45U 1/2-G04	1/2"	G1/2
CMPL45U 14-G02	14mm	G1/4			
CMPL45U 14-G03	14mm	G3/8			
CMPL45U 14-G04	14mm	G1/2			
CMPL45U 16-G02	16mm	G1/4			
CMPL45U 16-G03	16mm	G3/8			
CMPL45U 16-G04	16mm	G1/2			

Lubrication Systems Fittings
 润滑系统高压双密封接头



Features
 特点

- 迷宽压力范围: 0到400公斤
 •全金属, 镀镍黄铜阀体和夹头
 •标准的Buna-N o形环可以根据要求更换为Viton®或其他材料。
 •超长夹头提供更长的管支撑, 可容纳3个o形密封圈
 •由黄铜锻件制成的紧凑的黄铜阀体
 •经过验证的夹头释放系统
 •在暴露在环境中的夹头系统中没有槽或凹槽
 •三o形环密封系统接受铜管和液体流体介质, 无泄漏。

- Wide Pressure Range: 0 to 400 bar
- All-metal, Nickel-Plated brass body and collet
- Standard Buna-N o-rings can be changed to Viton®, or other materials upon request.
- Longer tube support offered by extra long collet, which holds 3 sealing o-rings
- Compact Brass bodies from Brass forgings
- Proven Collet release system
- No slots or grooves in Collet system exposed to environment
- Triple O-ring Sealing System accepts copper tubing as well as liquid fluid media with no leakage.

Specifications
 技术参数

应用: 用于高压润滑系统管件快速连接密封
 材质: 阀体和爪子: 镀镍黄铜
 密封: NBR(可提供FKM或EPDM)
 压力范围: 0 -最大400公斤(通常受所用管材类型的限制)
 连接管: 尼龙管, 金属管
 直径:公制管: 4毫米、6毫米、8毫米、10毫米; 英制管:1/4、3/8、1/2
 螺纹:M4, M5, M6, M8, M10, G1/8, R1/8
 温度-40°C ~ 100°C(用NBR密封)
 温度-20°C ~ 230°C(用FKM密封)

Materials body and gripper: nickel-plated brass
 Seals: NBR (FKM or EPDM is available)
 Pressure Range: 0 - max. 400 bar (generally be limited by the type of tubing used.)
 Tube to connect: Nylon, Metal Pipe
 Diameters: Metric tube: 4mm, 6mm, 8mm, 10mm and Inch
 Tube: 1/4, 3/8, 1/2
 Thread: M4, M5, M6, M8, M10, G1/8, R1/8
 Temperature -40°C ~ 100°C (Use NBR sealing)
 Temperature -20°C ~ 230°C (Use FKM sealing)

Double Sealing Male Adapter 双密封外牙直通接头 - 润滑高压接头  <table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>SCMPCF 04-G1/8</td><td>4mm</td><td>G1/8</td></tr><tr><td>SCMPCF 04-M6*1</td><td>4mm</td><td>M6*1</td></tr><tr><td>SCMPCF 04-M8*1</td><td>4mm</td><td>M8*1</td></tr><tr><td>SCMPCF 04-M10*1</td><td>4mm</td><td>M10*1</td></tr><tr><td>SCMPCF 06-1/8</td><td>6mm</td><td>R1/8</td></tr><tr><td>SCMPCF 06-M6*1</td><td>6mm</td><td>M6*1</td></tr><tr><td>SCMPCF 06-M8*1</td><td>6mm</td><td>M8*1</td></tr><tr><td>SCMPCF 06-M10*1</td><td>6mm</td><td>M10*1</td></tr><tr><td>SCMPCF 08-1/8</td><td>8mm</td><td>R1/8</td></tr><tr><td>SCMPCF 08-M6*1</td><td>8mm</td><td>M6*1</td></tr><tr><td>SCMPCF 08-M8*1</td><td>8mm</td><td>M8*1</td></tr><tr><td>SCMPCF 08-M10*1</td><td>8mm</td><td>M10*1</td></tr></table>	MODEL	Tube Size	Thread Size	SCMPCF 04-G1/8	4mm	G1/8	SCMPCF 04-M6*1	4mm	M6*1	SCMPCF 04-M8*1	4mm	M8*1	SCMPCF 04-M10*1	4mm	M10*1	SCMPCF 06-1/8	6mm	R1/8	SCMPCF 06-M6*1	6mm	M6*1	SCMPCF 06-M8*1	6mm	M8*1	SCMPCF 06-M10*1	6mm	M10*1	SCMPCF 08-1/8	8mm	R1/8	SCMPCF 08-M6*1	8mm	M6*1	SCMPCF 08-M8*1	8mm	M8*1	SCMPCF 08-M10*1	8mm	M10*1	Double Sealing Female Adapter 双密封内外直通接头 - 润滑高压接头  <table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>SCMPCF 04-G1/8</td><td>4mm</td><td>G1/8</td></tr><tr><td>SCMPCF 04-M6*1</td><td>4mm</td><td>M6*1</td></tr><tr><td>SCMPCF 04-M8*1</td><td>4mm</td><td>M8*1</td></tr><tr><td>SCMPCF 04-M10*1</td><td>4mm</td><td>M10*1</td></tr><tr><td>SCMPCF 06-1/8</td><td>6mm</td><td>R1/8</td></tr><tr><td>SCMPCF 06-M6*1</td><td>6mm</td><td>M6*1</td></tr><tr><td>SCMPCF 06-M8*1</td><td>6mm</td><td>M8*1</td></tr><tr><td>SCMPCF 06-M10*1</td><td>6mm</td><td>M10*1</td></tr><tr><td>SCMPCF 08-1/8</td><td>8mm</td><td>R1/8</td></tr><tr><td>SCMPCF 08-M6*1</td><td>8mm</td><td>M6*1</td></tr><tr><td>SCMPCF 08-M8*1</td><td>8mm</td><td>M8*1</td></tr><tr><td>SCMPCF 08-M10*1</td><td>8mm</td><td>M10*1</td></tr></table>	MODEL	Tube Size	Thread Size	SCMPCF 04-G1/8	4mm	G1/8	SCMPCF 04-M6*1	4mm	M6*1	SCMPCF 04-M8*1	4mm	M8*1	SCMPCF 04-M10*1	4mm	M10*1	SCMPCF 06-1/8	6mm	R1/8	SCMPCF 06-M6*1	6mm	M6*1	SCMPCF 06-M8*1	6mm	M8*1	SCMPCF 06-M10*1	6mm	M10*1	SCMPCF 08-1/8	8mm	R1/8	SCMPCF 08-M6*1	8mm	M6*1	SCMPCF 08-M8*1	8mm	M8*1	SCMPCF 08-M10*1	8mm	M10*1	Double Sealing Male Elbow 双密封外牙弯头 - 润滑高压接头  <table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>SCMPL 04-G1/8</td><td>4mm</td><td>G1/8</td></tr><tr><td>SCMPL 04-M6*1</td><td>4mm</td><td>M6*1</td></tr><tr><td>SCMPL 04-M8*1</td><td>4mm</td><td>M8*1</td></tr><tr><td>SCMPL 04-M10*1</td><td>4mm</td><td>M10*1</td></tr><tr><td>SCMPL 06-1/8</td><td>6mm</td><td>R1/8</td></tr><tr><td>SCMPL 06-M6*1</td><td>6mm</td><td>M6*1</td></tr><tr><td>SCMPL 06-M8*1</td><td>6mm</td><td>M8*1</td></tr><tr><td>SCMPL 06-M10*1</td><td>6mm</td><td>M10*1</td></tr><tr><td>SCMPL 08-1/8</td><td>8mm</td><td>R1/8</td></tr><tr><td>SCMPL 08-M6*1</td><td>8mm</td><td>M6*1</td></tr><tr><td>SCMPL 08-M8*1</td><td>8mm</td><td>M8*1</td></tr><tr><td>SCMPL 08-M10*1</td><td>8mm</td><td>M10*1</td></tr></table>	MODEL	Tube Size	Thread Size	SCMPL 04-G1/8	4mm	G1/8	SCMPL 04-M6*1	4mm	M6*1	SCMPL 04-M8*1	4mm	M8*1	SCMPL 04-M10*1	4mm	M10*1	SCMPL 06-1/8	6mm	R1/8	SCMPL 06-M6*1	6mm	M6*1	SCMPL 06-M8*1	6mm	M8*1	SCMPL 06-M10*1	6mm	M10*1	SCMPL 08-1/8	8mm	R1/8	SCMPL 08-M6*1	8mm	M6*1	SCMPL 08-M8*1	8mm	M8*1	SCMPL 08-M10*1	8mm	M10*1	Single seal Male Branch Tee - High Pressure 单密封高压中间外牙三通 - 润滑高压接头  <table><tr><th>MODEL</th><th>Tube Size</th><th>Thread Size</th></tr><tr><td>SCMPB 04-G1/8</td><td>4mm</td><td>G1/8</td></tr><tr><td>SCMPB 04-M6*1</td><td>4mm</td><td>M6*1</td></tr><tr><td>SCMPB 04-M8*1</td><td>4mm</td><td>M8*1</td></tr><tr><td>SCMPB 04-M10*1</td><td>4mm</td><td>M10*1</td></tr><tr><td>SCMPB 06-1/8</td><td>6mm</td><td>R1/8</td></tr><tr><td>SCMPB 06-M6*1</td><td>6mm</td><td>M6*1</td></tr><tr><td>SCMPB 06-M8*1</td><td>6mm</td><td>M8*1</td></tr><tr><td>SCMPB 06-M10*1</td><td>6mm</td><td>M10*1</td></tr><tr><td>SCMPB 08-1/8</td><td>8mm</td><td>R1/8</td></tr><tr><td>SCMPB 08-M6*1</td><td>8mm</td><td>M6*1</td></tr><tr><td>SCMPB 08-M8*1</td><td>8mm</td><td>M8*1</td></tr><tr><td>SCMPB 08-M10*1</td><td>8mm</td><td>M10*1</td></tr></table>	MODEL	Tube Size	Thread Size	SCMPB 04-G1/8	4mm	G1/8	SCMPB 04-M6*1	4mm	M6*1	SCMPB 04-M8*1	4mm	M8*1	SCMPB 04-M10*1	4mm	M10*1	SCMPB 06-1/8	6mm	R1/8	SCMPB 06-M6*1	6mm	M6*1	SCMPB 06-M8*1	6mm	M8*1	SCMPB 06-M10*1	6mm	M10*1	SCMPB 08-1/8	8mm	R1/8	SCMPB 08-M6*1	8mm	M6*1	SCMPB 08-M8*1	8mm	M8*1	SCMPB 08-M10*1	8mm	M10*1
MODEL	Tube Size	Thread Size																																																																																																																																																													
SCMPCF 04-G1/8	4mm	G1/8																																																																																																																																																													
SCMPCF 04-M6*1	4mm	M6*1																																																																																																																																																													
SCMPCF 04-M8*1	4mm	M8*1																																																																																																																																																													
SCMPCF 04-M10*1	4mm	M10*1																																																																																																																																																													
SCMPCF 06-1/8	6mm	R1/8																																																																																																																																																													
SCMPCF 06-M6*1	6mm	M6*1																																																																																																																																																													
SCMPCF 06-M8*1	6mm	M8*1																																																																																																																																																													
SCMPCF 06-M10*1	6mm	M10*1																																																																																																																																																													
SCMPCF 08-1/8	8mm	R1/8																																																																																																																																																													
SCMPCF 08-M6*1	8mm	M6*1																																																																																																																																																													
SCMPCF 08-M8*1	8mm	M8*1																																																																																																																																																													
SCMPCF 08-M10*1	8mm	M10*1																																																																																																																																																													
MODEL	Tube Size	Thread Size																																																																																																																																																													
SCMPCF 04-G1/8	4mm	G1/8																																																																																																																																																													
SCMPCF 04-M6*1	4mm	M6*1																																																																																																																																																													
SCMPCF 04-M8*1	4mm	M8*1																																																																																																																																																													
SCMPCF 04-M10*1	4mm	M10*1																																																																																																																																																													
SCMPCF 06-1/8	6mm	R1/8																																																																																																																																																													
SCMPCF 06-M6*1	6mm	M6*1																																																																																																																																																													
SCMPCF 06-M8*1	6mm	M8*1																																																																																																																																																													
SCMPCF 06-M10*1	6mm	M10*1																																																																																																																																																													
SCMPCF 08-1/8	8mm	R1/8																																																																																																																																																													
SCMPCF 08-M6*1	8mm	M6*1																																																																																																																																																													
SCMPCF 08-M8*1	8mm	M8*1																																																																																																																																																													
SCMPCF 08-M10*1	8mm	M10*1																																																																																																																																																													
MODEL	Tube Size	Thread Size																																																																																																																																																													
SCMPL 04-G1/8	4mm	G1/8																																																																																																																																																													
SCMPL 04-M6*1	4mm	M6*1																																																																																																																																																													
SCMPL 04-M8*1	4mm	M8*1																																																																																																																																																													
SCMPL 04-M10*1	4mm	M10*1																																																																																																																																																													
SCMPL 06-1/8	6mm	R1/8																																																																																																																																																													
SCMPL 06-M6*1	6mm	M6*1																																																																																																																																																													
SCMPL 06-M8*1	6mm	M8*1																																																																																																																																																													
SCMPL 06-M10*1	6mm	M10*1																																																																																																																																																													
SCMPL 08-1/8	8mm	R1/8																																																																																																																																																													
SCMPL 08-M6*1	8mm	M6*1																																																																																																																																																													
SCMPL 08-M8*1	8mm	M8*1																																																																																																																																																													
SCMPL 08-M10*1	8mm	M10*1																																																																																																																																																													
MODEL	Tube Size	Thread Size																																																																																																																																																													
SCMPB 04-G1/8	4mm	G1/8																																																																																																																																																													
SCMPB 04-M6*1	4mm	M6*1																																																																																																																																																													
SCMPB 04-M8*1	4mm	M8*1																																																																																																																																																													
SCMPB 04-M10*1	4mm	M10*1																																																																																																																																																													
SCMPB 06-1/8	6mm	R1/8																																																																																																																																																													
SCMPB 06-M6*1	6mm	M6*1																																																																																																																																																													
SCMPB 06-M8*1	6mm	M8*1																																																																																																																																																													
SCMPB 06-M10*1	6mm	M10*1																																																																																																																																																													
SCMPB 08-1/8	8mm	R1/8																																																																																																																																																													
SCMPB 08-M6*1	8mm	M6*1																																																																																																																																																													
SCMPB 08-M8*1	8mm	M8*1																																																																																																																																																													
SCMPB 08-M10*1	8mm	M10*1																																																																																																																																																													



High Pressure Check Valve -Lubrication Systems (Lincoln type and BEKA TYPE)

高压润滑系统单向阀 - 林肯型和贝卡型

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
HCVPC 04-M4*0.75	4mm	M4*0.75	HCVPC 5/32-M4*0.75	5/32	M4*0.75
HCVPC 04-M5*1	4mm	M5*1	HCVPC 5/32-M5*1	5/32	M5*1
HCVPC 04-M6*0.75	4mm	M6*0.75	HCVPC 5/32-M6*0.75	5/32	M6*0.75
HCVPC 04-M6*1	4mm	M6*1	HCVPC 5/32-M6*1	5/32	M6*1
HCVPC 04-M8*1	4mm	M8*1	HCVPC 5/32-M8*1	5/32	M8*1
HCVPC 04-M10*1	4mm	M10*1	HCVPC 5/32-M10*1	5/32	M10*1
HCVPC 04-M10*1.25	4mm	M10*1.25	HCVPC 5/32-M10*1.25	5/32	M10*1.25
HCVPC 06-M4*0.75	6mm	M4*0.75	HCVPC 1/4-M4*0.75	1/4	M4*0.75
HCVPC 06-M5*1	6mm	M5*1	HCVPC 1/4-M5*1	1/4	M5*1
HCVPC 06-M6*0.75	6mm	M6*0.75	HCVPC 1/4-M6*0.75	1/4	M6*0.75
HCVPC 06-M6*1	6mm	M6*1	HCVPC 1/4-M6*1	1/4	M6*1
HCVPC 06-M8*1	6mm	M8*1	HCVPC 1/4-M8*1	1/4	M8*1
HCVPC 06-M10*1	6mm	M10*1	HCVPC 1/4-M10*1	1/4	M10*1
HCVPC 06-M10*1.25	6mm	M10*1.25	HCVPC 1/4-M10*1.25	1/4	M10*1.25
HCVPC 08-M4*0.75	8mm	M4*0.75	HCVPC 5/16-M4*0.75	5/16	M4*0.75
HCVPC 08-M5*1	8mm	M5*1	HCVPC 5/16-M5*1	5/16	M5*1
HCVPC 08-M6*0.75	8mm	M6*0.75	HCVPC 5/16-M6*0.75	5/16	M6*0.75
HCVPC 08-M6*1	8mm	M6*1	HCVPC 5/16-M6*1	5/16	M6*1
HCVPC 08-M8*1	8mm	M8*1	HCVPC 5/16-M8*1	5/16	M8*1
HCVPC 08-M10*1	8mm	M10*1	HCVPC 5/16-M10*1	5/16	M10*1
HCVPC 08-M10*1.25	8mm	M10*1.25	HCVPC 5/16-M10*1.25	5/16	M10*1.25
HCVPC 10-M4*0.75	10mm	M4*0.75	HCVPC 3/8-M4*0.75	3/8	M4*0.75
HCVPC 10-M5*1	10mm	M5*1	HCVPC 3/8-M5*1	3/8	M5*1
HCVPC 10-M6*0.75	10mm	M6*0.75	HCVPC 3/8-M6*0.75	3/8	M6*0.75
HCVPC 10-M6*1	10mm	M6*1	HCVPC 3/8-M6*1	3/8	M6*1
HCVPC 10-M8*1	10mm	M8*1	HCVPC 3/8-M8*1	3/8	M8*1
HCVPC 10-M10*1	10mm	M10*1	HCVPC 3/8-M10*1	3/8	M10*1
HCVPC 10-M10*1.25	10mm	M10*1.25	HCVPC 3/8-M10*1.25	3/8	M10*1.25
HCVPC 12-M4*0.75	12mm	M4*0.75	HCVPC 1/2-M4*0.75	1/2	M4*0.75
HCVPC 12-M5*1	12mm	M5*1	HCVPC 1/2-M5*1	1/2	M5*1
HCVPC 12-M6*0.75	12mm	M6*0.75	HCVPC 1/2-M6*0.75	1/2	M6*0.75
HCVPC 12-M6*1	12mm	M6*1	HCVPC 1/2-M6*1	1/2	M6*1
HCVPC 12-M8*1	12mm	M8*1	HCVPC 1/2-M8*1	1/2	M8*1
HCVPC 12-M10*1	12mm	M10*1	HCVPC 1/2-M10*1	1/2	M10*1
HCVPC 12-M10*1.25	12mm	M10*1.25	HCVPC 1/2-M10*1.25	1/2	M10*1.25



Double Sealing Union Tee

双密封等径T型三通接头 - 润滑高压接头

MODEL	Tube Size	MODEL	Tube Size
SCMPE 04	4mm	SCMPE 5/32	5/32
SCMPE 06	6mm	SCMPE 1/4	1/4
SCMPE 08	8mm	SCMPE 5/16	5/16
SCMPE 10	10mm	SCMPE 3/8	3/8
SCMPE 12	12mm	SCMPE 1/2	1/2
SCMPE 16	16mm	SCMPE 3/4	3/4



Double Sealing Union Y

双密封等径Y型三通接头 - 润滑高压接头

MODEL	Tube Size	MODEL	Tube Size
SCMPY 04	4mm	SCMPY 5/32	5/32
SCMPY 06	6mm	SCMPY 1/4	1/4
SCMPY 08	8mm	SCMPY 5/16	5/16
SCMPY 10	10mm	SCMPY 3/8	3/8
SCMPY 12	12mm	SCMPY 1/2	1/2
SCMPY 16	16mm	SCMPY 3/4	3/4



Single seal Male Run Tee - High Pressure

单密封高压侧面外牙三通 - 润滑高压接头

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SCMPD 04-G1/8	4mm	G1/8	SCMPD 06-M8*1	6mm	M8*1
SCMPD 04-M6*1	4mm	M6*1	SCMPD 06-M10*1	6mm	M10*1
SCMPD 04-M8*1	4mm	M8*1	SCMPD 08-1/8	8mm	1/8
SCMPD 04-M10*1	4mm	M10*1	SCMPD 08-M6*1	8mm	M6*1
SCMPD 06-1/8	6mm	1/8	SCMPD 08-M8*1	8mm	M8*1
SCMPD 06-M6*1	6mm	M6*1	SCMPD 08-M10*1	8mm	M10*1

Misting Fittings 雾化接头


Features 特点

推锁喷雾配件，高压连接的全新用途。为了创造“雾化”效果，70公斤压力的水通过软管和喷嘴喷射成数以百万计的细雾，在特定区域创造清新的效果。摘要雾滴作为一种经济、节能、无污染的技术，广泛应用于工业和商业领域，用于控制气味和湿度、设置粉尘、降温室内外温度、室外雾滴系统等。快速和容易滑动的锁推连接配件不需要工具除了螺丝刀。使用范围加湿、抑尘、中和异味、蒸发冷却病虫害防治，在游乐园、游泳池等有特殊效果。应用于物料冷却、温室加湿、车库除雾、防尘除臭
 我们可以提供以下1000PSI-1500PSI的产品。1.w/10/24 3/8"滑动锁接头滑锁接头3/8"滑锁水雾Tee 3/8" 4。滑锁Tee 3/8" 5。滑动锁肘3/8" 6。滑动锁外螺纹3/8"到1/4"适配器
 其特点是:采用10/24 3/8"带单孔或双孔的滑动锁接头，内部密封采用两个o形环，以满足高压要求。适用尺寸:3/16 ' 3/8' 1/4'尼龙管

Push Lock Misting fittings, high pressure connections for a completely new purpose. To creat"misting", water at 70 bar pressure is channeled through hoses and sprayed through nozzles as millions of very fine mist drops, creating that way a refreshing effect all around a specific area. Misting , as a cost effective, energy saving and non polluting technique is used both in industrial and commercial fields to control odours and humidity, to set dusts, to cool down indoor and outdoor temperature, outdoor fog-misting system. Fast and Easy – Slip Lock push to connect fittings require no tools except a screw driver. Usage Range: Add Humidity, Suppress Dust, Neutralize Odor, evaporate cooling pest and disease control ,Special effect in amusement parks, pool , etc. Application for live stock-cooling, Greenhouse Humidification ,Garage Misting, Dust-and-Odor-Control

We can offer the below items with 1000PSI-1500PSI . 1. Slip Lock Union 10mm or 3/8" 2. Slip Lock Union 3/8" 3. Slip Lock Misting Tee 3/8" 4.Slip Lock Tee 3/8" 5.Slip Lock Elbow 3/8" 6.Slip Lock Male 3/8" to 1/4" Adaptor

The Features: The Slip Lock Union w/10/24 3/8" with single or double holes The inside seal with two O-rings to meet your high pressure demands The Suitable Size: 3/16 ' 3/8' 1/4' Nylon Tubing



 Push Lock End Fittings 雾化快插堵头			 Push Lock Union 雾化快插直通		
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
MCMPA 1/8-10-24UNC	1/8	10-24UNC	MCMPU 1/8-10-24UNC	1/8	10-24UNC
MCMPA 1/8-10-32UNF	1/8	10-32UNF	MCMPU 1/8-10-32UNF	1/8	10-32UNF
MCMPA 1/8-M5 x 0.8	1/8	M5 x 0.8	MCMPU 1/8-M5 x 0.8	1/8	M5 x 0.8
MCMPA 1/8-M6 x 1	1/8	M6 x 1	MCMPU 1/8-M6 x 1	1/8	M6 x 1
MCMPA 5/32-10-24UNC	5/32	10-24UNC	MCMPU 5/32-10-24UNC	5/32	10-24UNC
MCMPA 5/32-10-32UNF	5/32	10-32UNF	MCMPU 5/32-10-32UNF	5/32	10-32UNF
MCMPA 5/32-M5 x 0.8	5/32	M5 x 0.8	MCMPU 5/32-M5 x 0.8	5/32	M5 x 0.8
MCMPA 5/32-M6 x 1	5/32	M6 x 1	MCMPU 5/32-M6 x 1	5/32	M6 x 1
MCMPA 3/16-10-24UNC	3/16	10-24UNC	MCMPU 3/16-10-24UNC	3/16	10-24UNC
MCMPA 3/16-10-32UNF	3/16	10-32UNF	MCMPU 3/16-10-32UNF	3/16	10-32UNF
MCMPA 3/16-M5 x 0.8	3/16	M5 x 0.8	MCMPU 3/16-M5 x 0.8	3/16	M5 x 0.8
MCMPA 3/16-M6 x 1	3/16	M6 x 1	MCMPU 3/16-M6 x 1	3/16	M6 x 1
MCMPA 1/4-10-24UNC	1/4	10-24UNC	MCMPU 1/4-10-24UNC	1/4	10-24UNC
MCMPA 1/4-10-32UNF	1/4	10-32UNF	MCMPU 1/4-10-32UNF	1/4	10-32UNF
MCMPA 1/4-M5 x 0.8	1/4	M5 x 0.8	MCMPU 1/4-M5 x 0.8	1/4	M5 x 0.8
MCMPA 1/4-M6 x 1	1/4	M6 x 1	MCMPU 1/4-M6 x 1	1/4	M6 x 1
MCMPA 5/16-10-24UNC	5/16	10-24UNC	MCMPU 5/16-10-24UNC	5/16	10-24UNC
MCMPA 5/16-10-32UNF	5/16	10-32UNF	MCMPU 5/16-10-32UNF	5/16	10-32UNF
MCMPA 5/16-M5 x 0.8	5/16	M5 x 0.8	MCMPU 5/16-M5 x 0.8	5/16	M5 x 0.8
MCMPA 5/16-M6 x 1	5/16	M6 x 1	MCMPU 5/16-M6 x 1	5/16	M6 x 1
MCMPA 3/8-10-24UNC	3/8	10-24UNC	MCMPU 3/8-10-24UNC	3/8	10-24UNC
MCMPA 3/8-10-32UNF	3/8	10-32UNF	MCMPU 3/8-10-32UNF	3/8	10-32UNF
MCMPA 3/8-M5 x 0.8	3/8	M5 x 0.8	MCMPU 3/8-M5 x 0.8	3/8	M5 x 0.8
MCMPA 3/8-M6 x 1	3/8	M6 x 1	MCMPU 3/8-M6 x 1	3/8	M6 x 1
MCMPA 1/2-10-24UNC	1/2	10-24UNC	MCMPU 1/2-10-24UNC	1/2	10-24UNC
MCMPA 1/2-10-32UNF	1/2	10-32UNF	MCMPU 1/2-10-32UNF	1/2	10-32UNF
MCMPA 1/2-M5 x 0.8	1/2	M5 x 0.8	MCMPU 1/2-M5 x 0.8	1/2	M5 x 0.8
MCMPA 1/2-M6 x 1	1/2	M6 x 1	MCMPU 1/2-M6 x 1	1/2	M6 x 1

 Push Lock Union Fittings 等径直通快速接		
MODEL	Tube Size	Tube Size
CMPU-M 1/8	1/8	1/8
CMPU-M 5/32	5/32	5/32
CMPU-M 3/16	3/16	3/16
CMPU-M 1/4	1/4	1/4
CMPU-M 3/8	3/8	3/8
CMPU-M 1/2	1/2	1/2

 Push Lock Union Tee 等径弯头快速接头		
MODEL	Tube Size	Tube Size
CMPV-M 1/8	1/8	1/8
CMPV-M 5/32	5/32	5/32
CMPV-M 3/16	3/16	3/16
CMPV-M 1/4	1/4	1/4
CMPV-M 3/8	3/8	3/8
CMPV-M 1/2	1/2	1/2

 Push Lock Union Tee Fittings 等径三通快速接头		
MODEL	Tube Size	Tube Size
CMPE-M 1/8	1/8	1/8
CMPE-M 5/32	5/32	5/32
CMPE-M 3/16	3/16	3/16
CMPE-M 1/4	1/4	1/4
CMPE-M 3/8	3/8	3/8
CMPE-M 1/2	1/2	1/2

High Pressure Misting Nozzles

高压雾化喷嘴

					
MODEL	Bore Dia.	Male Thread		Pressure	Spray Rate
1010	0.1mm	3/16	1/8	20-70 Bar	10-25 cc/min
1510	0.15mm	3/16	1/8	20-70 Bar	20-46
2010	0.2mm	3/16	1/8	20-70 Bar	49-89
3010	0.3mm	3/16	1/8	20-70 Bar	80-145
4010	0.4mm	3/16	1/8	20-70 Bar	95-178
5010	0.5mm	3/16	1/8	20-70 Bar	130-243


P Type Nickel Plated Brass Push In Fittings
P型全铜镀镍快速接头

Features
特点

1. 快速安装，简单灵活，节省空间，一键接管。
2. 即使在安装后，气管的方向也可以随意改变，所有圆柱螺纹都有o形圈，密封性能好。
3. 镀镍黄铜阀体确保防腐蚀和防污染。
4. 接头内部配置了垫圈、o形环和锥螺纹上涂了特氟龙密封胶。

1. Quick installation, simple and flexible, space-saving, easy to connect tube by one touch.
2. Even after installation, the direction of tubing can be changed freely, all parallel thread have o-ring with fine seal performance.
3. Nickel-Plated brass body ensures anti-corrosion and anti-contamination.
4. Fittings are equipped with a Gasket, O-ring and Teflon-treatment on the tapered thread.

Structure Chart
结构图




Material
材质

1. Brass Release Ring
2. Brass Body
3. Plastic Holding Ring
4. SUS Gripping collet
5. Plastic Protection Ring

How to Order
产品订购

PMPC 6 - G 01




Model Type, PMPC means P Type Nickel Plated Brass Push In Fittings Male Adapter
型号, PMPC 表示P型全铜镀镍外螺纹直通快速接头
PMPL means 90 Deg. Male Elbow 90度外螺纹弯头



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPC 04-M5	4mm	M5	PMPC 5/32-N01	5/32	1/8 NPT
PMPC 04-M6	4mm	M6	PMPC 5/32-N02	5/32	1/4 NPT
PMPC 04-01	4mm	R1/8	PMPC 1/4-N01	1/4	1/8 NPT
PMPC 04-02	4mm	R1/4	PMPC 1/4-N02	1/4	1/4 NPT
PMPC 06-M5	6mm	M5	PMPC 1/4-N03	1/4	3/8 NPT
PMPC 06-M6	6mm	M6	PMPC 1/4-N04	1/4	1/2 NPT
PMPC 06-01	6mm	R1/8	PMPC 5/16-N01	5/16	1/8 NPT
PMPC 06-02	6mm	R1/4	PMPC 5/16-N02	5/16	1/4 NPT
PMPC 06-03	6mm	R3/8	PMPC 5/16-N03	5/16	3/8 NPT
PMPC 06-04	6mm	R1/2	PMPC 5/16-N04	5/16	1/2 NPT
PMPC 08-01	8mm	R1/8	PMPC 3/8-N01	3/8	1/8 NPT
PMPC 08-02	8mm	R1/4	PMPC 3/8-N02	3/8	1/4 NPT
PMPC 08-03	8mm	R3/8	PMPC 3/8-N03	3/8	3/8 NPT
PMPC 08-04	8mm	R1/2	PMPC 3/8-N04	3/8	1/2 NPT
PMPC 10-01	10mm	R1/8	PMPC 1/2-N01	1/2	1/8 NPT
PMPC 10-02	10mm	R1/4	PMPC 1/2-N02	1/2	1/4 NPT
PMPC 10-03	10mm	R3/8	PMPC 1/2-N03	1/2	3/8 NPT
PMPC 10-04	10mm	R1/2	PMPC 1/2-N04	1/2	1/2 NPT
PMPC 12-01	12mm	R1/8			
PMPC 12-02	12mm	R1/4			
PMPC 12-03	12mm	R3/8			
PMPC 12-04	12mm	R1/2			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPCF 04-M5	4mm	M5	PMPCF 5/32-N01	5/32	1/8 NPT
PMPCF 04-M6	4mm	M6	PMPCF 5/32-N02	5/32	1/4 NPT
PMPCF 04-01	4mm	R1/8	PMPCF 1/4-N01	1/4	1/8 NPT
PMPCF 04-02	4mm	R1/4	PMPCF 1/4-N02	1/4	1/4 NPT
PMPCF 06-M5	6mm	M5	PMPCF 1/4-N03	1/4	3/8 NPT
PMPCF 06-M6	6mm	M6	PMPCF 1/4-N04	1/4	1/2 NPT
PMPCF 06-01	6mm	R1/8	PMPCF 5/16-N01	5/16	1/8 NPT
PMPCF 06-02	6mm	R1/4	PMPCF 5/16-N02	5/16	1/4 NPT
PMPCF 06-03	6mm	R3/8	PMPCF 5/16-N03	5/16	3/8 NPT
PMPCF 06-04	6mm	R1/2	PMPCF 5/16-N04	5/16	1/2 NPT
PMPCF 08-01	8mm	R1/8	PMPCF 3/8-N01	3/8	1/8 NPT
PMPCF 08-02	8mm	R1/4	PMPCF 3/8-N02	3/8	1/4 NPT
PMPCF 08-03	8mm	R3/8	PMPCF 3/8-N03	3/8	3/8 NPT
PMPCF 08-04	8mm	R1/2	PMPCF 3/8-N04	3/8	1/2 NPT
PMPCF 10-01	10mm	R1/8	PMPCF 1/2-N01	1/2	1/8 NPT
PMPCF 10-02	10mm	R1/4	PMPCF 1/2-N02	1/2	1/4 NPT
PMPCF 10-03	10mm	R3/8	PMPCF 1/2-N03	1/2	3/8 NPT
PMPCF 10-04	10mm	R1/2	PMPCF 1/2-N04	1/2	1/2 NPT
PMPCF 12-01	12mm	R1/8			
PMPCF 12-02	12mm	R1/4			
PMPCF 12-03	12mm	R3/8			
PMPCF 12-04	12mm	R1/2			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPL 04-M5	4mm	M5	PMPL 5/32-N01	5/32	1/8 NPT
PMPL 04-M6	4mm	M6	PMPL 5/32-N02	5/32	1/4 NPT
PMPL 04-01	4mm	R1/8	PMPL 1/4-N01	1/4	1/8 NPT
PMPL 04-02	4mm	R1/4	PMPL 1/4-N02	1/4	1/4 NPT
PMPL 06-M5	6mm	M5	PMPL 1/4-N03	1/4	3/8 NPT
PMPL 06-M6	6mm	M6	PMPL 1/4-N04	1/4	1/2 NPT
PMPL 06-01	6mm	R1/8	PMPL 5/16-N01	5/16	1/8 NPT
PMPL 06-02	6mm	R1/4	PMPL 5/16-N02	5/16	1/4 NPT
PMPL 06-03	6mm	R3/8	PMPL 5/16-N03	5/16	3/8 NPT
PMPL 06-04	6mm	R1/2	PMPL 5/16-N04	5/16	1/2 NPT
PMPL 08-01	8mm	R1/8	PMPL 3/8-N01	3/8	1/8 NPT
PMPL 08-02	8mm	R1/4	PMPL 3/8-N02	3/8	1/4 NPT
PMPL 08-03	8mm	R3/8	PMPL 3/8-N03	3/8	3/8 NPT
PMPL 08-04	8mm	R1/2	PMPL 3/8-N04	3/8	1/2 NPT
PMPL 10-01	10mm	R1/8	PMPL 1/2-N01	1/2	1/8 NPT
PMPL 10-02	10mm	R1/4	PMPL 1/2-N02	1/2	1/4 NPT
PMPL 10-03	10mm	R3/8	PMPL 1/2-N03	1/2	3/8 NPT
PMPL 10-04	10mm	R1/2	PMPL 1/2-N04	1/2	1/2 NPT
PMPL 12-01	12mm	R1/8			
PMPL 12-02	12mm	R1/4			
PMPL 12-03	12mm	R3/8			
PMPL 12-04	12mm	R1/2			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPH 06-01	6mm	R1/8"	PMPH 1/4-N01	1/4	1/8" NPT
PMPH 06-02	6mm	R1/4"	PMPH 1/4-N02	1/4	1/4" NPT
PMPH 08-01	8mm	R1/8"	PMPH 5/16-N01	5/16	1/8" NPT
PMPH 08-02	8mm	R1/4"	PMPH 5/16-N02	5/16	1/4" NPT



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPB 04-M5	4mm	M5	PMPB 5/32-N01	5/32	1/8 NPT
PMPB 04-M6	4mm	M6	PMPB 5/32-N02	5/32	1/4 NPT
PMPB 04-01	4mm	R1/8	PMPB 1/4-N01	1/4	1/8 NPT
PMPB 04-02	4mm	R1/4	PMPB 1/4-N02	1/4	1/4 NPT
PMPB 06-M5	6mm	M5	PMPB 1/4-N03	1/4	3/8 NPT
PMPB 06-M6	6mm	M6	PMPB 1/4-N04	1/4	1/2 NPT
PMPB 06-01	6mm	R1/8	PMPB 5/16-N01	5/16	1/8 NPT
PMPB 06-02	6mm	R1/4	PMPB 5/16-N02	5/16	1/4 NPT
PMPB 06-03	6mm	R3/8	PMPB 5/16-N03	5/16	3/8 NPT
PMPB 06-04	6mm	R1/2	PMPB 5/16-N04	5/16	1/2 NPT
PMPB 08-01	8mm	R1/8	PMPB 3/8-N01	3/8	1/8 NPT
PMPB 08-02	8mm	R1/4	PMPB 3/8-N02	3/8	1/4 NPT
PMPB 08-03	8mm	R3/8	PMPB 3/8-N03	3/8	3/8 NPT
PMPB 08-04	8mm	R1/2	PMPB 3/8-N04	3/8	1/2 NPT
PMPB 10-01	10mm	R1/8	PMPB 1/2-N01	1/2	1/8 NPT
PMPB 10-02	10mm	R1/4	PMPB 1/2-N02	1/2	1/4 NPT
PMPB 10-03	10mm	R3/8	PMPB 1/2-N03	1/2	3/8 NPT
PMPB 10-04	10mm	R1/2	PMPB 1/2-N04	1/2	1/2 NPT
PMPB 12-01	12mm	R1/8			
PMPB 12-02	12mm	R1/4			
PMPB 12-03	12mm	R3/8			
PMPB 12-04	12mm	R1/2			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPSE 06-01	6mm	R1/8	PMPSE 1/4-N01	1/4	1/8 NPT
PMPSE 06-02	6mm	R1/4	PMPSE 1/4-N02	1/4	1/4 NPT
PMPSE 08-01	8mm	R1/8	PMPSE 5/16-N01	5/16	1/8 NPT
PMPSE 08-02	8mm	R1/4	PMPSE 5/16-N02	5/16	1/4 NPT

P Type Brass Push In Fittings
 P型全铜快速接头

 Male Run Tee -Brass Push In Fittings 全铜镀镍侧面外牙三通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPD 04-M5	4mm	M5	PMPD 5/32-N01	5/32	1/8 NPT
PMPD 04-M6	4mm	M6	PMPD 5/32-N02	5/32	1/4 NPT
PMPD 04-01	4mm	R1/8	PMPD 1/4-N01	1/4	1/8 NPT
PMPD 04-02	4mm	R1/4	PMPD 1/4-N02	1/4	1/4 NPT
PMPD 06-M5	6mm	M5	PMPD 1/4-N03	1/4	3/8 NPT
PMPD 06-M6	6mm	M6	PMPD 1/4-N04	1/4	1/2 NPT
PMPD 06-01	6mm	R1/8	PMPD 5/16-N01	5/16	1/8 NPT
PMPD 06-02	6mm	R1/4	PMPD 5/16-N02	5/16	1/4 NPT
PMPD 06-03	6mm	R3/8	PMPD 5/16-N03	5/16	3/8 NPT
PMPD 06-04	6mm	R1/2	PMPD 5/16-N04	5/16	1/2 NPT
PMPD 08-01	8mm	R1/8	PMPD 3/8-N01	3/8	1/8 NPT
PMPD 08-02	8mm	R1/4	PMPD 3/8-N02	3/8	1/4 NPT
PMPD 08-03	8mm	R3/8	PMPD 3/8-N03	3/8	3/8 NPT
PMPD 08-04	8mm	R1/2	PMPD 3/8-N04	3/8	1/2 NPT
PMPD 10-01	10mm	R1/8	PMPD 1/2-N01	1/2	1/8 NPT
PMPD 10-02	10mm	R1/4	PMPD 1/2-N02	1/2	1/4 NPT
PMPD 10-03	10mm	R3/8	PMPD 1/2-N03	1/2	3/8 NPT
PMPD 10-04	10mm	R1/2	PMPD 1/2-N04	1/2	1/2 NPT
PMPD 12-01	12mm	R1/8			
PMPD 12-02	12mm	R1/4			
PMPD 12-03	12mm	R3/8			
PMPD 12-04	12mm	R1/2			

 Union Elbow -Brass Push In Fittings 全铜镀镍等径弯头快速接头			
MODEL	Tube Size	MODEL	Tube Size
PMPV 04	4mm	PMPV 5/32	5/32
PMPV 06	6mm	PMPV 1/4	1/4
PMPV 08	8mm	PMPV 5/16	5/16
PMPV 10	10mm	PMPV 3/8	3/8
PMPV 12	12mm	PMPV 1/2	1/2
PMPV 14	14mm		
PMPV 16	16mm		

 union Y -Brass Push In Fittings 全铜镀镍等径Y型三通快速接头			
MODEL	Tube Size	MODEL	Tube Size
PMPY 04	4mm	PMPY 5/32	5/32
PMPY 06	6mm	PMPY 1/4	1/4
PMPY 08	8mm	PMPY 5/16	5/16
PMPY 10	10mm	PMPY 3/8	3/8
PMPY 12	12mm	PMPY 1/2	1/2
PMPY 14	14mm		
PMPY 16	16mm		

 Male Banjo -Brass Push In Fittings 全铜镀镍外牙班卓弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPH 06-G01	6mm	G1/8	PMPH 1/4-G01	1/4	G1/8
PMPH 06-G02	6mm	G1/4	PMPH 1/4-G02	1/4	G1/4
PMPH 08-G01	8mm	G1/8	PMPH 5/16-G01	5/16	1/8 NPT
PMPH 08-G02	8mm	G1/4	PMPH 5/16-G02	5/16	1/4 NPT

 G Thread Male Run Tee -Brass Push In Fittings G 螺纹全铜镀镍侧面外牙三通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPD 04-G01	4mm	G1/8	PMPD 5/32-G01	5/32	G1/8
PMPD 04-G02	4mm	G1/4	PMPD 5/32-G02	5/32	G1/4
PMPD 06-G01	6mm	G1/8	PMPD 1/4-G01	1/4	G1/8
PMPD 06-G02	6mm	G1/4	PMPD 1/4-G02	1/4	G1/4
PMPD 06-G03	6mm	G3/8	PMPD 1/4-G03	1/4	G3/8
PMPD 06-G04	6mm	G1/2	PMPD 1/4-G04	1/4	G1/2
PMPD 08-G01	8mm	G1/8	PMPD 5/16-G01	5/16	G1/8
PMPD 08-G02	8mm	G1/4	PMPD 5/16-G02	5/16	G1/4
PMPD 08-G03	8mm	G3/8	PMPD 5/16-G03	5/16	G3/8
PMPD 08-G04	8mm	G1/2	PMPD 5/16-G04	5/16	G1/2
PMPD 10-G01	10mm	G1/8	PMPD 3/8-G01	3/8	G1/8
PMPD 10-G02	10mm	G1/4	PMPD 3/8-G02	3/8	G1/4
PMPD 10-G03	10mm	G3/8	PMPD 3/8-G03	3/8	G3/8
PMPD 10-G04	10mm	G1/2	PMPD 3/8-G04	3/8	G1/2
PMPD 12-G01	12mm	G1/8	PMPD 1/2-G01	1/2	G1/8
PMPD 12-G02	12mm	G1/4	PMPD 1/2-G02	1/2	G1/4
PMPD 12-G03	12mm	G3/8	PMPD 1/2-G03	1/2	G3/8
PMPD 12-G04	12mm	G1/2	PMPD 1/2-G04	1/2	G1/2

 Union Straight -Brass Push In Fittings 全铜镀镍等径直通快速接头			
MODEL	Tube Size	MODEL	Tube Size
PMPU 04	4mm	PMPU 5/32	5/32
PMPU 06	6mm	PMPU 1/4	1/4
PMPU 08	8mm	PMPU 5/16	5/16
PMPU 10	10mm	PMPU 3/8	3/8
PMPU 12	12mm	PMPU 1/2	1/2
PMPU 14	14mm		
PMPU 16	16mm		

 Union Tee -Brass Push In Fittings 全铜镀镍等径T型三通快速接头			
MODEL	Tube Size	MODEL	Tube Size
PMPE 04	4mm	PMPE 5/32	5/32
PMPE 06	6mm	PMPE 1/4	1/4
PMPE 08	8mm	PMPE 5/16	5/16
PMPE 10	10mm	PMPE 3/8	3/8
PMPE 12	12mm	PMPE 1/2	1/2
PMPE 14	14mm		
PMPE 16	16mm		

 G Thread Speed Controller -Brass Push In Fittings 全铜镀镍G螺纹节流阀快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPSE 06-G01	6mm	G1/8	PMPSE 1/4-G01	1/4	G1/8
PMPSE 06-G02	6mm	G1/4	PMPSE 1/4-G02	1/4	G1/4
PMPSE 08-G01	8mm	G1/8	PMPSE 5/16-G01	5/16	G1/8
PMPSE 08-G02	8mm	G1/4	PMPSE 5/16-G02	5/16	G1/4

P Type Brass Push In Fittings
 P型全铜快速接头

 G Thread Male Adapter -Brass Push In Fittings G 螺纹全铜镀镍外牙直通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPG 04-G01	4mm	G1/8	PMPG 5/32-G01	5/32	G1/8
PMPG 04-G02	4mm	G1/4	PMPG 5/32-G02	5/32	G1/4
PMPG 06-G01	6mm	G1/8	PMPG 1/4-G01	1/4	G1/8
PMPG 06-G02	6mm	G1/4	PMPG 1/4-G02	1/4	G1/4
PMPG 06-G03	6mm	G3/8	PMPG 1/4-G03	1/4	G3/8
PMPG 06-G04	6mm	G1/2	PMPG 1/4-G04	1/4	G1/2
PMPG 08-G01	8mm	G1/8	PMPG 5/16-G01	5/16	G1/8
PMPG 08-G02	8mm	G1/4	PMPG 5/16-G02	5/16	G1/4
PMPG 08-G03	8mm	G3/8	PMPG 5/16-G03	5/16	G3/8
PMPG 08-G04	8mm	G1/2	PMPG 5/16-G04	5/16	G1/2
PMPG 10-G01	10mm	G1/8	PMPG 3/8-G01	3/8	G1/8
PMPG 10-G02	10mm	G1/4	PMPG 3/8-G02	3/8	G1/4
PMPG 10-G03	10mm	G3/8	PMPG 3/8-G03	3/8	G3/8
PMPG 10-G04	10mm	G1/2	PMPG 3/8-G04	3/8	G1/2
PMPG 12-G01	12mm	G1/8	PMPG 1/2-G01	1/2	G1/8
PMPG 12-G02	12mm	G1/4	PMPG 1/2-G02	1/2	G1/4
PMPG 12-G03	12mm	G3/8	PMPG 1/2-G03	1/2	G3/8
PMPG 12-G04	12mm	G1/2	PMPG 1/2-G04	1/2	G1/2

 G Thread Male Elbow-Brass Push In Fittings G 螺纹全铜镀镍外牙弯头快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPL 04-G01	4mm	G1/8	PMPL 5/32-G01	5/32	G1/8
PMPL 04-G02	4mm	G1/4	PMPL 5/32-G02	5/32	G1/4
PMPL 06-G01	6mm	G1/8	PMPL 1/4-G01	1/4	G1/8
PMPL 06-G02	6mm	G1/4	PMPL 1/4-G02	1/4	G1/4
PMPL 06-G03	6mm	G3/8	PMPL 1/4-G03	1/4	G3/8
PMPL 06-G04	6mm	G1/2	PMPL 1/4-G04	1/4	G1/2
PMPL 08-G01	8mm	G1/8	PMPL 5/16-G01	5/16	G1/8
PMPL 08-G02	8mm	G1/4	PMPL 5/16-G02	5/16	G1/4
PMPL 08-G03	8mm	G3/8	PMPL 5/16-G03	5/16	G3/8
PMPL 08-G04	8mm	G1/2	PMPL 5/16-G04	5/16	G1/2
PMPL 10-G01	10mm	G1/8	PMPL 3/8-G01	3/8	G1/8
PMPL 10-G02	10mm	G1/4	PMPL 3/8-G02	3/8	G1/4
PMPL 10-G03	10mm	G3/8	PMPL 3/8-G03	3/8	G3/8
PMPL 10-G04	10mm	G1/2	PMPL 3/8-G04	3/8	G1/2
PMPL 12-G01	12mm	G1/8	PMPL 1/2-G01	1/2	G1/8
PMPL 12-G02	12mm	G1/4	PMPL 1/2-G02	1/2	G1/4
PMPL 12-G03	12mm	G3/8	PMPL 1/2-G03	1/2	G3/8
PMPL 12-G04	12mm	G1/2	PMPL 1/2-G04	1/2	G1/2

 Push In Plug -Brass Push In Fittings 直通堵头快速接头					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PMPGJ 06-04	6mm	4mm	PMPGJ 1/4-5/32	1/4	5/32
PMPGJ 08-04	8mm	4mm	PMPGJ 5/16-5/32	5/16	5/32
PMPGJ 08-06	8mm	6mm	PMPGJ 5/16-1/4	5/16	1/4
PMPGJ 10-06	10mm	6mm	PMPGJ 3/8-1/4	3/8	1/4
PMPGJ 10-08	10mm	8mm	PMPGJ 3/8-5/16	3/8	5/16
PMPGJ 12-08	12mm	8mm	PMPGJ 1/2-5/16	1/2	5/16
PMPGJ 12-10	12mm	10mm	PMPGJ 1/2-3/8	1/2	5/16

 G Thread Female Adapter -Brass Push In Fittings G 螺纹全铜镀镍内牙直通快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPCF 04-G01	4mm	G1/8	PMPCF 5/32-G01	5/32	G1/8
PMPCF 04-G02	4mm	G1/4	PMPCF 5/32-G02	5/32	G1/4
PMPCF 06-G01	6mm	G1/8	PMPCF 1/4-G01	1/4	G1/8
PMPCF 06-G02	6mm	G1/4	PMPCF 1/4-G02	1/4	G1/4
PMPCF 06-G03	6mm	G3/8	PMPCF 1/4-G03	1/4	G3/8
PMPCF 06-G04	6mm	G1/2	PMPCF 1/4-G04	1/4	G1/2
PMPCF 08-G01	8mm	G1/8	PMPCF 5/16-G01	5/16	G1/8
PMPCF 08-G02	8mm	G1/4	PMPCF 5/16-G02	5/16	G1/4
PMPCF 08-G03	8mm	G3/8	PMPCF 5/16-G03	5/16	G3/8
PMPCF 08-G04	8mm	G1/2	PMPCF 5/16-G04	5/16	G1/2
PMPCF 10-G01	10mm	G1/8	PMPCF 3/8-G01	3/8	G1/8
PMPCF 10-G02	10mm	G1/4	PMPCF 3/8-G02	3/8	G1/4
PMPCF 10-G03	10mm	G3/8	PMPCF 3/8-G03	3/8	G3/8
PMPCF 10-G04	10mm	G1/2	PMPCF 3/8-G04	3/8	G1/2
PMPCF 12-G01	12mm	G1/8	PMPCF 1/2-G01	1/2	G1/8
PMPCF 12-G02	12mm	G1/4	PMPCF 1/2-G02	1/2	G1/4
PMPCF 12-G03	12mm	G3/8	PMPCF 1/2-G03	1/2	G3/8
PMPCF 12-G04	12mm	G1/2	PMPCF 1/2-G04	1/2	G1/2

 G Thread Male Branch Tee -Brass Push In Fittings G 螺纹全铜镀镍三通中间外牙快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
PMPB 04-G01	4mm	G1/8	PMPB 5/32-G01	5/32	G1/8
PMPB 04-G02	4mm	G1/4	PMPB 5/32-G02	5/32	G1/4
PMPB 06-G01	6mm	G1/8	PMPB 1/4-G01	1/4	G1/8
PMPB 06-G02	6mm	G1/4	PMPB 1/4-G02	1/4	G1/4
PMPB 06-G03	6mm	G3/8	PMPB 1/4-G03	1/4	G3/8
PMPB 06-G04	6mm	G1/2	PMPB 1/4-G04	1/4	G1/2
PMPB 08-G01	8mm	G1/8	PMPB 5/16-G01	5/16	G1/8
PMPB 08-G02	8mm	G1/4	PMPB 5/16-G02	5/16	G1/4
PMPB 08-G03	8mm	G3/8	PMPB 5/16-G03	5/16	G3/8
PMPB 08-G04	8mm	G1/2	PMPB 5/16-G04	5/16	G1/2
PMPB 10-G01	10mm	G1/8	PMPB 3/8-G01	3/8	G1/8
PMPB 10-G02	10mm	G1/4	PMPB 3/8-G02	3/8	G1/4
PMPB 10-G03	10mm	G3/8	PMPB 3/8-G03	3/8	G3/8
PMPB 10-G04	10mm	G1/2	PMPB 3/8-G04	3/8	G1/2
PMPB 12-G01	12mm	G1/8	PMPB 1/2-G01	1/2	G1/8
PMPB 12-G02	12mm	G1/4	PMPB 1/2-G02	1/2	G1/4
PMPB 12-G03	12mm	G3/8	PMPB 1/2-G03	1/2	G3/8
PMPB 12-G04	12mm	G1/2	PMPB 1/2-G04	1/2	G1/2



Bulkhead Straight - Brass Push In Fittings

夹板直通快速接头

MODEL	Tube Size	MODEL	Tube Size
PMPM 04	4mm	PMPM 5/32	5/32
PMPM 06	6mm	PMPM 1/4	1/4
PMPM 08	8mm	PMPM 5/16	5/16
PMPM 10	10mm	PMPM 3/8	3/8
PMPM 12	12mm	PMPM 1/2	1/2
PMPM 14	14mm		
PMPM 16	16mm		


Rapid Screw Fittings For Plastic Tube 全铜快拧接头

Features 特点

快速螺丝接头安装方便。推入锁紧螺母可以同时用手和扳手拧紧，甚至在PA或PU管的情况下。特殊形状的导向锥，确保管不会意外切断。

Rapid Screw Fittings can be easily installed. The push-in locking nuts can be tightened both manually and with a spanner even in case of tubes like the PA or the PU. The special shape of the guiding cone ensures that the tube cannot be accidentally cut.

Operating Steps 操作步骤



Specifications 技术参数

使用流体/Fluid	空气,真空 / Aia, Vacuum
使用压力范围/Operating Pressure	允许使用压力总是高于管子的最大使用压力 / The nominal pressure of the fittings is always higher than the pressure of the tube
用环境及流体温度/Operating Temperature	依据所使用管子的耐温 / See data for tubing used
适用软管/Applicable Tube	PU、PVC、尼龙管 / PU, PVC and Nylon

Tube Size 管子尺寸

Metric Tube Size 公制管径		Inch Tube Size 英制管径	
O.D. Size 外径	I.D. Size 内径	O.D. Size 外径	I.D. Size 内径
4mm	2.5mm	1/4	
6mm	4mm	5/16	
8mm	5mm	3/8	
8mm	5.5mm	1/2	
8mm	6mm		
10mm	6.5mm		
10mm	8mm		
12mm	8mm		
12mm	10mm		

Thread Size 螺纹尺寸

Thread Size 螺纹尺寸			
BSPT Thread	BSPP Thread	NPT Thread	Metric Thread
R1/8	G1/8	1/8NPT	M5
R1/4	G1/4	1/4NPT	M6
R3/8	G3/8	3/8NPT	M12*1.0
R1/2	G1/2	1/2NPT	M12*1.25



Male Adapter - Rapid Screw Fittings
外牙直通快拧接头

MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPC 4-2.5-01	4mm	2.5mm	R1/8	RPC 1/4-N01	1/4		1/8NPT
RPC 4-2.5-02	4mm	2.5mm	R1/4	RPC 1/4-N02	1/4		1/4NPT
RPC 6-4-M5	6mm	4mm	M5	RPC 1/4-N03	1/4		3/8NPT
RPC 6-4-M6	6mm	4mm	M6	RPC 1/4-N04	1/4		1/2NPT
RPC 6-4-01	6mm	4mm	R1/8	RPC 5/16-N01	5/16		1/8NPT
RPC 6-4-02	6mm	4mm	R1/4	RPC 5/16-N02	5/16		1/4NPT
RPC 6-4-03	6mm	4mm	R3/8	RPC 5/16-N03	5/16		3/8NPT
RPC 6-4-04	6mm	4mm	R1/2	RPC 5/16-N04	5/16		1/2NPT
RPC 8-5-01	8mm	5mm	R1/8	RPC 3/8-N01	3/8		1/8NPT
RPC 8-5-02	8mm	5mm	R1/4	RPC 3/8-N02	3/8		1/4NPT
RPC 8-5-03	8mm	5mm	R3/8	RPC 3/8-N03	3/8		3/8NPT
RPC 8-5-04	8mm	5mm	R1/2	RPC 3/8-N04	3/8		1/2NPT
RPC 8-5.5-01	8mm	5.5mm	R1/8	RPC 1/2-1/8NPT	1/2		1/8NPT
RPC 8-5.5-02	8mm	5.5mm	R1/4	RPC 1/2-1/4NPT	1/2		1/4NPT
RPC 8-5.5-03	8mm	5.5mm	R3/8	RPC 1/2-3/8NPT	1/2		3/8NPT
RPC 8-5.5-04	8mm	5.5mm	R1/2	RPC 1/2-1/2NPT	1/2		1/2NPT
RPC 8-6-01	8mm	6mm	R1/8				
RPC 8-6-02	8mm	6mm	R1/4				
RPC 8-6-03	8mm	6mm	R3/8				
RPC 8-6-04	8mm	6mm	R1/2				
RPC 10-6.5-01	10mm	6.5mm	R1/8				
RPC 10-6.5-02	10mm	6.5mm	R1/4				
RPC 10-6.5-03	10mm	6.5mm	R3/8				
RPC 10-6.5-04	10mm	6.5mm	R1/2				
RPC 10-8-01	10mm	8mm	R1/8				
RPC 10-8-02	10mm	8mm	R1/4				
RPC 10-8-03	10mm	8mm	R3/8				
RPC 10-8-04	10mm	8mm	R1/2				
RPC 12-8-01	12mm	8mm	R1/8				
RPC 12-8-02	12mm	8mm	R1/4				
RPC 12-8-03	12mm	8mm	R3/8				
RPC 12-8-04	12mm	8mm	R1/2				
RPC 12-10-01	12mm	10mm	R1/8				
RPC 12-10-02	12mm	10mm	R1/4				
RPC 12-10-03	12mm	10mm	R3/8				
RPC 12-10-04	12mm	10mm	R1/2				




Female Adapter - Rapid Screw Fittings
内牙直通快拧接头

MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPCF 4-2.5-01	4mm	2.5mm	R1/8	RPCF 1/4-N01	1/4		1/8NPT
RPCF 4-2.5-02	4mm	2.5mm	R1/4	RPCF 1/4-N02	1/4		1/4NPT
RPCF 6-4-M5	6mm	4mm	M5	RPCF 1/4-N03	1/4		3/8NPT
RPCF 6-4-M6	6mm	4mm	M6	RPCF 1/4-N04	1/4		1/2NPT
RPCF 6-4-01	6mm	4mm	R1/8	RPCF 5/16-N01	5/16		1/8NPT
RPCF 6-4-02	6mm	4mm	R1/4	RPCF 5/16-N02	5/16		1/4NPT
RPCF 6-4-03	6mm	4mm	R3/8	RPCF 5/16-N03	5/16		3/8NPT
RPCF 6-4-04	6mm	4mm	R1/2	RPCF 5/16-N04	5/16		1/2NPT
RPCF 8-5-01	8mm	5mm	R1/8	RPCF 3/8-N01	3/8		1/8NPT
RPCF 8-5-02	8mm	5mm	R1/4	RPCF 3/8-N02	3/8		1/4NPT
RPCF 8-5-03	8mm	5mm	R3/8	RPCF 3/8-N03	3/8		3/8NPT
RPCF 8-5-04	8mm	5mm	R1/2	RPCF 3/8-N04	3/8		1/2NPT
RPCF 8-5.5-01	8mm	5.5mm	R1/8	RPCF 1/2-1/8NPT	1/2		1/8NPT
RPCF 8-5.5-02	8mm	5.5mm	R1/4	RPCF 1/2-1/4NPT	1/2		1/4NPT
RPCF 8-5.5-03	8mm	5.5mm	R3/8	RPCF 1/2-3/8NPT	1/2		3/8NPT
RPCF 8-5.5-04	8mm	5.5mm	R1/2	RPCF 1/2-1/2NPT	1/2		1/2NPT
RPCF 8-6-01	8mm	6mm	R1/8				
RPCF 8-6-02	8mm	6mm	R1/4				
RPCF 8-6-03	8mm	6mm	R3/8				
RPCF 8-6-04	8mm	6mm	R1/2				
RPCF 10-6.5-01	10mm	6.5mm	R1/8				
RPCF 10-6.5-02	10mm	6.5mm	R1/4				
RPCF 10-6.5-03	10mm	6.5mm	R3/8				
RPCF 10-6.5-04	10mm	6.5mm	R1/2				
RPCF 10-8-01	10mm	8mm	R1/8				
RPCF 10-8-02	10mm	8mm	R1/4				
RPCF 10-8-03	10mm	8mm	R3/8				
RPCF 10-8-04	10mm	8mm	R1/2				
RPCF 12-8-01	12mm	8mm	R1/8				
RPCF 12-8-02	12mm	8mm	R1/4				
RPCF 12-8-03	12mm	8mm	R3/8				
RPCF 12-8-04	12mm	8mm	R1/2				
RPCF 12-10-01	12mm	10mm	R1/8				
RPCF 12-10-02	12mm	10mm	R1/4				
RPCF 12-10-03	12mm	10mm	R3/8				
RPCF 12-10-04	12mm	10mm	R1/2				



G Thread Male Adapter
G螺纹外牙直通快拧接头

MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPC 4-2.5-G01	4mm	2.5mm	G1/8	RPC 8-6-G04	8mm	6mm	G1/2
RPC 4-2.5-G01	4mm	2.5mm	G1/4	RPC 10-6.5-G01	10mm	6.5mm	G1/8
RPC 6-4-G01	6mm	4mm	G1/8	RPC 10-6.5-G02	10mm	6.5mm	G1/4
RPC 6-4-G02	6mm	4mm	G1/4	RPC 10-6.5-G03	10mm	6.5mm	G3/8
RPC 6-4-G03	6mm	4mm	G3/8	RPC 10-6.5-G04	10mm	6.5mm	G1/2
RPC 6-4-G04	6mm	4mm	G1/2	RPC 10-8-G01	10mm	8mm	G1/8
RPC 8-5-G01	8mm	5mm	G1/8	RPC 10-8-G02	10mm	8mm	G1/4
RPC 8-5-G02	8mm	5mm	G1/4	RPC 10-8-G03	10mm	8mm	G3/8
RPC 8-5-G03	8mm	5mm	G3/8	RPC 10-8-G04	10mm	8mm	G1/2
RPC 8-5-G04	8mm	5mm	G1/2	RPC 12-8-G01	12mm	8mm	G1/8
RPC 8-5.5-G01	8mm	5.5mm	G1/8	RPC 12-8-G02	12mm	8mm	G1/4
RPC 8-5.5-G02	8mm	5.5mm	G1/4	RPC 12-8-G03	12mm	8mm	G3/8
RPC 8-5.5-G03	8mm	5.5mm	G3/8	RPC 12-8-G04	12mm	8mm	G1/2
RPC 8-5.5-G04	8mm	5.5mm	G1/2	RPC 12-10-G01	12mm	10mm	G1/8
RPC 8-6-G01	8mm	6mm	G1/8	RPC 12-10-G02	12mm	10mm	G1/4
RPC 8-6-G02	8mm	6mm	G1/4	RPC 12-10-G03	12mm	10mm	G3/8
RPC 8-6-G03	8mm	6mm	G3/8	RPC 12-10-G04	12mm	10mm	G1/2



G Thread Female Adapter
G 螺纹内牙直通快拧接头

MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPCF 4-2.5-G01	4mm	2.5mm	G1/8	RPCF 8-6-G04	8mm	6mm	G1/2
RPCF 4-2.5-G01	4mm	2.5mm	G1/4	RPCF 10-6.5-G01	10mm	6.5mm	G1/8
RPCF 6-4-G01	6mm	4mm	G1/8	RPCF 10-6.5-G02	10mm	6.5mm	G1/4
RPCF 6-4-G02	6mm	4mm	G1/4	RPCF 10-6.5-G03	10mm	6.5mm	G3/8
RPCF 6-4-G03	6mm	4mm	G3/8	RPCF 10-6.5-G04	10mm	6.5mm	G1/2
RPCF 6-4-G04	6mm	4mm	G1/2	RPCF 10-8-G01	10mm	8mm	G1/8
RPCF 8-5-G01	8mm	5mm	G1/8	RPCF 10-8-G02	10mm	8mm	G1/4
RPCF 8-5-G02	8mm	5mm	G1/4	RPCF 10-8-G03	10mm	8mm	G3/8
RPCF 8-5-G03	8mm	5mm	G3/8	RPCF 10-8-G04	10mm	8mm	G1/2
RPCF 8-5-G04	8mm	5mm	G1/2	RPCF 12-8-G01	12mm	8mm	G1/8
RPCF 8-5.5-G01	8mm	5.5mm	G1/8	RPCF 12-8-G02	12mm	8mm	G1/4
RPCF 8-5.5-G02	8mm	5.5mm	G1/4	RPCF 12-8-G03	12mm	8mm	G3/8
RPCF 8-5.5-G03	8mm	5.5mm	G3/8	RPCF 12-8-G04	12mm	8mm	G1/2
RPCF 8-5.5-G04	8mm	5.5mm	G1/2	RPCF 12-10-G01	12mm	10mm	G1/8
RPCF 8-6-G01	8mm	6mm	G1/8	RPCF 12-10-G02	12mm	10mm	G1/4
RPCF 8-6-G02	8mm	6mm	G1/4	RPCF 12-10-G03	12mm	10mm	G3/8
RPCF 8-6-G03	8mm	6mm	G3/8	RPCF 12-10-G04	12mm	10mm	G1/2

 Swivel Male Elbow 旋转弯头							
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPLS 4-2.5-01	4mm	2.5mm	R1/8	RPLS 1/4-N01	1/4		1/8NPT
RPLS 4-2.5-02	4mm	2.5mm	R1/4	RPLS 1/4-N02	1/4		1/4NPT
RPLS 6-4-M5	6mm	4mm	M5	RPLS 1/4-N03	1/4		3/8NPT
RPLS 6-4-M6	6mm	4mm	M6	RPLS 1/4-N04	1/4		1/2NPT
RPLS 6-4-01	6mm	4mm	R1/8	RPLS 5/16-N01	5/16		1/8NPT
RPLS 6-4-02	6mm	4mm	R1/4	RPLS 5/16-N02	5/16		1/4NPT
RPLS 6-4-03	6mm	4mm	R3/8	RPLS 5/16-N03	5/16		3/8NPT
RPLS 6-4-04	6mm	4mm	R1/2	RPLS 5/16-N04	5/16		1/2NPT
RPLS 8-5-01	8mm	5mm	R1/8	RPLS 3/8-N01	3/8		1/8NPT
RPLS 8-5-02	8mm	5mm	R1/4	RPLS 3/8-N02	3/8		1/4NPT
RPLS 8-5-03	8mm	5mm	R3/8	RPLS 3/8-N03	3/8		3/8NPT
RPLS 8-5-04	8mm	5mm	R1/2	RPLS 3/8-N04	3/8		1/2NPT
RPLS 8-5.5-01	8mm	5.5mm	R1/8	RPLS 1/2-1/8NPT	1/2		1/8NPT
RPLS 8-5.5-02	8mm	5.5mm	R1/4	RPLS 1/2-1/4NPT	1/2		1/4NPT
RPLS 8-5.5-03	8mm	5.5mm	R3/8	RPLS 1/2-3/8NPT	1/2		3/8NPT
RPLS 8-5.5-04	8mm	5.5mm	R1/2	RPLS 1/2-1/2NPT	1/2		1/2NPT
RPLS 8-6-01	8mm	6mm	R1/8				
RPLS 8-6-02	8mm	6mm	R1/4				
RPLS 8-6-03	8mm	6mm	R3/8				
RPLS 8-6-04	8mm	6mm	R1/2				
RPLS 10-6.5-01	10mm	6.5mm	R1/8				
RPLS 10-6.5-02	10mm	6.5mm	R1/4				
RPLS 10-6.5-03	10mm	6.5mm	R3/8				
RPLS 10-6.5-04	10mm	6.5mm	R1/2				
RPLS 10-8-01	10mm	8mm	R1/8				
RPLS 10-8-02	10mm	8mm	R1/4				
RPLS 10-8-03	10mm	8mm	R3/8				
RPLS 10-8-04	10mm	8mm	R1/2				
RPLS 12-8-01	12mm	8mm	R1/8				
RPLS 12-8-02	12mm	8mm	R1/4				
RPLS 12-8-03	12mm	8mm	R3/8				
RPLS 12-8-04	12mm	8mm	R1/2				
RPLS 12-10-01	12mm	10mm	R1/8				
RPLS 12-10-02	12mm	10mm	R1/4				
RPLS 12-10-03	12mm	10mm	R3/8				
RPLS 12-10-04	12mm	10mm	R1/2				

 G Thread Swivel Male Elbow G 螺纹旋转弯头							
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPLS 4-2.5-G01	4mm	2.5mm	G1/8	RPLS 8-6-G04	8mm	6mm	G1/2
RPLS 4-2.5-G01	4mm	2.5mm	G1/4	RPLS 10-6.5-G01	10mm	6.5mm	G1/8
RPLS 6-4-G01	6mm	4mm	G1/8	RPLS 10-6.5-G02	10mm	6.5mm	G1/4
RPLS 6-4-G02	6mm	4mm	G1/4	RPLS 10-6.5-G03	10mm	6.5mm	G3/8
RPLS 6-4-G03	6mm	4mm	G3/8	RPLS 10-6.5-G04	10mm	6.5mm	G1/2
RPLS 6-4-G04	6mm	4mm	G1/2	RPLS 10-8-G01	10mm	8mm	G1/8
RPLS 8-5-G01	8mm	5mm	G1/8	RPLS 10-8-G02	10mm	8mm	G1/4
RPLS 8-5-G02	8mm	5mm	G1/4	RPLS 10-8-G03	10mm	8mm	G3/8
RPLS 8-5-G03	8mm	5mm	G3/8	RPLS 10-8-G04	10mm	8mm	G1/2
RPLS 8-5-G04	8mm	5mm	G1/2	RPLS 12-8-G01	12mm	8mm	G1/8
RPLS 8-5.5-G01	8mm	5.5mm	G1/8	RPLS 12-8-G02	12mm	8mm	G1/4
RPLS 8-5.5-G02	8mm	5.5mm	G1/4	RPLS 12-8-G03	12mm	8mm	G3/8
RPLS 8-5.5-G03	8mm	5.5mm	G3/8	RPLS 12-8-G04	12mm	8mm	G1/2
RPLS 8-5.5-G04	8mm	5.5mm	G1/2	RPLS 12-10-G01	12mm	10mm	G1/8
RPLS 8-6-G01	8mm	6mm	G1/8	RPLS 12-10-G02	12mm	10mm	G1/4
RPLS 8-6-G02	8mm	6mm	G1/4	RPLS 12-10-G03	12mm	10mm	G3/8
RPLS 8-6-G03	8mm	6mm	G3/8	RPLS 12-10-G04	12mm	10mm	G1/2

 Non Swivel Male Elbow 不旋转弯头							
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPL 4-2.5-01	4mm	2.5mm	R1/8	RPL 1/4-N01	1/4		1/8NPT
RPL 4-2.5-02	4mm	2.5mm	R1/4	RPL 1/4-N02	1/4		1/4NPT
RPL 6-4-M5	6mm	4mm	M5	RPL 1/4-N03	1/4		3/8NPT
RPL 6-4-M6	6mm	4mm	M6	RPL 1/4-N04	1/4		1/2NPT
RPL 6-4-01	6mm	4mm	R1/8	RPL 5/16-N01	5/16		1/8NPT
RPL 6-4-02	6mm	4mm	R1/4	RPL 5/16-N02	5/16		1/4NPT
RPL 6-4-03	6mm	4mm	R3/8	RPL 5/16-N03	5/16		3/8NPT
RPL 6-4-04	6mm	4mm	R1/2	RPL 5/16-N04	5/16		1/2NPT
RPL 8-5-01	8mm	5mm	R1/8	RPL 3/8-N01	3/8		1/8NPT
RPL 8-5-02	8mm	5mm	R1/4	RPL 3/8-N02	3/8		1/4NPT
RPL 8-5-03	8mm	5mm	R3/8	RPL 3/8-N03	3/8		3/8NPT
RPL 8-5-04	8mm	5mm	R1/2	RPL 3/8-N04	3/8		1/2NPT
RPL 8-5.5-01	8mm	5.5mm	R1/8	RPL 1/2-1/8NPT	1/2		1/8NPT
RPL 8-5.5-02	8mm	5.5mm	R1/4	RPL 1/2-1/4NPT	1/2		1/4NPT
RPL 8-5.5-03	8mm	5.5mm	R3/8	RPL 1/2-3/8NPT	1/2		3/8NPT
RPL 8-5.5-04	8mm	5.5mm	R1/2	RPL 1/2-1/2NPT	1/2		1/2NPT
RPL 8-6-01	8mm	6mm	R1/8				
RPL 8-6-02	8mm	6mm	R1/4				
RPL 8-6-03	8mm	6mm	R3/8				
RPL 8-6-04	8mm	6mm	R1/2				
RPL 10-6.5-01	10mm	6.5mm	R1/8				
RPL 10-6.5-02	10mm	6.5mm	R1/4				
RPL 10-6.5-03	10mm	6.5mm	R3/8				
RPL 10-6.5-04	10mm	6.5mm	R1/2				
RPL 10-8-01	10mm	8mm	R1/8				
RPL 10-8-02	10mm	8mm	R1/4				
RPL 10-8-03	10mm	8mm	R3/8				
RPL 10-8-04	10mm	8mm	R1/2				
RPL 12-8-01	12mm	8mm	R1/8				
RPL 12-8-02	12mm	8mm	R1/4				
RPL 12-8-03	12mm	8mm	R3/8				
RPL 12-8-04	12mm	8mm	R1/2				
RPL 12-10-01	12mm	10mm	R1/8				
RPL 12-10-02	12mm	10mm	R1/4				
RPL 12-10-03	12mm	10mm	R3/8				
RPL 12-10-04	12mm	10mm	R1/2				

 Union- Rapid Screw Fittings 等径直通快拧接头					
MODEL	OD. Size	ID. Size	MODEL	OD. Size	ID. Size
RPU 4-2.5	4mm	2.5mm	RPU 1/4	1/4	
RPU 6-4	6mm	4mm	RPU 5/16	5/16	
RPU 8-5	8mm	5mm	RPU 3/8	3/8	
RPU 8-6	8mm	6mm	RPU 1/2	1/2	
RPU 10-6.5	10mm	6.5mm			
RPU 10-8	10mm	8mm			
RPU 12-8	12mm	8mm			
RPU 12-10	12mm	10mm			

 Union Elbow- Rapid Screw Fittings 等径弯头快拧接头					
MODEL	OD. Size	ID. Size	MODEL	OD. Size	ID. Size
RPV 4-2.5	4mm	2.5mm	RPV 1/4	1/4	
RPV 6-4	6mm	4mm	RPV 5/16	5/16	
RPV 8-5	8mm	5mm	RPV 3/8	3/8	
RPV 8-6	8mm	6mm	RPV 1/2	1/2	
RPV 10-6.5	10mm	6.5mm			
RPV 10-8	10mm	8mm			
RPV 12-8	12mm	8mm			
RPV 12-10	12mm	10mm			

 Union Cross - Rapid Screw Fittings 等径四通快拧接头					
MODEL	OD. Size	ID. Size	MODEL	OD. Size	ID. Size
RPZA 4-2.5	4mm	2.5mm	RPZA 1/4	1/4	
RPZA 6-4	6mm	4mm	RPZA 5/16	5/16	
RPZA 8-5	8mm	5mm	RPZA 3/8	3/8	
RPZA 8-6	8mm	6mm	RPZA 1/2	1/2	
RPZA 10-6.5	10mm	6.5mm			
RPZA 10-8	10mm	8mm			
RPZA 12-8	12mm	8mm			
RPZA 12-10	12mm	10mm			

 Union Tee- Rapid Screw Fittings 等径T型三通快拧接头					
MODEL	OD. Size	ID. Size	MODEL	OD. Size	ID. Size
RPE 4-2.5	4mm	2.5mm	RPE 1/4	1/4	
RPE 6-4	6mm	4mm	RPE 5/16	5/16	
RPE 8-5	8mm	5mm	RPE 3/8	3/8	
RPE 8-6	8mm	6mm	RPE 1/2	1/2	
RPE 10-6.5	10mm	6.5mm			
RPE 10-8	10mm	8mm			
RPE 12-8	12mm	8mm			
RPE 12-10	12mm	10mm			

 Rapid Screw Speed Controller 快拧节流调速阀							
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPSE 4-2.5-01	4mm	2.5mm	R1/8	RPSE 1/4-N01	1/4		1/8NPT
RPSE 4-2.5-02	4mm	2.5mm	R1/4	RPSE 1/4-N02	1/4		1/4NPT
RPSE 6-4-M5	6mm	4mm	M5	RPSE 1/4-N03	1/4		3/8NPT
RPSE 6-4-M6	6mm	4mm	M6	RPSE 1/4-N04	1/4		1/2NPT
RPSE 6-4-01	6mm	4mm	R1/8	RPSE 5/16-N01	5/16		1/8NPT
RPSE 6-4-02	6mm	4mm	R1/4	RPSE 5/16-N02	5/16		1/4NPT
RPSE 6-4-03	6mm	4mm	R3/8	RPSE 5/16-N03	5/16		3/8NPT
RPSE 6-4-04	6mm	4mm	R1/2	RPSE 5/16-N04	5/16		1/2NPT
RPSE 8-5-01	8mm	5mm	R1/8	RPSE 3/8-N01	3/8		1/8NPT
RPSE 8-5-02	8mm	5mm	R1/4	RPSE 3/8-N02	3/8		1/4NPT
RPSE 8-5-03	8mm	5mm	R3/8	RPSE 3/8-N03	3/8		3/8NPT
RPSE 8-5-04	8mm	5mm	R1/2	RPSE 3/8-N04	3/8		1/2NPT
RPSE 8-5.5-01	8mm	5.5mm	R1/8	RPSE 1/2-1/8NPT	1/2		1/8NPT
RPSE 8-5.5-02	8mm	5.5mm	R1/4	RPSE 1/2-1/4NPT	1/2		1/4NPT
RPSE 8-5.5-03	8mm	5.5mm	R3/8	RPSE 1/2-3/8NPT	1/2		3/8NPT
RPSE 8-5.5-04	8mm	5.5mm	R1/2	RPSE 1/2-1/2NPT	1/2		1/2NPT
RPSE 8-6-01	8mm	6mm	R1/8				
RPSE 8-6-02	8mm	6mm	R1/4				
RPSE 8-6-03	8mm	6mm	R3/8				
RPSE 8-6-04	8mm	6mm	R1/2				
RPSE 10-6.5-01	10mm	6.5mm	R1/8				
RPSE 10-6.5-02	10mm	6.5mm	R1/4				
RPSE 10-6.5-03	10mm	6.5mm	R3/8				
RPSE 10-6.5-04	10mm	6.5mm	R1/2				
RPSE 10-8-01	10mm	8mm	R1/8				
RPSE 10-8-02	10mm	8mm	R1/4				
RPSE 10-8-03	10mm	8mm	R3/8				
RPSE 10-8-04	10mm	8mm	R1/2				
RPSE 12-8-01	12mm	8mm	R1/8				
RPSE 12-8-02	12mm	8mm	R1/4				
RPSE 12-8-03	12mm	8mm	R3/8				
RPSE 12-8-04	12mm	8mm	R1/2				
RPSE 12-10-01	12mm	10mm	R1/8				
RPSE 12-10-02	12mm	10mm	R1/4				
RPSE 12-10-03	12mm	10mm	R3/8				
RPSE 12-10-04	12mm	10mm	R1/2				

 G Thread Rapid
--

				Swivel Male Branch Tee 中间外牙旋转三通			
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPBS 4-2.5-01	4mm	2.5mm	R1/8	RPBS 1/4-N01	1/4		1/8NPT
RPBS 4-2.5-02	4mm	2.5mm	R1/4	RPBS 1/4-N02	1/4		1/4NPT
RPBS 6-4-M5	6mm	4mm	M5	RPBS 1/4-N03	1/4		3/8NPT
RPBS 6-4-M6	6mm	4mm	M6	RPBS 1/4-N04	1/4		1/2NPT
RPBS 6-4-01	6mm	4mm	R1/8	RPBS 5/16-N01	5/16		1/8NPT
RPBS 6-4-02	6mm	4mm	R1/4	RPBS 5/16-N02	5/16		1/4NPT
RPBS 6-4-03	6mm	4mm	R3/8	RPBS 5/16-N03	5/16		3/8NPT
RPBS 6-4-04	6mm	4mm	R1/2	RPBS 5/16-N04	5/16		1/2NPT
RPBS 8-5-01	8mm	5mm	R1/8	RPBS 3/8-N01	3/8		1/8NPT
RPBS 8-5-02	8mm	5mm	R1/4	RPBS 3/8-N02	3/8		1/4NPT
RPBS 8-5-03	8mm	5mm	R3/8	RPBS 3/8-N03	3/8		3/8NPT
RPBS 8-5-04	8mm	5mm	R1/2	RPBS 3/8-N04	3/8		1/2NPT
RPBS 8-5.5-01	8mm	5.5mm	R1/8	RPBS 1/2-1/8NPT	1/2		1/8NPT
RPBS 8-5.5-02	8mm	5.5mm	R1/4	RPBS 1/2-1/4NPT	1/2		1/4NPT
RPBS 8-5.5-03	8mm	5.5mm	R3/8	RPBS 1/2-3/8NPT	1/2		3/8NPT
RPBS 8-5.5-04	8mm	5.5mm	R1/2	RPBS 1/2-1/2NPT	1/2		1/2NPT
RPBS 8-6-01	8mm	6mm	R1/8				
RPBS 8-6-02	8mm	6mm	R1/4				
RPBS 8-6-03	8mm	6mm	R3/8				
RPBS 8-6-04	8mm	6mm	R1/2				
RPBS 10-6.5-01	10mm	6.5mm	R1/8				
RPBS 10-6.5-02	10mm	6.5mm	R1/4				
RPBS 10-6.5-03	10mm	6.5mm	R3/8				
RPBS 10-6.5-04	10mm	6.5mm	R1/2				
RPBS 10-8-01	10mm	8mm	R1/8				
RPBS 10-8-02	10mm	8mm	R1/4				
RPBS 10-8-03	10mm	8mm	R3/8				
RPBS 10-8-04	10mm	8mm	R1/2				
RPBS 12-8-01	12mm	8mm	R1/8				
RPBS 12-8-02	12mm	8mm	R1/4				
RPBS 12-8-03	12mm	8mm	R3/8				
RPBS 12-8-04	12mm	8mm	R1/2				
RPBS 12-10-01	12mm	10mm	R1/8				
RPBS 12-10-02	12mm	10mm	R1/4				
RPBS 12-10-03	12mm	10mm	R3/8				
RPBS 12-10-04	12mm	10mm	R1/2				

				Non Swivel Male Branch Tee 中间外牙不旋转三通			
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPB 4-2.5-01	4mm	2.5mm	R1/8	RPB 1/4-N01	1/4		1/8NPT
RPB 4-2.5-02	4mm	2.5mm	R1/4	RPB 1/4-N02	1/4		1/4NPT
RPB 6-4-M5	6mm	4mm	M5	RPB 1/4-N03	1/4		3/8NPT
RPB 6-4-M6	6mm	4mm	M6	RPB 1/4-N04	1/4		1/2NPT
RPB 6-4-01	6mm	4mm	R1/8	RPB 5/16-N01	5/16		1/8NPT
RPB 6-4-02	6mm	4mm	R1/4	RPB 5/16-N02	5/16		1/4NPT
RPB 6-4-03	6mm	4mm	R3/8	RPB 5/16-N03	5/16		3/8NPT
RPB 6-4-04	6mm	4mm	R1/2	RPB 5/16-N04	5/16		1/2NPT
RPB 8-5-01	8mm	5mm	R1/8	RPB 3/8-N01	3/8		1/8NPT
RPB 8-5-02	8mm	5mm	R1/4	RPB 3/8-N02	3/8		1/4NPT
RPB 8-5-03	8mm	5mm	R3/8	RPB 3/8-N03	3/8		3/8NPT
RPB 8-5-04	8mm	5mm	R1/2	RPB 3/8-N04	3/8		1/2NPT
RPB 8-5.5-01	8mm	5.5mm	R1/8	RPB 1/2-1/8NPT	1/2		1/8NPT
RPB 8-5.5-02	8mm	5.5mm	R1/4	RPB 1/2-1/4NPT	1/2		1/4NPT
RPB 8-5.5-03	8mm	5.5mm	R3/8	RPB 1/2-3/8NPT	1/2		3/8NPT
RPB 8-5.5-04	8mm	5.5mm	R1/2	RPB 1/2-1/2NPT	1/2		1/2NPT
RPB 8-6-01	8mm	6mm	R1/8				
RPB 8-6-02	8mm	6mm	R1/4				
RPB 8-6-03	8mm	6mm	R3/8				
RPB 8-6-04	8mm	6mm	R1/2				
RPB 10-6.5-01	10mm	6.5mm	R1/8				
RPB 10-6.5-02	10mm	6.5mm	R1/4				
RPB 10-6.5-03	10mm	6.5mm	R3/8				
RPB 10-6.5-04	10mm	6.5mm	R1/2				
RPB 10-8-01	10mm	8mm	R1/8				
RPB 10-8-02	10mm	8mm	R1/4				
RPB 10-8-03	10mm	8mm	R3/8				
RPB 10-8-04	10mm	8mm	R1/2				
RPB 12-8-01	12mm	8mm	R1/8				
RPB 12-8-02	12mm	8mm	R1/4				
RPB 12-8-03	12mm	8mm	R3/8				
RPB 12-8-04	12mm	8mm	R1/2				
RPB 12-10-01	12mm	10mm	R1/8				
RPB 12-10-02	12mm	10mm	R1/4				
RPB 12-10-03	12mm	10mm	R3/8				
RPB 12-10-04	12mm	10mm	R1/2				

				Swivel Male Run Tee 侧面外牙旋转三通			
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPDS 4-2.5-01	4mm	2.5mm	R1/8	RPDS 1/4-N01	1/4		1/8NPT
RPDS 4-2.5-02	4mm	2.5mm	R1/4	RPDS 1/4-N02	1/4		1/4NPT
RPDS 6-4-M5	6mm	4mm	M5	RPDS 1/4-N03	1/4		3/8NPT
RPDS 6-4-M6	6mm	4mm	M6	RPDS 1/4-N04	1/4		1/2NPT
RPDS 6-4-01	6mm	4mm	R1/8	RPDS 5/16-N01	5/16		1/8NPT
RPDS 6-4-02	6mm	4mm	R1/4	RPDS 5/16-N02	5/16		1/4NPT
RPDS 6-4-03	6mm	4mm	R3/8	RPDS 5/16-N03	5/16		3/8NPT
RPDS 6-4-04	6mm	4mm	R1/2	RPDS 5/16-N04	5/16		1/2NPT
RPDS 8-5-01	8mm	5mm	R1/8	RPDS 3/8-N01	3/8		1/8NPT
RPDS 8-5-02	8mm	5mm	R1/4	RPDS 3/8-N02	3/8		1/4NPT
RPDS 8-5-03	8mm	5mm	R3/8	RPDS 3/8-N03	3/8		3/8NPT
RPDS 8-5-04	8mm	5mm	R1/2	RPDS 3/8-N04	3/8		1/2NPT
RPDS 8-5.5-01	8mm	5.5mm	R1/8	RPDS 1/2-1/8NPT	1/2		1/8NPT
RPDS 8-5.5-02	8mm	5.5mm	R1/4	RPDS 1/2-1/4NPT	1/2		1/4NPT
RPDS 8-5.5-03	8mm	5.5mm	R3/8	RPDS 1/2-3/8NPT	1/2		3/8NPT
RPDS 8-5.5-04	8mm	5.5mm	R1/2	RPDS 1/2-1/2NPT	1/2		1/2NPT
RPDS 8-6-01	8mm	6mm	R1/8				
RPDS 8-6-02	8mm	6mm	R1/4				
RPDS 8-6-03	8mm	6mm	R3/8				
RPDS 8-6-04	8mm	6mm	R1/2				
RPDS 10-6.5-01	10mm	6.5mm	R1/8				
RPDS 10-6.5-02	10mm	6.5mm	R1/4				
RPDS 10-6.5-03	10mm	6.5mm	R3/8				
RPDS 10-6.5-04	10mm	6.5mm	R1/2				
RPDS 10-8-01	10mm	8mm	R1/8				
RPDS 10-8-02	10mm	8mm	R1/4				
RPDS 10-8-03	10mm	8mm	R3/8				
RPDS 10-8-04	10mm	8mm	R1/2				
RPDS 12-8-01	12mm	8mm	R1/8				
RPDS 12-8-02	12mm	8mm	R1/4				
RPDS 12-8-03	12mm	8mm	R3/8				
RPDS 12-8-04	12mm	8mm	R1/2				
RPDS 12-10-01	12mm	10mm	R1/8				
RPDS 12-10-02	12mm	10mm	R1/4				
RPDS 12-10-03	12mm	10mm	R3/8				
RPDS 12-10-04	12mm	10mm	R1/2				

				Non Swivel Male Run Tee 侧面外牙不旋转三通			
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPD 4-2.5-01	4mm	2.5mm	R1/8	RPD 1/4-N01	1/4		1/8NPT
RPD 4-2.5-02	4mm	2.5mm	R1/4	RPD 1/4-N02	1/4		1/4NPT
RPD 6-4-M5	6mm	4mm	M5	RPD 1/4-N03	1/4		3/8NPT
RPD 6-4-M6	6mm	4mm	M6	RPD 1/4-N04	1/4		1/2NPT
RPD 6-4-01	6mm	4mm	R1/8	RPD 5/16-N01	5/16		1/8NPT
RPD 6-4-02	6mm	4mm	R1/4	RPD 5/16-N02	5/16		1/4NPT
RPD 6-4-03	6mm	4mm	R3/8	RPD 5/16-N03	5/16		3/8NPT
RPD 6-4-04	6mm	4mm	R1/2	RPD 5/16-N04	5/16		1/2NPT
RPD 8-5-01	8mm	5mm	R1/8	RPD 3/8-N01	3/8		1/8NPT
RPD 8-5-02	8mm	5mm	R1/4	RPD 3/8-N02	3/8		1/4NPT
RPD 8-5-03	8mm	5mm	R3/8	RPD 3/8-N03	3/8		3/8NPT
RPD 8-5-04	8mm	5mm	R1/2	RPD 3/8-N04	3/8		1/2NPT
RPD 8-5.5-01	8mm	5.5mm	R1/8	RPD 1/2-1/8NPT	1/2		1/8NPT
RPD 8-5.5-02	8mm	5.5mm	R1/4	RPD 1/2-1/4NPT	1/2		1/4NPT
RPD 8-5.5-03	8mm	5.5mm	R3/8	RPD 1/2-3/8NPT	1/2		3/8NPT
RPD 8-5.5-04	8mm	5.5mm	R1/2	RPD 1/2-1/2NPT	1/2		1/2NPT
RPD 8-6-01	8mm	6mm	R1/8				
RPD 8-6-02	8mm	6mm	R1/4				
RPD 8-6-03	8mm	6mm	R3/8				
RPD 8-6-04	8mm	6mm	R1/2				
RPD 10-6.5-01	10mm	6.5mm	R1/8				
RPD 10-6.5-02	10mm	6.5mm	R1/4				
RPD 10-6.5-03	10mm	6.5mm	R3/8				
RPD 10-6.5-04	10mm	6.5mm	R1/2				
RPD 10-8-01	10mm	8mm	R1/8				
RPD 10-8-02	10mm	8mm	R1/4				
RPD 10-8-03	10mm	8mm	R3/8				
RPD 10-8-04	10mm	8mm	R1/2				
RPD 12-8-01	12mm	8mm	R1/8				
RPD 12-8-02	12mm	8mm	R1/4				
RPD 12-8-03	12mm	8mm	R3/8				
RPD 12-8-04	12mm	8mm	R1/2				
RPD 12-10-01	12mm	10mm	R1/8				
RPD 12-10-02	12mm	10mm	R1/4				
RPD 12-10-03	12mm	10mm	R3/8				
RPD 12-10-04	12mm	10mm	R1/2				



Union Bulkhead - Rapid Screw Fittings

穿板直通快拧接头

MODEL	OD. Size	ID. Size	MODEL	OD. Size	ID. Size
RPM 4-2.5	4mm	2.5mm	RPM 1/4	1/4	
RPM 6-4	6mm	4mm	RPM 5/16	5/16	
RPM 8-5	8mm	5mm	RPM 3/8	3/8	
RPM 8-6	8mm	6mm	RPM 1/2	1/2	
RPM 10-6.5	10mm	6.5mm			
RPM 10-8	10mm	8mm			
RPM 12-8	12mm	8mm			
RPM 12-10	12mm	10mm			


				G Thread Swivel Male Run Tee G 螺纹侧面外牙旋转三通			
MODEL	OD. Size	ID. Size	Thread	MODEL	OD. Size	ID. Size	Thread
RPDS 4-2.5-G01	4mm	2.5mm	G1/8	RPDS 8-6-G04	8mm	6mm	G1/2
RPDS 4-2.5-G01	4mm	2.5mm	G1/4	RPDS 10-6.5-G01	10mm	6.5mm	G1/8
RPDS 6-4-G01	6mm	4mm	G1/8	RPDS 10-6.5-G02	10mm	6.5mm	G1/4
RPDS 6-4-G02	6mm	4mm	G1/4	RPDS 10-6.5-G03	10mm	6.5mm	G3/8
RPDS 6-4-G03	6mm	4mm	G3/8	RPDS 10-6.5-G04	10mm	6.5mm	G1/2
RPDS 6-4-G04	6mm	4mm	G1/2	RPDS 10-8-G01	10mm	8mm	G1/8
RPDS 8-5-G01	8mm	5mm	G1/8	RPDS 10-8-G02	10mm	8mm	G1/4

Nickel Plated Brass Pipe Threaded Fittings
 全铜镀镍过渡接头

Features
 特点

铜镀镍管接头也称为“BSP管接头”或“标准管接头”，由各种各样的形状组成，如螺纹接头、变径接头、连接接头、堵头、软管宝塔接头、L型、T型和十字型管接头。由于这个系列接头的多种辅助功能，这些接头是对其他系列的适当补充。所有附件都是铜镀镍。

Nickel Plated Pipe Fittings also known as the “BSP Fittings”or “Standard fittings” consists of a wide variety of components, such as Nipples, Reduction pieces, Connections, Plugs, Hose connections, L-T and Cross fittings. Due to the multiple auxiliary functions of this line, those fittings are the right complement for other ranges. All components are brass nickel-plated.



1. Fitting Body: Brass UNI EN 12164 CW614N - UNI EN 12165 CW617N Nickel Plated
 2. Seals: NBR

Specifications
 技术参数

使用流体/Fluid	空气、水 / Air, Water
使用压力范围/Operating Pressure	Max 60 Bar / 最高60公斤压力
用环境及流体温度/Operating Temperature	- 40℃ ~ 150 ℃
适用螺纹类型/Thread Type	Metric , BSPT, BSPP, NPT Thread

Thread Size
 螺纹尺寸

Thread Size 螺纹尺寸						
M5*0.8	G1/8	G1/4	G3/8	G1/2	G3/4	G1
	R1/8	R1/4	R3/8	R1/2	R3/4	R1
	1/8NPT	1/4NPT	3/8NPT	1/2NPT	3/4NPT	1NPT



Hex Nipple - Nickel Plated Pipe Fittings
 铜镀镍外六角对丝过渡接头

MODEL	Male	Male	MODEL	Male	Male	MODEL	Male	Male
PSM 01-01	R1/8	R1/8	PSM G01-G01	G1/8	G1/8	PSM N01-N01	1/8NPT	1/8NPT
PSM 02-02	R1/4	R1/4	PSM G02-G02	G1/4	G1/4	PSM N02-N02	1/4NPT	1/4NPT
PSM 02-01	R1/4	R1/8	PSM G02-G01	G1/4	G1/8	PSM N02-N01	1/4NPT	1/8NPT
PSM 03-03	R3/8	R3/8	PSM G03-G03	G3/8	G3/8	PSM N03-N03	3/8NPT	3/8NPT
PSM 03-02	R3/8	R1/4	PSM G03-G02	G3/8	G1/4	PSM N03-N02	3/8NPT	1/4NPT
PSM 03-01	R3/8	R1/8	PSM G03-G01	G3/8	G1/8	PSM N03-N01	3/8NPT	1/8NPT
PSM 04-04	R1/2	R1/2	PSM G04-G04	G1/2	G1/2	PSM N04-N04	1/2NPT	1/2NPT
PSM 04-03	R1/2	R3/8	PSM G04-G03	G1/2	G3/8	PSM N04-N03	1/2NPT	3/8NPT
PSM 04-02	R1/2	R1/4	PSM G04-G02	G1/2	G1/4	PSM N04-N02	1/2NPT	1/4NPT
PSM 04-01	R1/2	R1/8	PSM G04-G01	G1/2	G1/8	PSM N04-N01	1/2NPT	1/8NPT
PSM 06-06	R3/4	R3/4	PSM G06-G06	G3/4	G3/4	PSM N06-N06	3/4NPT	3/4NPT
PSM 06-04	R3/4	R1/2	PSM G06-G04	G3/4	G1/2	PSM N06-N04	3/4NPT	1/2NPT
PSM 06-03	R3/4	R3/8	PSM G06-G03	G3/4	G3/8	PSM N06-N03	3/4NPT	3/8NPT
PSM 06-02	R3/4	R1/4	PSM G06-G02	G3/4	G1/4	PSM N06-N02	3/4NPT	1/4NPT
PSM 08-08	R1	R1	PSM G08-G08	G1	G1	PSM N08-N08	1NPT	1NPT
PSM 08-06	R1	R3/4	PSM G08-G06	G1	G3/4	PSM N08-N06	1NPT	3/4NPT
PSM 08-04	R1	R1/2	PSM G08-G04	G1	G1/2	PSM N08-N04	1NPT	1/2NPT
PSM 08-03	R1	R3/8	PSM G08-G03	G1	G3/8	PSM N08-N03	1NPT	3/8NPT



Adapter - Nickel Plated Pipe Fittings
 铜镀镍内外丝过渡接头

MODEL	Male	Female	MODEL	Male	Female	MODEL	Male	Female
PSMF 01-G01	R1/8	G1/8	PSMF M5-G01	M5	G1/8	PSMF N01-N01	1/8NPT	1/8NPT
PSMF 02-G02	R1/4	G1/4	PSMF G01-G01	G1/8	G1/8	PSMF N02-N02	1/4NPT	1/4NPT
PSMF 01-G03	R1/8	G3/8	PSMF G01-G02	G1/8	G1/4	PSMF N01-N03	1/8NPT	3/8NPT
PSMF 02-G01	R1/4	G1/8	PSMF G02-G01	G1/4	G1/8	PSMF N02-N01	1/4NPT	1/8NPT
PSMF 02-G02	R1/4	G1/4	PSMF G02-G02	G1/4	G1/4	PSMF N02-N02	1/4NPT	1/4NPT
PSMF 02-G04	R1/4	G1/2	PSMF G02-G03	G1/4	G3/8	PSMF N02-N04	1/4NPT	1/2NPT
PSMF 02-G03	R1/4	G3/8	PSMF G03-G02	G3/8	G1/4	PSMF N02-N03	1/4NPT	3/8NPT
PSMF 03-G02	R3/8	G1/4	PSMF G03-G03	G3/8	G3/8	PSMF N03-N02	3/8NPT	1/4NPT
PSMF 03-G03	R3/8	G3/8	PSMF G03-G04	G3/8	G1/2	PSMF N03-N03	3/8NPT	3/8NPT
PSMF 03-G04	R3/8	G1/2	PSMF G04-G03	G1/2	G3/8	PSMF N03-N04	3/8NPT	1/2NPT
PSMF 04-G03	R1/2	G3/8	PSMF G04-G04	G1/2	G1/2	PSMF N04-N03	1/2NPT	3/8NPT
PSMF 04-G04	R1/2	G1/2				PSMF N04-N04	1/2NPT	1/2NPT
PSMF 04-G06	R1/2	G3/4				PSMF N04-N06	1/2NPT	3/4NPT



Hex Bushing Reducer - Nickel Plated Pipe Fittings
 铜镀镍内外丝过渡接头

MODEL	Male	Female	MODEL	Male	Female	MODEL	Male	Female
PRMF 01-M5	R1/8	M5	PRMF G01-M5	G1/8	M5	PRMF N02-G01	1/4NPT	1/8NPT
PRMF 02-G01	R1/4	G1/8	PRMF G02-G01	G1/4	G1/8	PRMF N03-G01	3/8NPT	1/8NPT
PRMF 03-G01	R3/8	G1/8	PRMF G03-G01	G3/8	G1/8	PRMF N03-G02	3/8NPT	1/4NPT
PRMF 03-G02	R3/8	G1/4	PRMF G03-G02	G3/8	G1/4	PRMF N04-G01	1/2NPT	1/8NPT
PRMF 04-G01	R1/2	G1/8	PRMF G04-G01	G1/2	G1/8	PRMF N04-G02	1/2NPT	1/4NPT
PRMF 04-G02	R1/2	G1/4	PRMF G04-G02	G1/2	G1/4	PRMF N04-G03	1/2NPT	3/8NPT
PRMF 04-G03	R1/2	G3/8	PRMF G04-G03	G1/2	G3/8	PRMF N06-G03	3/4NPT	3/8NPT
PRMF 06-G03	R3/4	G3/8	PRMF G06-G03	G3/4	G3/8	PRMF N06-G04	3/4NPT	1/2NPT
PRMF 06-G04	R3/4	G1/2	PRMF G06-G04	G3/4	G1/2			



Male Hose Barb - Nickel Plated Pipe Fittings
 铜镀镍外螺纹宝塔接头

MODEL	Tube Size	Male
PHTM 06-01	6mm	R1/8
PHTM 07-01	7mm	R1/8
PHTM 08-01	8mm	R1/8
PHTM 09-01	9mm	R1/8
PHTM 10-01	10mm	R1/8
PHTM 06-02	6mm	R1/4
PHTM 07-02	7mm	R1/4
PHTM 08-02	8mm	R1/4
PHTM 09-02	9mm	R1/4
PHTM 10-02	10mm	R1/4
PHTM 12-02	12mm	R1/4
PHTM 14-02	14mm	R1/4
PHTM 08-03	8mm	R3/8
PHTM 09-03	9mm	R3/8
PHTM 10-03	10mm	R3/8
PHTM 12-03	12mm	R3/8
PHTM 14-03	14mm	R3/8
PHTM 17-03	17mm	R3/8
PHTM 12-04	12mm	R1/2
PHTM 14-04	14mm	R1/2
PHTM 17-04	17mm	R1/2
PHTM 20-04	20mm	R1/2
PHTM 18-06	18mm	R3/4
PHTM 20-06	20mm	R3/4

G Thread		
MODEL	Tube Size	Male
PHTM 06-G01	6mm	G1/8
PHTM 07-G01	7mm	G1/8
PHTM 08-G01	8mm	G1/8
PHTM 09-G01	9mm	G1/8
PHTM 06-G02	6mm	G1/4
PHTM 07-G02	7mm	G1/4
PHTM 09-G02	9mm	G1/4
PHTM 12-G02	12mm	G1/4
PHTM 09-G03	9mm	G3/8
PHTM 12-G03	12mm	G3/8
PHTM 17-G03	17mm	G3/8
PHTM 12-G04	12mm	G1/2
PHTM 17-G04	17mm	G1/2



Female Hose Barb - Nickel Plated Pipe Fittings
 铜镀镍内螺纹宝塔接头

MODEL	Tube Size	Female
PHTF 06-G01	6mm	G1/8
PHTF 08-G01	8mm	G1/8
PHTF 10-G01	10mm	G1/8
PHTF 06-G02	6mm	G1/4
PHTF 08-G02	8mm	G1/4
PHTF 10-G02	10mm	G1/4
PHTF 06-G03	6mm	G3/8
PHTF 08-G03	8mm	G3/8
PHTF 10-G03	10mm	G3/8
PHTF 12-G03	12mm	G3/8
PHTF 10-G04	10mm	G1/2
PHTF 12-G04	12mm	G1/2
PHTF 17-G04	17mm	G1/2
PHTF 20-G04	20mm	G1/2

N/P Brass Pipe Fittings 铜镀镍过渡接头

 Coupling - Nickel Plated Pipe Fittings 铜镀镍内螺纹等径过渡接头				
MODEL	Female		MODEL	Female
PSF M5	M5		PSF N01	1/8NPT
PSF G01	G1/8		PSF N02	1/4NPT
PSF G02	G1/4		PSF N03	3/8NPT
PSF G03	G3/8		PSF N04	1/2NPT
PSF G04	G1/2		PSF N06	3/4NPT
PSF G06	G3/4			

 Plug Hex - Nickel Plated Pipe Fittings 铜镀镍外六角堵头				
MODEL	Male		MODEL	Male
PO M5	M5		PO N01	1/8NPT
PO 01	R1/8		PO N02	1/4NPT
PO 02	R1/4		PO N03	3/8NPT
PO 03	R3/8		PO N04	1/2NPT
PO 04	R1/2		PO N06	3/4NPT
PO 06	R3/4		PO N08	1NPT
PO 08	R1			

 Innex Hex Plug - Nickel Plated Pipe Fittings 铜镀镍内六角堵头				
MODEL	Male		MODEL	Male
POHH M5	M5		POHF G01	G1/8
POHH G01	G1/8		POHF G02	G1/4
POHH G02	G1/4		POHF G03	G3/8
POHH G03	G3/8		POHF G04	G1/2
POHH G04	G1/2			
POHH G06	G3/4			
POHH G08	G1			

 Innex Socket Plug - Nickel Plated Pipe Fittings 铜镀镍内六角外丝堵头				
MODEL	Male		MODEL	Male
POH M5	M5		POH N01	1/8NPT
POH 01	R1/8		POH N02	1/4NPT
POH 02	R1/4		POH N03	3/8NPT
POH 03	R3/8		POH N04	1/2NPT
POH 04	R1/2			



Bulkhead Coupling - Nickel Plated Pipe Fittings

铜镀镍内螺纹夹板过渡接头

MODEL	Female	Male	MODEL	Female	Male
PMFM M5-M10	M5	M10	PMFM N01-M16	1/8NPT	M16
PMFM G01-M16	G1/8	M16	PMFM N02-M20	1/4NPT	M20
PMFM G02-M20	G1/4	M20	PMFM N03-M26	3/8NPT	M26
PMFM G03-M26	G3/8	M26	PMFM N04-M28	1/2NPT	M28
PMFM G04-M28	G1/2	M28			

Reducer Coupling - Nickel Plated Pipe Fittings

铜镀镍内螺纹变径过渡接头

MODEL	Female	Female	MODEL	Female	Female
PRF G01-M5	G1/8	M5	PRF N02-N01	1/4NPT	1/8NPT
PRF G02-G01	G1/4	G1/8	PRF N03-N02	3/8NPT	1/8NPT
PRF G03-G02	G3/8	G1/8	PRF N03-N03	3/8NPT	1/4NPT
PRF G03-G03	G3/8	G1/4	PRF N04-N04	1/2NPT	1/4NPT
PRF G04-G04	G1/2	G1/4	PRF N04-N06	1/2NPT	3/8NPT
PRF G04-G06	G1/2	G3/8	PRF N06-N08	3/4NPT	1/2NPT
PRF G06-G08	G3/4	G1/2			



Extended Adaptor - Nickel Plated Pipe Fittings

铜镀镍加长内外牙过渡接头

MODEL	Female	Male	MODEL	Female	Male
PEMF G01-G01-22	G1/8	G1/8	PEMF N01-N01-22	1/8NPT	1/8NPT
PEMF G01-G01-42	G1/8	G1/8	PEMF N01-N01-42	1/8NPT	1/8NPT
PEMF G02-G02-35	G1/4	G1/4	PEMF N02-N02-35	1/4NPT	1/4NPT
PEMF G02-G02-51	G1/4	G1/4	PEMF N02-N02-51	1/4NPT	1/4NPT



Hose Barb Union - Nickel Plated Pipe Fittings

铜镀镍宝塔接头

MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
PBB 02-02	2mm	2mm	PBB 5/32-5/32	5/32	5/32
PBB 03-02	3mm	2mm	PBB 1/4-5/32	1/4	5/32
PBB 03-03	3mm	3mm	PBB 1/4-1/4	1/4	43834
PBB 04-03	4mm	3mm			
PBB 04-04	4mm	4mm			
PBB 06-04	6mm	4mm			
PBB 06-06	6mm	6mm			

 Equal Cross - Nickel Plated Pipe Fittings 铜镀镍十字型内牙过渡接头				
MODEL	Female		MODEL	Female
PFC G01	G1/8		PFC N01	1/8NPT
PFC G02	G1/4		PFC N02	1/4NPT
PFC G03	G3/8		PFC N03	3/8NPT
PFC G04	G1/2		PFC N04	1/2NPT



Male To Female Equal Cross -
Nickel Plated Pipe Fittings

铜镀镍十字型内外牙过渡接头

MODEL	Male	Female	MODEL	Male	Female
PFCT 01-G01	R1/8	G1/8	PFCT N01-N01	1/8NPT	1/8NPT
PFCT 02-G02	R1/4	G1/4	PFCT N02-N02	1/4NPT	1/4NPT
PFCT 03-G03	R3/8	G3/8	PFCT N03-N03	3/8NPT	3/8NPT
PFCT 04-G04	R1/2	G1/2	PFCT N04-N04	1/2NPT	1/2NPT

N/P Brass Pipe Fittings 铜镀镍过渡接头

 Female Equal Tee - Nickel Plated Pipe Fittings 铜镀镍内螺纹T型三通过渡接头				
MODEL	Female		MODEL	Female
PFT M5	M5		PFT N01	1/8NPT
PFT G01	G1/8		PFT N02	1/4NPT
PFT G02	G1/4		PFT N03	3/8NPT
PFT G03	G3/8		PFT N04	1/2NPT
PFT G04	G1/2		PFT N06	3/4NPT
PFT G06	G3/4		PFT N08	1NPT
PFT G08	G1			



Male Branch Tee - Nickel Plated Pipe Fittings

铜镀镍T型三通中间外螺纹过渡接头

MODEL	Male	Female	MODEL	Male	Female
PMT M5-M5	M5	M5	PMT N01-N01	1/8NPT	1/8NPT
PMT 01-G01	R1/8	G1/8	PMT N02-N02	1/4NPT	1/4NPT
PMT 02-G02	R1/4	G1/4	PMT N03-N03	3/8NPT	3/8NPT
PMT 03-G03	R3/8	G3/8	PMT N04-N04	1/2NPT	1/2NPT
PMT 04-G04	R1/2	G1/2	PMT N06-N06	3/4NPT	3/4NPT
PMT 06-G06	R3/4	G3/4	PMT N08-N08	1NPT	1NPT
PMT 08-G08	R1	G1			



Female Branch Tee - Nickel Plated Pipe Fittings

铜镀镍T型三通中间内螺纹过渡接头

MODEL	Male	Female	MODEL	Male	Female
PSFT 01-G01	R1/8	G1/8	PSFT N01-N01	1/8NPT	1/8NPT
PSFT 02-G02	R1/4	G1/4	PSFT N02-N02	1/4NPT	1/4NPT
PSFT 03-G03	R3/8	G3/8	PSFT N03-N03	3/8NPT	3/8NPT
PSFT 04-G04	R1/2	G1/2	PSFT N04-N04	1/2NPT	1/2NPT
PSFT 06-G06	R3/4	G3/4	PSFT N06-N06	3/4NPT	3/4NPT
PSFT 08-G08	R1	G1	PSFT N08-N08	1NPT	1NPT

 Female Equal Elbow - Nickel Plated Pipe Fittings 铜镀镍L型内螺纹过渡接头				
MODEL	Female		MODEL	Female
PLFF M5	M5		PLFF N01	1/8NPT
PLFF G01	G1/8		PLFF N02	1/4NPT
PLFF G02	G1/4		PLFF N03	3/8NPT
PLFF G03	G3/8		PLFF N04	1/2NPT
PLFF G04	G1/2		PLFF N06	3/4NPT
PLFF G06	G3/4		PLFF N08	1NPT
PLFF G08	G1			

 Female Equal Y - Nickel Plated Pipe Fittings 铜镀镍Y型三通内螺纹过渡接头				
MODEL	Female		MODEL	Female
PYF G01	G1/8		PYF N01	1/8NPT
PYF G02	G1/4		PYF N02	1/4NPT
PYF G03	G3/8		PYF N03	3/8NPT
PYF G04	G1/2		PYF N04	1/2NPT

 Equal Male Tee - Nickel Plated Pipe Fittings 铜镀镍外螺纹T型三通过渡接头				
MODEL	Male		MODEL	Male
PSMT 01	R1/8		PSMT N01	1/8NPT
PSMT 02	R1/4		PSMT N02	1/4NPT
PSMT 03	R3/8		PSMT N03	3/8NPT
PSMT 04	R1/2		PSMT N04	1/2NPT
PSMT 06	R3/4		PSMT N06	3/4NPT
PSMT 08	R1		PSMT N08	1NPT



Male Run Tee - Nickel Plated Pipe Fittings

铜镀镍T型三通侧面外螺纹过渡接头

MODEL	Male	Female	MODEL	Male	Female
PMST M5-M5	M5	M5	PMST N01-N01	1/8NPT	1/8NPT
PMST 01-G01	R1/8	G1/8	PMST N02-N02	1/4NPT	1/4NPT
PMST 02-G02	R1/4	G1/4	PMST N03-N03	3/8NPT	3/8NPT
PMST 03-G03	R3/8	G3/8	PMST N04-N04	1/2NPT	1/2NPT
PMST 04-G04	R1/2	G1/2	PMST N06-N06	3/4NPT	3/4NPT
PMST 06-G06	R3/4	G3/4	PMST N08-N08	1NPT	1NPT
PMST 08-G08	R1	G1			



Male To Female Elbow - Nickel Plated Pipe Fittings

铜镀镍L型内外螺纹过渡接头

MODEL	Male	Female	MODEL	Male	Female
PLMF M5-M5	M5	M5	PLMF N01-N01	1/8NPT	1/8NPT
PLMF 01-G01	R1/8	G1/8	PLMF N02-N02	1/4NPT	1/4NPT
PLMF 02-G02	R1/4	G1/4	PLMF N03-N03	3/8NPT	3/8NPT
PLMF 03-G03	R3/8	G3/8	PLMF N04-N04	1/2NPT	1/2NPT
PLMF 04-G04	R1/2	G1/2	PLMF N06-N06	3/4NPT	3/4NPT
PLMF 06-G06	R3/4	G3/4	PLMF N08-N08	1NPT	1NPT
PLMF 08-G08	R1	G1			

 Male Equal Elbow - Nickel Plated Pipe Fittings 铜镀镍L型外螺纹过渡接头				
MODEL	Male		MODEL	Male
PLMM M5	M5		PLMM N01	1/8NPT
PLMM 01	R1/8		PLMM N02	1/4NPT
PLMM 02	R1/4		PLMM N03	3/8NPT
PLMM 03	R3/8		PLMM N04	1/2NPT
PLMM 04	R1/2		PLMM N06	3/4NPT
PLMM 06	R3/4		PLMM N08	1NPT
PLMM 08	R1			



Male Branch Y - Nickel Plated Pipe Fittings

铜镀镍Y型三通中间外螺纹过渡接头

MODEL	Male	Female	MODEL	Male	Female
PYT 01-G01	R1/8	G1/8	PYT N01-N01	1/8NPT	1/8NPT
PYT 02-G02	R1/4	G1/4	PYT N02-N02	1/4NPT	1/4NPT
PYT 03-G03	R3/8	G3/8	PYT N03-N03	3/8NPT	3/8NPT
PYT 04-G04	R1/2	G1/2	PYT N04-N04	1/2NPT	1/2NPT

DOT Push To Connect Air Brake Fittings 全铜DOT快速接头

Application 应用

DOT快速接头是用于所有车辆制动系统和美国国家公路交通安全管理FMVSS 106 描述的用于使用框架和轴之间或拖和牵引车之间的空气控制系统, 也作为所有气动系统适用于悬架、转向、发动机、变速箱和辅助机制的连接接头。

Push-in DOT Air Brake Fittings are for use in all vehicle air-brake systems and cabin air-control systems except those designed for use between frame and axle or between a towed and towing vehicle as described from the National Highway Traffic Safety Administration, Department of Transportation FMVSS-106. Also as a connector on all air operated systems as applicable to suspension, steering, engine, transmission and auxiliary mechanisms.

Features 特点

DOT快速接头坚固, 质轻, 抗冲击, 可用于最苛刻的空气制动应用。它的快速连接设计, 使管道组装快捷方便, 不需要特殊的工具来组装。紧密的内部公差确保耐污染和最佳性能。DOT快速接头使软管在短短几秒钟内被连接为车辆制造车间提供了高效生产, 维护, 维修和改装安装。相比于传统卡套式或压铸制动接头的管子装配时间可以减少5到25倍。

The Push-in DOT Air Brake Fitting is strong, lightweight, impact-resistant and can be used in the most demanding air brake applications. Its push-to-connect design makes tube assembly fast and easy, no special tools are needed to assemble. Tight internal tolerances ensure resistance to contamination and optimal performance. The Push-in DOT design allows tubing joints to be made in just seconds for high productivity during vehicle manufacture, maintenance, repair and retrofit installation. Tube assembly times can be reduced by 5 to 25 times compared with traditional compression or swaged brake fittings.

- Reduced assembly and maintenance times provide time/labor saving. Connections take only seconds to complete, eliminating the assembly of nuts and sleeves, which is required when using compression fittings.
- Lubricated O-Ring Seal (Buna-N) insures a quick, easy and positive seal.
- Strong, lightweight, compact and impact-resistant brass body.
- Complies with the requirements of DOT FMVSS 571.106 and SAE J1131.
- Simple tube connection and disconnection – no tools required.
- Pre-applied sealant on all conical threads. Eliminates the need to seal threads or apply liquid thread sealants.
- Swivel to position after installation.
- Easy identification. All collets marked with tube size.
- Fewer components parts. Internally machined form in body to secure collet reduces number of potential leak paths.
- Reduced leakage. Push-in DOT can be offered with option of parallel threads and a captured O-Ring seal to provide the best of all thread sealing options.
- Innovative collet design insures positive grip on tubing.
- Ease tubing insertion in areas of restricted access.
- Full product line including elbows, tees and straight configurations

Tapered thread
NPTF: SAE J476a
BSPT: R Thread



Pre-applied Teflon based pipe sealant on all conical male pipe threads saves assembly time, as well as installation labor

Parallel thread
Metric: DIN 3852



All Metric Male Thread with O-ring to Seal

Specifications 技术参数

Operating Medium: Compressed air

使用介质: 压缩空气

Working pressure: 0 to 300psi (0 to 21 bar) / Depending on tubing limitations.

工作压力: 0到21公斤 / 根据使用管子的压力极限

Working temperature: -30 °C to 250 °C

工作温度: -30℃到250℃

Material 材质

Body (Straight), Collet: Brass UNS 36000 ASTM B16 (SAE CA360)

壳体部分 (直通), 爪子: 铜牌号 CA360

Forged Body (Elbows, Tees): Brass UNS 37700 (SAE CA377) ASTM B283

红冲壳体 (弯头, 三通): 铜牌号 CA377

Tube support: Brass CA 260


管子衬套: 铜牌号 CA260

O-Ring: Viton Sealing (FKM) / Accept Custom Made for Using NBR

O型圈: 氟橡胶 / 可定制使用丁晴橡胶

Thread Sealant: Loctite Vibra Seal 516 (Pre-applied to all tapered male threads)

螺纹密封胶: 乐泰516螺纹密封胶 (用于所有外锥螺纹)



When tubing (1) is inserted into the fitting, the inside diameter passes over the brass tube support (2). This, combined with the action of the gripper, insures that the air brake hose assembly will safely exceed the tensile requirements of FMVSS-106. The tubing then passes through the gripping teeth (3). The tubing continues beyond the gripping teeth through the inside diameter of the lubricated "O" ring (4) which seals on the outside diameter of the tubing. The gripping teeth grab the tube. Pulling back on the tube only tightens the grip on the tubing as the insert moves onto the camming surface (5). Pressure through the tube also serves to tighten the grip. The tube bottoms against a positive tube stop (6) in a cavity which keeps tube round to prevent leakage.

To Connect Tube:


Cut plastic as squarely as possible. Insert tube into fitting until friction is felt as tube slides past the O-ring. Using a slight twisting motion while inserting the tube is often helpful. After this initial friction is felt, continue to push in the tube until it bottoms firmly against the internal tube stop.

To Disconnect Tube:

With thumb and forefinger, hold down the top of the insert against the fitting body and then, with the other hand, pull out the tubing. No tools are needed.



How To Order 产品订购



1. NPT Thread
2. BSPT Thread
3. Metric Thread

1. Imperial Dimensions
2. Metric Dimensions

Push To
Connect

All Brass

Model

C	Male straight Connector
CF	Female Straight
MF	Female bulkhead Straight
L	90° Male Elbow (Not Swivel)
LS	90° Male Elbow (Swivel)
L45	45° Male Elbow (Not Swivel)
L45S	45° Male Elbow (Swivel)
LF	90° Female Elbow (Not Swivel)
LFS	90° Female Elbow (Swivel)
B	Male Brach Tee (Not Swivel)
BS	Male Brach Tee (Swivel)
BF	Female Brach Tee (Not Swivel)
BFS	Female Brach Tee (Swivel)
D	Male Run Tee (Not Swivel)
DS	Male Run Tee (Swivel)
X	Male Y Fittings (Not Swivel)
XS	Male Y Fittings (Swivel)
M	Bulkhead Union Straight
U	Union Straight
V	Union Elbow
E	Union Tee
G	Reducer Straight
GT	Reducer Tee
MC	Male bulkhead Straight

For example ① :
If order male swivel 90 degree elbow ,
1/8NPT thread, 1/4 OD imperial tube,
the order item code:
DMPLS 1/4-1/8NPT

For example ② :
If order male straight , M16*1.5 thread,
10mm*7.5mm metric tube, the order
item code:
DMPC 10-M16

For example ③ :
If order union straight , 3/8 OD
imperial tube, the order item code:
DMPU 3/8

Tapered threads

Recommended torque values for standard threads are shown in table below. First torque fitting manually, then apply torque as specified.

NPT Thread	1/16NPT	1/8NPT	1/4NPT	3/8NPT	1/2NPT	3/4NPT	
BSPT Thread		1/8BSPT	1/4BSPT	3/8BSPT	1/2BSPT		

Parallel threads

The installation of the metric fitting shall be directly tightened into the thread without any further preparation. The necessary torque values are according as specified. All Metric Thread will be with O-ring to seal

Metric Thread	M10*1.0	M12*1.5	M14*1.5	M16*1.5	M22*1.5		
---------------	---------	---------	---------	---------	---------	--	--

Recommended tubing for use with Push-in DOT

Tube should be to the following standards:
- SAE J844 (Imperial dimensions)
- DIN 74324 (Metric dimensions)
- SAE J1394 (Metric dimensions)

Nylon (Polyamide) tubing, according to SAE J844

Imperial O.D.	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
Imperial I.D.	0.079"	0.092"	0.118"	0.170"	0.232"	0.251"	0.376"	0.441"	0.566"


Nylon (Polyamide) tubing, according to DIN 74324 and SAE J1394


Metric O.D.	4mm	6mm	8mm	10mm	12mm	15mm	16mm
Metric I.D.	2mm	4mm	6mm	7.5mm	9mm	12mm	12mm

Special Fittings

Fitting configurations and sizes other than those shown in the catalog can be furnished. It is suggested that a print or sketch be submitted with the inquiry. Price and delivery for special fittings furnished on request for specified quantities.

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 Male Adapter - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPC 3/16-1/16NPT	3/16	1/16NPT	DMPC 1/4-1/8BSPT	1/4	1/8BSPT	DMPC 1/4-M10	1/4	M10
DMPC 3/16-1/8NPT	3/16	1/8NPT	DMPC 1/4-1/4BSPT	1/4	1/4BSPT	DMPC 1/4-M12	1/4	M12
DMPC 3/16-1/4NPT	3/16	1/4NPT	DMPC 1/4-3/8BSPT	1/4	3/8BSPT	DMPC 1/4-M16	1/4	M16
DMPC 1/4-1/16NPT	1/4	1/16NPT	DMPC 1/4-1/2BSPT	1/4	1/2BSPT	DMPC 1/4-M22	1/4	M22
DMPC 1/4-1/8NPT	1/4	1/8NPT	DMPC 3/8-1/8BSPT	3/8	1/8BSPT	DMPC 3/8-M10	3/8	M10
DMPC 1/4-1/4NPT	1/4	1/4NPT	DMPC 3/8-1/4BSPT	3/8	1/4BSPT	DMPC 3/8-M12	3/8	M12
DMPC 1/4-3/8NPT	1/4	3/8NPT	DMPC 3/8-3/8BSPT	3/8	3/8BSPT	DMPC 3/8-M14	3/8	M14
DMPC 1/4-1/2NPT	1/4	1/2NPT	DMPC 3/8-1/2BSPT	3/8	1/2BSPT	DMPC 3/8-M16	3/8	M16
DMPC 5/32-1/16NPT	5/32	1/16NPT	DMPC 1/2-1/4BSPT	1/2	1/4BSPT	DMPC 3/8-M22	3/8	M22
DMPC 5/32-1/8NPT	5/32	1/8NPT	DMPC 1/2-3/8BSPT	1/2	3/8BSPT	DMPC 1/2-M16	1/2	M16
DMPC 5/32-1/4NPT	5/32	1/4NPT	DMPC 1/2-1/2BSPT	1/2	1/2BSPT	DMPC 1/2-M22	1/2	M22
DMPC 5/32-3/8NPT	5/32	3/8NPT	DMPC 1/2-3/4BSPT	1/2	3/4BSPT	DMPC 5/8-M16	5/8	M16
DMPC 3/8-1/8NPT	3/8	1/8NPT				DMPC 5/8-M22	5/8	M22
DMPC 3/8-1/4NPT	3/8	1/4NPT						
DMPC 3/8-3/8NPT	3/8	3/8NPT						
DMPC 3/8-1/2NPT	3/8	1/2NPT						
DMPC 1/2-1/4NPT	1/2	1/4NPT						
DMPC 1/2-3/8NPT	1/2	3/8NPT						
DMPC 1/2-1/2NPT	1/2	1/2NPT						
DMPC 1/2-3/4NPT	1/2	3/4NPT						
DMPC 5/8-3/8NPT	5/8	3/8NPT						
DMPC 5/8-1/2NPT	5/8	1/2NPT						
DMPC 5/8-3/4NPT	5/8	3/4NPT						
DMPC 3/4-1/2NPT	3/4	1/2NPT						
DMPC 3/4-3/4NPT	3/4	3/4NPT						

 Female Adapter - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPCF 3/16-1/16NPT	3/16	1/16NPT	DMPCF 1/4-1/8BSPT	1/4	1/8BSPT	DMPCF 1/4-M10	1/4	M10
DMPCF 3/16-1/8NPT	3/16	1/8NPT	DMPCF 1/4-1/4BSPT	1/4	1/4BSPT	DMPCF 1/4-M12	1/4	M12
DMPCF 3/16-1/4NPT	3/16	1/4NPT	DMPCF 1/4-3/8BSPT	1/4	3/8BSPT	DMPCF 1/4-M16	1/4	M16
DMPCF 1/4-1/16NPT	1/4	1/16NPT	DMPCF 1/4-1/2BSPT	1/4	1/2BSPT	DMPCF 1/4-M22	1/4	M22
DMPCF 1/4-1/8NPT	1/4	1/8NPT	DMPCF 3/8-1/8BSPT	3/8	1/8BSPT	DMPCF 3/8-M10	3/8	M10
DMPCF 1/4-1/4NPT	1/4	1/4NPT	DMPCF 3/8-1/4BSPT	3/8	1/4BSPT	DMPCF 3/8-M12	3/8	M12
DMPCF 1/4-3/8NPT	1/4	3/8NPT	DMPCF 3/8-3/8BSPT	3/8	3/8BSPT	DMPCF 3/8-M14	3/8	M14
DMPCF 1/4-1/2NPT	1/4	1/2NPT	DMPCF 3/8-1/2BSPT	3/8	1/2BSPT	DMPCF 3/8-M16	3/8	M16
DMPCF 5/32-1/16NPT	5/32	1/16NPT	DMPCF 1/2-1/4BSPT	1/2	1/4BSPT	DMPCF 3/8-M22	3/8	M22
DMPCF 5/32-1/8NPT	5/32	1/8NPT	DMPCF 1/2-3/8BSPT	1/2	3/8BSPT	DMPCF 1/2-M16	1/2	M16
DMPCF 5/32-1/4NPT	5/32	1/4NPT	DMPCF 1/2-1/2BSPT	1/2	1/2BSPT	DMPCF 1/2-M22	1/2	M22
DMPCF 5/32-3/8NPT	5/32	3/8NPT	DMPCF 1/2-3/4BSPT	1/2	3/4BSPT	DMPCF 5/8-M16	5/8	M16
DMPCF 3/8-1/8NPT	3/8	1/8NPT				DMPCF 5/8-M22	5/8	M22
DMPCF 3/8-1/4NPT	3/8	1/4NPT						
DMPCF 3/8-3/8NPT	3/8	3/8NPT						
DMPCF 3/8-1/2NPT	3/8	1/2NPT						
DMPCF 1/2-1/4NPT	1/2	1/4NPT						
DMPCF 1/2-3/8NPT	1/2	3/8NPT						
DMPCF 1/2-1/2NPT	1/2	1/2NPT						
DMPCF 1/2-3/4NPT	1/2	3/4NPT						
DMPCF 5/8-3/8NPT	5/8	3/8NPT						
DMPCF 5/8-1/2NPT	5/8	1/2NPT						
DMPCF 5/8-3/4NPT	5/8	3/4NPT						
DMPCF 3/4-1/2NPT	3/4	1/2NPT						
DMPCF 3/4-3/4NPT	3/4	3/4NPT						

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel 90 Deg. Male Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPL 3/16-1/16NPT	3/16	1/16NPT	DMPL 1/4-1/8BSPT	1/4	1/8BSPT	DMPL 1/4-M10	1/4	M10
DMPL 3/16-1/8NPT	3/16	1/8NPT	DMPL 1/4-1/4BSPT	1/4	1/4BSPT	DMPL 1/4-M12	1/4	M12
DMPL 3/16-1/4NPT	3/16	1/4NPT	DMPL 1/4-3/8BSPT	1/4	3/8BSPT	DMPL 1/4-M16	1/4	M16
DMPL 1/4-1/16NPT	1/4	1/16NPT	DMPL 1/4-1/2BSPT	1/4	1/2BSPT	DMPL 1/4-M22	1/4	M22
DMPL 1/4-1/8NPT	1/4	1/8NPT	DMPL 3/8-1/8BSPT	3/8	1/8BSPT	DMPL 3/8-M10	3/8	M10
DMPL 1/4-1/4NPT	1/4	1/4NPT	DMPL 3/8-1/4BSPT	3/8	1/4BSPT	DMPL 3/8-M12	3/8	M12
DMPL 1/4-3/8NPT	1/4	3/8NPT	DMPL 3/8-3/8BSPT	3/8	3/8BSPT	DMPL 3/8-M14	3/8	M14
DMPL 1/4-1/2NPT	1/4	1/2NPT	DMPL 3/8-1/2BSPT	3/8	1/2BSPT	DMPL 3/8-M16	3/8	M16
DMPL 5/32-1/16NPT	5/32	1/16NPT	DMPL 1/2-1/4BSPT	1/2	1/4BSPT	DMPL 3/8-M22	3/8	M22
DMPL 5/32-1/8NPT	5/32	1/8NPT	DMPL 1/2-3/8BSPT	1/2	3/8BSPT	DMPL 1/2-M16	1/2	M16
DMPL 5/32-1/4NPT	5/32	1/4NPT	DMPL 1/2-1/2BSPT	1/2	1/2BSPT	DMPL 1/2-M22	1/2	M22
DMPL 5/32-3/8NPT	5/32	3/8NPT	DMPL 1/2-3/4BSPT	1/2	3/4BSPT	DMPL 5/8-M16	5/8	M16
DMPL 3/8-1/8NPT	3/8	1/8NPT				DMPL 5/8-M22	5/8	M22
DMPL 3/8-1/4NPT	3/8	1/4NPT						
DMPL 3/8-3/8NPT	3/8	3/8NPT						
DMPL 3/8-1/2NPT	3/8	1/2NPT						
DMPL 1/2-1/4NPT	1/2	1/4NPT						
DMPL 1/2-3/8NPT	1/2	3/8NPT						
DMPL 1/2-1/2NPT	1/2	1/2NPT						
DMPL 1/2-3/4NPT	1/2	3/4NPT						
DMPL 5/8-3/8NPT	5/8	3/8NPT						
DMPL 5/8-1/2NPT	5/8	1/2NPT						
DMPL 5/8-3/4NPT	5/8	3/4NPT						
DMPL 3/4-1/2NPT	3/4	1/2NPT						
DMPL 3/4-3/4NPT	3/4	3/4NPT						

 Swivel 90 Deg. Male Elbow - DOT Brass Push In Air Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLS 3/16-1/16NPT	3/16	1/16NPT	DMPLS 1/4-1/8BSPT	1/4	1/8BSPT	DMPLS 1/4-M10	1/4	M10
DMPLS 3/16-1/8NPT	3/16	1/8NPT	DMPLS 1/4-1/4BSPT	1/4	1/4BSPT	DMPLS 1/4-M12	1/4	M12
DMPLS 3/16-1/4NPT	3/16	1/4NPT	DMPLS 1/4-3/8BSPT	1/4	3/8BSPT	DMPLS 1/4-M16	1/4	M16
DMPLS 1/4-1/16NPT	1/4	1/16NPT	DMPLS 1/4-1/2BSPT	1/4	1/2BSPT	DMPLS 1/4-M22	1/4	M22
DMPLS 1/4-1/8NPT	1/4	1/8NPT	DMPLS 3/8-1/8BSPT	3/8	1/8BSPT	DMPLS 3/8-M10	3/8	M10
DMPLS 1/4-1/4NPT	1/4	1/4NPT	DMPLS 3/8-1/4BSPT	3/8	1/4BSPT	DMPLS 3/8-M12	3/8	M12
DMPLS 1/4-3/8NPT	1/4	3/8NPT	DMPLS 3/8-3/8BSPT	3/8	3/8BSPT	DMPLS 3/8-M14	3/8	M14
DMPLS 1/4-1/2NPT	1/4	1/2NPT	DMPLS 3/8-1/2BSPT	3/8	1/2BSPT	DMPLS 3/8-M16	3/8	M16
DMPLS 5/32-1/16NPT	5/32	1/16NPT	DMPLS 1/2-1/4BSPT	1/2	1/4BSPT	DMPLS 3/8-M22	3/8	M22
DMPLS 5/32-1/8NPT	5/32	1/8NPT	DMPLS 1/2-3/8BSPT	1/2	3/8BSPT	DMPLS 1/2-M16	1/2	M16
DMPLS 5/32-1/4NPT	5/32	1/4NPT	DMPLS 1/2-1/2BSPT	1/2	1/2BSPT	DMPLS 1/2-M22	1/2	M22
DMPLS 5/32-3/8NPT	5/32	3/8NPT	DMPLS 1/2-3/4BSPT	1/2	3/4BSPT	DMPLS 5/8-M16	5/8	M16
DMPLS 3/8-1/8NPT	3/8	1/8NPT				DMPLS 5/8-M22	5/8	M22
DMPLS 3/8-1/4NPT	3/8	1/4NPT						
DMPLS 3/8-3/8NPT	3/8	3/8NPT						
DMPLS 3/8-1/2NPT	3/8	1/2NPT						
DMPLS 1/2-1/4NPT	1/2	1/4NPT						
DMPLS 1/2-3/8NPT	1/2	3/8NPT						
DMPLS 1/2-1/2NPT	1/2	1/2NPT						
DMPLS 1/2-3/4NPT	1/2	3/4NPT						
DMPLS 5/8-3/8NPT	5/8	3/8NPT						
DMPLS 5/8-1/2NPT	5/8	1/2NPT						
DMPLS 5/8-3/4NPT	5/8	3/4NPT						
DMPLS 3/4-1/2NPT	3/4	1/2NPT						
DMPLS 3/4-3/4NPT	3/4	3/4NPT						

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel 90 Deg. Female Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLF 3/16-1/16NPT	3/16	1/16NPT	DMPLF 1/4-1/8BSPT	1/4	1/8BSPT	DMPLF 1/4-M10	1/4	M10
DMPLF 3/16-1/8NPT	3/16	1/8NPT	DMPLF 1/4-1/4BSPT	1/4	1/4BSPT	DMPLF 1/4-M12	1/4	M12
DMPLF 3/16-1/4NPT	3/16	1/4NPT	DMPLF 1/4-3/8BSPT	1/4	3/8BSPT	DMPLF 1/4-M16	1/4	M16
DMPLF 1/4-1/16NPT	1/4	1/16NPT	DMPLF 1/4-1/2BSPT	1/4	1/2BSPT	DMPLF 1/4-M22	1/4	M22
DMPLF 1/4-1/8NPT	1/4	1/8NPT	DMPLF 3/8-1/8BSPT	3/8	1/8BSPT	DMPLF 3/8-M10	3/8	M10
DMPLF 1/4-1/4NPT	1/4	1/4NPT	DMPLF 3/8-1/4BSPT	3/8	1/4BSPT	DMPLF 3/8-M12	3/8	M12
DMPLF 1/4-3/8NPT	1/4	3/8NPT	DMPLF 3/8-3/8BSPT	3/8	3/8BSPT	DMPLF 3/8-M14	3/8	M14
DMPLF 1/4-1/2NPT	1/4	1/2NPT	DMPLF 3/8-1/2BSPT	3/8	1/2BSPT	DMPLF 3/8-M16	3/8	M16
DMPLF 5/32-1/16NPT	5/32	1/16NPT	DMPLF 1/2-1/4BSPT	1/2	1/4BSPT	DMPLF 3/8-M22	3/8	M22
DMPLF 5/32-1/8NPT	5/32	1/8NPT	DMPLF 1/2-3/8BSPT	1/2	3/8BSPT	DMPLF 1/2-M16	1/2	M16
DMPLF 5/32-1/4NPT	5/32	1/4NPT	DMPLF 1/2-1/2BSPT	1/2	1/2BSPT	DMPLF 1/2-M22	1/2	M22
DMPLF 5/32-3/8NPT	5/32	3/8NPT	DMPLF 1/2-3/4BSPT	1/2	3/4BSPT	DMPLF 5/8-M16	5/8	M16
DMPLF 3/8-1/8NPT	3/8	1/8NPT				DMPLF 5/8-M22	5/8	M22
DMPLF 3/8-1/4NPT	3/8	1/4NPT						
DMPLF 3/8-3/8NPT	3/8	3/8NPT						
DMPLF 3/8-1/2NPT	3/8	1/2NPT						
DMPLF 1/2-1/4NPT	1/2	1/4NPT						
DMPLF 1/2-3/8NPT	1/2	3/8NPT						
DMPLF 1/2-1/2NPT	1/2	1/2NPT						
DMPLF 1/2-3/4NPT	1/2	3/4NPT						
DMPLF 5/8-3/8NPT	5/8	3/8NPT						
DMPLF 5/8-1/2NPT	5/8	1/2NPT						
DMPLF 5/8-3/4NPT	5/8	3/4NPT						
DMPLF 3/4-1/2NPT	3/4	1/2NPT						
DMPLF 3/4-3/4NPT	3/4	3/4NPT						


 Swivel 90 Deg. Female Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLFS 3/16-1/16NPT	3/16	1/16NPT	DMPLFS 1/4-1/8BSPT	1/4	1/8BSPT	DMPLFS 1/4-M10	1/4	M10
DMPLFS 3/16-1/8NPT	3/16	1/8NPT	DMPLFS 1/4-1/4BSPT	1/4	1/4BSPT	DMPLFS 1/4-M12	1/4	M12
DMPLFS 3/16-1/4NPT	3/16	1/4NPT	DMPLFS 1/4-3/8BSPT	1/4	3/8BSPT	DMPLFS 1/4-M16	1/4	M16
DMPLFS 1/4-1/16NPT	1/4	1/16NPT	DMPLFS 1/4-1/2BSPT	1/4	1/2BSPT	DMPLFS 1/4-M22	1/4	M22
DMPLFS 1/4-1/8NPT	1/4	1/8NPT	DMPLFS 3/8-1/8BSPT	3/8	1/8BSPT	DMPLFS 3/8-M10	3/8	M10
DMPLFS 1/4-1/4NPT	1/4	1/4NPT	DMPLFS 3/8-1/4BSPT	3/8	1/4BSPT	DMPLFS 3/8-M12	3/8	M12
DMPLFS 1/4-3/8NPT	1/4	3/8NPT	DMPLFS 3/8-3/8BSPT	3/8	3/8BSPT	DMPLFS 3/8-M14	3/8	M14
DMPLFS 1/4-1/2NPT	1/4	1/2NPT	DMPLFS 3/8-1/2BSPT	3/8	1/2BSPT	DMPLFS 3/8-M16	3/8	M16
DMPLFS 5/32-1/16NPT	5/32	1/16NPT	DMPLFS 1/2-1/4BSPT	1/2	1/4BSPT	DMPLFS 3/8-M22	3/8	M22
DMPLFS 5/32-1/8NPT	5/32	1/8NPT	DMPLFS 1/2-3/8BSPT	1/2	3/8BSPT	DMPLFS 1/2-M16	1/2	M16
DMPLFS 5/32-1/4NPT	5/32	1/4NPT	DMPLFS 1/2-1/2BSPT	1/2	1/2BSPT	DMPLFS 1/2-M22	1/2	M22
DMPLFS 5/32-3/8NPT	5/32	3/8NPT	DMPLFS 1/2-3/4BSPT	1/2	3/4BSPT	DMPLFS 5/8-M16	5/8	M16
DMPLFS 3/8-1/8NPT	3/8	1/8NPT				DMPLFS 5/8-M22	5/8	M22
DMPLFS 3/8-1/4NPT	3/8	1/4NPT						
DMPLFS 3/8-3/8NPT	3/8	3/8NPT						
DMPLFS 3/8-1/2NPT	3/8	1/2NPT						
DMPLFS 1/2-1/4NPT	1/2	1/4NPT						
DMPLFS 1/2-3/8NPT	1/2	3/8NPT						
DMPLFS 1/2-1/2NPT	1/2	1/2NPT						
DMPLFS 1/2-3/4NPT	1/2	3/4NPT						
DMPLFS 5/8-3/8NPT	5/8	3/8NPT						
DMPLFS 5/8-1/2NPT	5/8	1/2NPT						
DMPLFS 5/8-3/4NPT	5/8	3/4NPT						
DMPLFS 3/4-1/2NPT	3/4	1/2NPT						
DMPLFS 3/4-3/4NPT	3/4	3/4NPT						

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel Male Branch Tee - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPB 3/16-1/16NPT	3/16	1/16NPT	DMPB 1/4-1/8BSPT	1/4	1/8BSPT	DMPB 1/4-M10	1/4	M10
DMPB 3/16-1/8NPT	3/16	1/8NPT	DMPB 1/4-1/4BSPT	1/4	1/4BSPT	DMPB 1/4-M12	1/4	M12
DMPB 3/16-1/4NPT	3/16	1/4NPT	DMPB 1/4-3/8BSPT	1/4	3/8BSPT	DMPB 1/4-M16	1/4	M16
DMPB 1/4-1/16NPT	1/4	1/16NPT	DMPB 1/4-1/2BSPT	1/4	1/2BSPT	DMPB 1/4-M22	1/4	M22
DMPB 1/4-1/8NPT	1/4	1/8NPT	DMPB 3/8-1/8BSPT	3/8	1/8BSPT	DMPB 3/8-M10	3/8	M10
DMPB 1/4-1/4NPT	1/4	1/4NPT	DMPB 3/8-1/4BSPT	3/8	1/4BSPT	DMPB 3/8-M12	3/8	M12
DMPB 1/4-3/8NPT	1/4	3/8NPT	DMPB 3/8-3/8BSPT	3/8	3/8BSPT	DMPB 3/8-M14	3/8	M14
DMPB 1/4-1/2NPT	1/4	1/2NPT	DMPB 3/8-1/2BSPT	3/8	1/2BSPT	DMPB 3/8-M16	3/8	M16
DMPB 5/32-1/16NPT	5/32	1/16NPT	DMPB 1/2-1/4BSPT	1/2	1/4BSPT	DMPB 3/8-M22	3/8	M22
DMPB 5/32-1/8NPT	5/32	1/8NPT	DMPB 1/2-3/8BSPT	1/2	3/8BSPT	DMPB 1/2-M16	1/2	M16
DMPB 5/32-1/4NPT	5/32	1/4NPT	DMPB 1/2-1/2BSPT	1/2	1/2BSPT	DMPB 1/2-M22	1/2	M22
DMPB 5/32-3/8NPT	5/32	3/8NPT	DMPB 1/2-3/4BSPT	1/2	3/4BSPT	DMPB 5/8-M16	5/8	M16
DMPB 3/8-1/8NPT	3/8	1/8NPT				DMPB 5/8-M22	5/8	M22
DMPB 3/8-1/4NPT	3/8	1/4NPT						
DMPB 3/8-3/8NPT	3/8	3/8NPT						
DMPB 3/8-1/2NPT	3/8	1/2NPT						
DMPB 1/2-1/4NPT	1/2	1/4NPT						
DMPB 1/2-3/8NPT	1/2	3/8NPT						
DMPB 1/2-1/2NPT	1/2	1/2NPT						
DMPB 1/2-3/4NPT	1/2	3/4NPT						
DMPB 5/8-3/8NPT	5/8	3/8NPT						
DMPB 5/8-1/2NPT	5/8	1/2NPT						
DMPB 5/8-3/4NPT	5/8	3/4NPT						
DMPB 3/4-1/2NPT	3/4	1/2NPT						
DMPB 3/4-3/4NPT	3/4	3/4NPT						

 Swivel 90 Deg. Male Branch Tee - DOT Brass Push In Air Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBS 3/16-1/16NPT	3/16	1/16NPT	DMPBS 1/4-1/8BSPT	1/4	1/8BSPT	DMPBS 1/4-M10	1/4	M10
DMPBS 3/16-1/8NPT	3/16	1/8NPT	DMPBS 1/4-1/4BSPT	1/4	1/4BSPT	DMPBS 1/4-M12	1/4	M12
DMPBS 3/16-1/4NPT	3/16	1/4NPT	DMPBS 1/4-3/8BSPT	1/4	3/8BSPT	DMPBS 1/4-M16	1/4	M16
DMPBS 1/4-1/16NPT	1/4	1/16NPT	DMPBS 1/4-1/2BSPT	1/4	1/2BSPT	DMPBS 1/4-M22	1/4	M22
DMPBS 1/4-1/8NPT	1/4	1/8NPT	DMPBS 3/8-1/8BSPT	3/8	1/8BSPT	DMPBS 3/8-M10	3/8	M10
DMPBS 1/4-1/4NPT	1/4	1/4NPT	DMPBS 3/8-1/4BSPT	3/8	1/4BSPT	DMPBS 3/8-M12	3/8	M12
DMPBS 1/4-3/8NPT	1/4	3/8NPT	DMPBS 3/8-3/8BSPT	3/8	3/8BSPT	DMPBS 3/8-M14	3/8	M14
DMPBS 1/4-1/2NPT	1/4	1/2NPT	DMPBS 3/8-1/2BSPT	3/8	1/2BSPT	DMPBS 3/8-M16	3/8	M16
DMPBS 5/32-1/16NPT	5/32	1/16NPT	DMPBS 1/2-1/4BSPT	1/2	1/4BSPT	DMPBS 3/8-M22	3/8	M22
DMPBS 5/32-1/8NPT	5/32	1/8NPT	DMPBS 1/2-3/8BSPT	1/2	3/8BSPT	DMPBS 1/2-M16	1/2	M16
DMPBS 5/32-1/4NPT	5/32	1/4NPT	DMPBS 1/2-1/2BSPT	1/2	1/2BSPT	DMPBS 1/2-M22	1/2	M22
DMPBS 5/32-3/8NPT	5/32	3/8NPT	DMPBS 1/2-3/4BSPT	1/2	3/4BSPT	DMPBS 5/8-M16	5/8	M16
DMPBS 3/8-1/8NPT	3/8	1/8NPT				DMPBS 5/8-M22	5/8	M22
DMPBS 3/8-1/4NPT	3/8	1/4NPT						
DMPBS 3/8-3/8NPT	3/8	3/8NPT						
DMPBS 3/8-1/2NPT	3/8	1/2NPT						
DMPBS 1/2-1/4NPT	1/2	1/4NPT						
DMPBS 1/2-3/8NPT	1/2	3/8NPT						
DMPBS 1/2-1/2NPT	1/2	1/2NPT						
DMPBS 1/2-3/4NPT	1/2	3/4NPT						
DMPBS 5/8-3/8NPT	5/8	3/8NPT						
DMPBS 5/8-1/2NPT	5/8	1/2NPT						
DMPBS 5/8-3/4NPT	5/8	3/4NPT						
DMPBS 3/4-1/2NPT	3/4	1/2NPT						
DMPBS 3/4-3/4NPT	3/4	3/4NPT						

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel Female Branch Tee - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBF 3/16-1/16NPT	3/16	1/16NPT	DMPBF 1/4-1/8BSPT	1/4	1/8BSPT	DMPBF 1/4-M10	1/4	M10
DMPBF 3/16-1/8NPT	3/16	1/8NPT	DMPBF 1/4-1/4BSPT	1/4	1/4BSPT	DMPBF 1/4-M12	1/4	M12
DMPBF 3/16-1/4NPT	3/16	1/4NPT	DMPBF 1/4-3/8BSPT	1/4	3/8BSPT	DMPBF 1/4-M16	1/4	M16
DMPBF 1/4-1/16NPT	1/4	1/16NPT	DMPBF 1/4-1/2BSPT	1/4	1/2BSPT	DMPBF 1/4-M22	1/4	M22
DMPBF 1/4-1/8NPT	1/4	1/8NPT	DMPBF 3/8-1/8BSPT	3/8	1/8BSPT	DMPBF 3/8-M10	3/8	M10
DMPBF 1/4-1/4NPT	1/4	1/4NPT	DMPBF 3/8-1/4BSPT	3/8	1/4BSPT	DMPBF 3/8-M12	3/8	M12
DMPBF 1/4-3/8NPT	1/4	3/8NPT	DMPBF 3/8-3/8BSPT	3/8	3/8BSPT	DMPBF 3/8-M14	3/8	M14
DMPBF 1/4-1/2NPT	1/4	1/2NPT	DMPBF 3/8-1/2BSPT	3/8	1/2BSPT	DMPBF 3/8-M16	3/8	M16
DMPBF 5/32-1/16NPT	5/32	1/16NPT	DMPBF 1/2-1/4BSPT	1/2	1/4BSPT	DMPBF 3/8-M22	3/8	M22
DMPBF 5/32-1/8NPT	5/32	1/8NPT	DMPBF 1/2-3/8BSPT	1/2	3/8BSPT	DMPBF 1/2-M16	1/2	M16
DMPBF 5/32-1/4NPT	5/32	1/4NPT	DMPBF 1/2-1/2BSPT	1/2	1/2BSPT	DMPBF 1/2-M22	1/2	M22
DMPBF 5/32-3/8NPT	5/32	3/8NPT	DMPBF 1/2-3/4BSPT	1/2	3/4BSPT	DMPBF 5/8-M16	5/8	M16
DMPBF 3/8-1/8NPT	3/8	1/8NPT				DMPBF 5/8-M22	5/8	M22
DMPBF 3/8-1/4NPT	3/8	1/4NPT						
DMPBF 3/8-3/8NPT	3/8	3/8NPT						
DMPBF 3/8-1/2NPT	3/8	1/2NPT						
DMPBF 1/2-1/4NPT	1/2	1/4NPT						
DMPBF 1/2-3/8NPT	1/2	3/8NPT						
DMPBF 1/2-1/2NPT	1/2	1/2NPT						
DMPBF 1/2-3/4NPT	1/2	3/4NPT						
DMPBF 5/8-3/8NPT	5/8	3/8NPT						
DMPBF 5/8-1/2NPT	5/8	1/2NPT						
DMPBF 5/8-3/4NPT	5/8	3/4NPT						
DMPBF 3/4-1/2NPT	3/4	1/2NPT						
DMPBF 3/4-3/4NPT	3/4	3/4NPT						

 Swivel Female Run Tee - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBFS 3/16-1/16NPT	3/16	1/16NPT	DMPBFS 1/4-1/8BSPT	1/4	1/8BSPT	DMPBFS 1/4-M10	1/4	M10
DMPBFS 3/16-1/8NPT	3/16	1/8NPT	DMPBFS 1/4-1/4BSPT	1/4	1/4BSPT	DMPBFS 1/4-M12	1/4	M12
DMPBFS 3/16-1/4NPT	3/16	1/4NPT	DMPBFS 1/4-3/8BSPT	1/4	3/8BSPT	DMPBFS 1/4-M16	1/4	M16
DMPBFS 1/4-1/16NPT	1/4	1/16NPT	DMPBFS 1/4-1/2BSPT	1/4	1/2BSPT	DMPBFS 1/4-M22	1/4	M22
DMPBFS 1/4-1/8NPT	1/4	1/8NPT	DMPBFS 3/8-1/8BSPT	3/8	1/8BSPT	DMPBFS 3/8-M10	3/8	M10
DMPBFS 1/4-1/4NPT	1/4	1/4NPT	DMPBFS 3/8-1/4BSPT	3/8	1/4BSPT	DMPBFS 3/8-M12	3/8	M12
DMPBFS 1/4-3/8NPT	1/4	3/8NPT	DMPBFS 3/8-3/8BSPT	3/8	3/8BSPT	DMPBFS 3/8-M14	3/8	M14
DMPBFS 1/4-1/2NPT	1/4	1/2NPT	DMPBFS 3/8-1/2BSPT	3/8	1/2BSPT	DMPBFS 3/8-M16	3/8	M16
DMPBFS 5/32-1/16NPT	5/32	1/16NPT	DMPBFS 1/2-1/4BSPT	1/2	1/4BSPT	DMPBFS 3/8-M22	3/8	M22
DMPBFS 5/32-1/8NPT	5/32	1/8NPT	DMPBFS 1/2-3/8BSPT	1/2	3/8BSPT	DMPBFS 1/2-M16	1/2	M16
DMPBFS 5/32-1/4NPT	5/32	1/4NPT	DMPBFS 1/2-1/2BSPT	1/2	1/2BSPT	DMPBFS 1/2-M22	1/2	M22
DMPBFS 5/32-3/8NPT	5/32	3/8NPT	DMPBFS 1/2-3/4BSPT	1/2	3/4BSPT	DMPBFS 5/8-M16	5/8	M16
DMPBFS 3/8-1/8NPT	3/8	1/8NPT				DMPBFS 5/8-M22	5/8	M22
DMPBFS 3/8-1/4NPT	3/8	1/4NPT						
DMPBFS 3/8-3/8NPT	3/8	3/8NPT						
DMPBFS 3/8-1/2NPT	3/8	1/2NPT						
DMPBFS 1/2-1/4NPT	1/2	1/4NPT						
DMPBFS 1/2-3/8NPT	1/2	3/8NPT						
DMPBFS 1/2-1/2NPT	1/2	1/2NPT						
DMPBFS 1/2-3/4NPT	1/2	3/4NPT						
DMPBFS 5/8-3/8NPT	5/8	3/8NPT						
DMPBFS 5/8-1/2NPT	5/8	1/2NPT						
DMPBFS 5/8-3/4NPT	5/8	3/4NPT						
DMPBFS 3/4-1/2NPT	3/4	1/2NPT						
DMPBFS 3/4-3/4NPT	3/4	3/4NPT						

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径


 No Swivel Male Run Tee - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPD 3/16-1/16NPT	3/16	1/16NPT	DMPD 1/4-1/8BSPT	1/4	1/8BSPT	DMPDS 1/4-M10	1/4	M10
DMPD 3/16-1/8NPT	3/16	1/8NPT	DMPD 1/4-1/4BSPT	1/4	1/4BSPT	DMPDS 1/4-M12	1/4	M12
DMPD 3/16-1/4NPT	3/16	1/4NPT	DMPD 1/4-3/8BSPT	1/4	3/8BSPT	DMPDS 1/4-M16	1/4	M16
DMPD 1/4-1/16NPT	1/4	1/16NPT	DMPD 1/4-1/2BSPT	1/4	1/2BSPT	DMPDS 1/4-M22	1/4	M22
DMPD 1/4-1/8NPT	1/4	1/8NPT	DMPD 3/8-1/8BSPT	3/8	1/8BSPT	DMPDS 3/8-M10	3/8	M10
DMPD 1/4-1/4NPT	1/4	1/4NPT	DMPD 3/8-1/4BSPT	3/8	1/4BSPT	DMPDS 3/8-M12	3/8	M12
DMPD 1/4-3/8NPT	1/4	3/8NPT	DMPD 3/8-3/8BSPT	3/8	3/8BSPT	DMPDS 3/8-M14	3/8	M14
DMPD 1/4-1/2NPT	1/4	1/2NPT	DMPD 3/8-1/2BSPT	3/8	1/2BSPT	DMPDS 3/8-M16	3/8	M16
DMPD 5/32-1/16NPT	5/32	1/16NPT	DMPD 1/2-1/4BSPT	1/2	1/4BSPT	DMPDS 3/8-M22	3/8	M22
DMPD 5/32-1/8NPT	5/32	1/8NPT	DMPD 1/2-3/8BSPT	1/2	3/8BSPT	DMPDS 1/2-M16	1/2	M16
DMPD 5/32-1/4NPT	5/32	1/4NPT	DMPD 1/2-1/2BSPT	1/2	1/2BSPT	DMPDS 1/2-M22	1/2	M22
DMPD 5/32-3/8NPT	5/32	3/8NPT	DMPD 1/2-3/4BSPT	1/2	3/4BSPT	DMPDS 5/8-M16	5/8	M16
DMPD 3/8-1/8NPT	3/8	1/8NPT				DMPDS 5/8-M22	5/8	M22
DMPD 3/8-1/4NPT	3/8	1/4NPT						
DMPD 3/8-3/8NPT	3/8	3/8NPT						
DMPD 3/8-1/2NPT	3/8	1/2NPT						
DMPD 1/2-1/4NPT	1/2	1/4NPT						
DMPD 1/2-3/8NPT	1/2	3/8NPT						
DMPD 1/2-1/2NPT	1/2	1/2NPT						
DMPD 1/2-3/4NPT	1/2	3/4NPT						
DMPD 5/8-3/8NPT	5/8	3/8NPT						
DMPD 5/8-1/2NPT	5/8	1/2NPT						
DMPD 5/8-3/4NPT	5/8	3/4NPT						
DMPD 3/4-1/2NPT	3/4	1/2NPT						
DMPD 3/4-3/4NPT	3/4	3/4NPT						

 Swivel 90 Deg. Male Run Tee - DOT Brass Push In Air Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPDS 3/16-1/16NPT	3/16	1/16NPT	DMPDS 1/4-1/8BSPT	1/4	1/8BSPT	DMPDS 1/4-M10	1/4	M10
DMPDS 3/16-1/8NPT	3/16	1/8NPT	DMPDS 1/4-1/4BSPT	1/4	1/4BSPT	DMPDS 1/4-M12	1/4	M12
DMPDS 3/16-1/4NPT	3/16	1/4NPT	DMPDS 1/4-3/8BSPT	1/4	3/8BSPT	DMPDS 1/4-M16	1/4	M16
DMPDS 1/4-1/16NPT	1/4	1/16NPT	DMPDS 1/4-1/2BSPT	1/4	1/2BSPT	DMPDS 1/4-M22	1/4	M22
DMPDS 1/4-1/8NPT	1/4	1/8NPT	DMPDS 3/8-1/8BSPT	3/8	1/8BSPT	DMPDS 3/8-M10	3/8	M10
DMPDS 1/4-1/4NPT	1/4	1/4NPT	DMPDS 3/8-1/4BSPT	3/8	1/4BSPT	DMPDS 3/8-M12	3/8	M12
DMPDS 1/4-3/8NPT	1/4	3/8NPT	DMPDS 3/8-3/8BSPT	3/8	3/8BSPT	DMPDS 3/8-M14	3/8	M14
DMPDS 1/4-1/2NPT	1/4	1/2NPT	DMPDS 3/8-1/2BSPT	3/8	1/2BSPT	DMPDS 3/8-M16	3/8	M16
DMPDS 5/32-1/16NPT	5/32	1/16NPT	DMPDS 1/2-1/4BSPT	1/2	1/4BSPT	DMPDS 3/8-M22	3/8	M22
DMPDS 5/32-1/8NPT	5/32	1/8NPT	DMPDS 1/2-3/8BSPT	1/2	3/8BSPT	DMPDS 1/2-M16	1/2	M16
DMPDS 5/32-1/4NPT	5/32	1/4NPT	DMPDS 1/2-1/2BSPT	1/2	1/2BSPT	DMPDS 1/2-M22	1/2	M22
DMPDS 5/32-3/8NPT	5/32	3/8NPT	DMPDS 1/2-3/4BSPT	1/2	3/4BSPT	DMPDS 5/8-M16	5/8	M16
DMPDS 3/8-1/8NPT	3/8	1/8NPT				DMPDS 5/8-M22	5/8	M22
DMPDS 3/8-1/4NPT	3/8	1/4NPT						
DMPDS 3/8-3/8NPT	3/8	3/8NPT						
DMPDS 3/8-1/2NPT	3/8	1/2NPT						
DMPDS 1/2-1/4NPT	1/2	1/4NPT						
DMPDS 1/2-3/8NPT	1/2	3/8NPT						
DMPDS 1/2-1/2NPT	1/2	1/2NPT						
DMPDS 1/2-3/4NPT	1/2	3/4NPT						
DMPDS 5/8-3/8NPT	5/8	3/8NPT						
DMPDS 5/8-1/2NPT	5/8	1/2NPT						
DMPDS 5/8-3/4NPT	5/8	3/4NPT						
DMPDS 3/4-1/2NPT	3/4	1/2NPT						
DMPDS 3/4-3/4NPT	3/4	3/4NPT						


D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel 45 Deg. Male Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPL45 1/4-1/8NPT	1/4	1/8NPT	DMPL45 1/4-1/8BSPT	1/4	1/8BSPT	DMPL45 1/4-M10	1/4	M10
DMPL45 1/4-1/4NPT	1/4	1/4NPT	DMPL45 1/4-1/4BSPT	1/4	1/4BSPT	DMPL45 1/4-M12	1/4	M12
DMPL45 1/4-3/8NPT	1/4	3/8NPT	DMPL45 1/4-3/8BSPT	1/4	3/8BSPT	DMPL45 1/4-M16	1/4	M16
DMPL45 1/4-1/2NPT	1/4	1/2NPT	DMPL45 1/4-1/2BSPT	1/4	1/2BSPT	DMPL45 1/4-M22	1/4	M22
DMPL45 3/8-1/8NPT	3/8	1/8NPT	DMPL45 3/8-1/8BSPT	3/8	1/8BSPT	DMPL45 3/8-M10	3/8	M10
DMPL45 3/8-1/4NPT	3/8	1/4NPT	DMPL45 3/8-1/4BSPT	3/8	1/4BSPT	DMPL45 3/8-M12	3/8	M12
DMPL45 3/8-3/8NPT	3/8	3/8NPT	DMPL45 3/8-3/8BSPT	3/8	3/8BSPT	DMPL45 3/8-M14	3/8	M14
DMPL45 3/8-1/2NPT	3/8	1/2NPT	DMPL45 3/8-1/2BSPT	3/8	1/2BSPT	DMPL45 3/8-M16	3/8	M16
DMPL45 1/2-1/4NPT	1/2	1/4NPT	DMPL45 1/2-1/4BSPT	1/2	1/4BSPT	DMPL45 3/8-M22	3/8	M22
DMPL45 1/2-3/8NPT	1/2	3/8NPT	DMPL45 1/2-3/8BSPT	1/2	3/8BSPT	DMPL45 1/2-M16	1/2	M16
DMPL45 1/2-1/2NPT	1/2	1/2NPT	DMPL45 1/2-1/2BSPT	1/2	1/2BSPT	DMPL45 1/2-M22	1/2	M22
DMPL45 1/2-3/4NPT	1/2	3/4NPT	DMPL45 1/2-3/4BSPT	1/2	3/4BSPT	DMPL45 5/8-M16	5/8	M16
DMPL45 5/8-3/8NPT	5/8	3/8NPT				DMPL45 5/8-M22	5/8	M22
DMPL45 5/8-1/2NPT	5/8	1/2NPT						
DMPL45 5/8-3/4NPT	5/8	3/4NPT						
DMPL45 3/4-1/2NPT	3/4	1/2NPT						
DMPL45 3/4-3/4NPT	3/4	3/4NPT						

 Swivel 45 Deg. Male Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLS45 1/4-1/8NPT	1/4	1/8NPT	DMPLS45 1/4-1/8BSPT	1/4	1/8BSPT	DMPLS45 1/4-M10	1/4	M10
DMPLS45 1/4-1/4NPT	1/4	1/4NPT	DMPLS45 1/4-1/4BSPT	1/4	1/4BSPT	DMPLS45 1/4-M12	1/4	M12
DMPLS45 1/4-3/8NPT	1/4	3/8NPT	DMPLS45 1/4-3/8BSPT	1/4	3/8BSPT	DMPLS45 1/4-M16	1/4	M16
DMPLS45 1/4-1/2NPT	1/4	1/2NPT	DMPLS45 1/4-1/2BSPT	1/4	1/2BSPT	DMPLS45 1/4-M22	1/4	M22
DMPLS45 3/8-1/8NPT	3/8	1/8NPT	DMPLS45 3/8-1/8BSPT	3/8	1/8BSPT	DMPLS45 3/8-M10	3/8	M10
DMPLS45 3/8-1/4NPT	3/8	1/4NPT	DMPLS45 3/8-1/4BSPT	3/8	1/4BSPT	DMPLS45 3/8-M12	3/8	M12
DMPLS45 3/8-3/8NPT	3/8	3/8NPT	DMPLS45 3/8-3/8BSPT	3/8	3/8BSPT	DMPLS45 3/8-M14	3/8	M14
DMPLS45 3/8-1/2NPT	3/8	1/2NPT	DMPLS45 3/8-1/2BSPT	3/8	1/2BSPT	DMPLS45 3/8-M16	3/8	M16
DMPLS45 1/2-1/4NPT	1/2	1/4NPT	DMPLS45 1/2-1/4BSPT	1/2	1/4BSPT	DMPLS45 3/8-M22	3/8	M22
DMPLS45 1/2-3/8NPT	1/2	3/8NPT	DMPLS45 1/2-3/8BSPT	1/2	3/8BSPT	DMPLS45 1/2-M16	1/2	M16
DMPLS45 1/2-1/2NPT	1/2	1/2NPT	DMPLS45 1/2-1/2BSPT	1/2	1/2BSPT	DMPLS45 1/2-M22	1/2	M22
DMPLS45 1/2-3/4NPT	1/2	3/4NPT	DMPLS45 1/2-3/4BSPT	1/2	3/4BSPT	DMPLS45 5/8-M16	5/8	M16
DMPLS45 5/8-3/8NPT	5/8	3/8NPT				DMPLS45 5/8-M22	5/8	M22
DMPLS45 5/8-1/2NPT	5/8	1/2NPT						
DMPLS45 5/8-3/4NPT	5/8	3/4NPT						
DMPLS45 3/4-1/2NPT	3/4	1/2NPT						
DMPLS45 3/4-3/4NPT	3/4	3/4NPT						

 Male Bulkhead - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPMM 1/4-1/8NPT	1/4	1/8NPT	DMPMM 1/4-1/8BSPT	1/4	1/8BSPT	DMPMM 1/4-M12	1/4	M12
DMPMM 1/4-1/4NPT	1/4	1/4NPT	DMPMM 1/4-1/4BSPT	1/4	1/4BSPT	DMPMM 1/4-M16	1/4	M16
DMPMM 3/8-1/4NPT	3/8	1/4NPT	DMPMM 3/8-1/4BSPT	3/8	1/4BSPT	DMPMM 3/8-M16	3/8	M16
DMPMM 3/8-3/8NPT	3/8	3/8NPT	DMPMM 3/8-3/8BSPT	3/8	3/8BSPT	DMPMM 3/8-M22	3/8	M22
DMPMM 1/2-3/8NPT	1/2	3/8NPT	DMPMM 1/2-3/8BSPT	1/2	3/8BSPT	DMPMM 1/2-M22	1/2	M22

D.O.T. Push In Fittings 全铜DOT快速接头
Imperial Tube Size 英制管径

 No Swivel Male Branch Tee - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPMF 1/4-1/8NPT	1/4	1/8NPT	DMPMF 1/4-1/8BSPT	1/4	1/8BSPT	DMPMF 1/4-M10	1/4	M10
DMPMF 1/4-1/4NPT	1/4	1/4NPT	DMPMF 1/4-1/4BSPT	1/4	1/4BSPT	DMPMF 1/4-M12	1/4	M12
DMPMF 1/4-3/8NPT	1/4	3/8NPT	DMPMF 1/4-3/8BSPT	1/4	3/8BSPT	DMPMF 1/4-M16	1/4	M16
DMPMF 1/4-1/2NPT	1/4	1/2NPT	DMPMF 1/4-1/2BSPT	1/4	1/2BSPT	DMPMF 1/4-M22	1/4	M22
DMPMF 3/8-1/8NPT	3/8	1/8NPT	DMPMF 3/8-1/8BSPT	3/8	1/8BSPT	DMPMF 3/8-M10	3/8	M10
DMPMF 3/8-1/4NPT	3/8	1/4NPT	DMPMF 3/8-1/4BSPT	3/8	1/4BSPT	DMPMF 3/8-M12	3/8	M12
DMPMF 3/8-3/8NPT	3/8	3/8NPT	DMPMF 3/8-3/8BSPT	3/8	3/8BSPT	DMPMF 3/8-M14	3/8	M14
DMPMF 3/8-1/2NPT	3/8	1/2NPT	DMPMF 3/8-1/2BSPT	3/8	1/2BSPT	DMPMF 3/8-M16	3/8	M16
DMPMF 1/2-1/4NPT	1/2	1/4NPT	DMPMF 1/2-1/4BSPT	1/2	1/4BSPT	DMPMF 3/8-M22	3/8	M22
DMPMF 1/2-3/8NPT	1/2	3/8NPT	DMPMF 1/2-3/8BSPT	1/2	3/8BSPT	DMPMF 1/2-M16	1/2	M16
DMPMF 1/2-1/2NPT	1/2	1/2NPT	DMPMF 1/2-1/2BSPT	1/2	1/2BSPT	DMPMF 1/2-M22	1/2	M22
DMPMF 1/2-3/4NPT	1/2	3/4NPT	DMPMF 1/2-3/4BSPT	1/2	3/4BSPT	DMPMF 5/8-M16	5/8	M16
DMPMF 5/8-3/8NPT	5/8	3/8NPT	DMPMF 5/8-3/8BSPT	5/8	3/8BSPT	DMPMF 5/8-M22	5/8	M22
DMPMF 5/8-1/2NPT	5/8	1/2NPT	DMPMF 5/8-1/2BSPT	5/8	1/2BSPT			
DMPMF 5/8-3/4NPT	5/8	3/4NPT	DMPMF 5/8-3/4BSPT	5/8	3/4BSPT			
DMPMF 3/4-1/2NPT	3/4	1/2NPT	DMPMF 3/4-1/2BSPT	3/4	1/2BSPT			
DMPMF 3/4-3/4NPT	3/4	3/4NPT	DMPMF 3/4-3/4BSPT	3/4	3/4BSPT			

Union	Union Elbow	Union Tee	Union Bulkhead																																																																								
																																																																											
<table><tr><th>MODEL</th><th>Tube Size</th></tr><tr><td>DMPU 1/8</td><td>1/8</td></tr><tr><td>DMPU 5/32</td><td>5/32</td></tr><tr><td>DMPU 3/16</td><td>3/16</td></tr><tr><td>DMPU 1/4</td><td>1/4</td></tr><tr><td>DMPU 3/8</td><td>3/8</td></tr><tr><td>DMPU 1/2</td><td>1/2</td></tr><tr><td>DMPU 5/8</td><td>5/8</td></tr><tr><td>DMPU 3/4</td><td>3/4</td></tr></table>	MODEL	Tube Size	DMPU 1/8	1/8	DMPU 5/32	5/32	DMPU 3/16	3/16	DMPU 1/4	1/4	DMPU 3/8	3/8	DMPU 1/2	1/2	DMPU 5/8	5/8	DMPU 3/4	3/4	<table><tr><th>MODEL</th><th>Tube Size</th></tr><tr><td>DMPV 1/8</td><td>1/8</td></tr><tr><td>DMPV 5/32</td><td>5/32</td></tr><tr><td>DMPV 3/16</td><td>3/16</td></tr><tr><td>DMPV 1/4</td><td>1/4</td></tr><tr><td>DMPV 3/8</td><td>3/8</td></tr><tr><td>DMPV 1/2</td><td>1/2</td></tr><tr><td>DMPV 5/8</td><td>5/8</td></tr><tr><td>DMPV 3/4</td><td>3/4</td></tr></table>	MODEL	Tube Size	DMPV 1/8	1/8	DMPV 5/32	5/32	DMPV 3/16	3/16	DMPV 1/4	1/4	DMPV 3/8	3/8	DMPV 1/2	1/2	DMPV 5/8	5/8	DMPV 3/4	3/4	<table><tr><th>MODEL</th><th>Tube Size</th></tr><tr><td>DMPE 1/8</td><td>1/8</td></tr><tr><td>DMPE 5/32</td><td>5/32</td></tr><tr><td>DMPE 3/16</td><td>3/16</td></tr><tr><td>DMPE 1/4</td><td>1/4</td></tr><tr><td>DMPE 3/8</td><td>3/8</td></tr><tr><td>DMPE 1/2</td><td>1/2</td></tr><tr><td>DMPE 5/8</td><td>5/8</td></tr><tr><td>DMPE 3/4</td><td>3/4</td></tr></table>	MODEL	Tube Size	DMPE 1/8	1/8	DMPE 5/32	5/32	DMPE 3/16	3/16	DMPE 1/4	1/4	DMPE 3/8	3/8	DMPE 1/2	1/2	DMPE 5/8	5/8	DMPE 3/4	3/4	<table><tr><th>MODEL</th><th>Tube Size</th></tr><tr><td>DMPM 1/8</td><td>1/8</td></tr><tr><td>DMPM 5/32</td><td>5/32</td></tr><tr><td>DMPM 3/16</td><td>3/16</td></tr><tr><td>DMPM 1/4</td><td>1/4</td></tr><tr><td>DMPM 3/8</td><td>3/8</td></tr><tr><td>DMPM 1/2</td><td>1/2</td></tr><tr><td>DMPM 5/8</td><td>5/8</td></tr><tr><td>DMPM 3/4</td><td>3/4</td></tr></table>	MODEL	Tube Size	DMPM 1/8	1/8	DMPM 5/32	5/32	DMPM 3/16	3/16	DMPM 1/4	1/4	DMPM 3/8	3/8	DMPM 1/2	1/2	DMPM 5/8	5/8	DMPM 3/4	3/4
MODEL	Tube Size																																																																										
DMPU 1/8	1/8																																																																										
DMPU 5/32	5/32																																																																										
DMPU 3/16	3/16																																																																										
DMPU 1/4	1/4																																																																										
DMPU 3/8	3/8																																																																										
DMPU 1/2	1/2																																																																										
DMPU 5/8	5/8																																																																										
DMPU 3/4	3/4																																																																										
MODEL	Tube Size																																																																										
DMPV 1/8	1/8																																																																										
DMPV 5/32	5/32																																																																										
DMPV 3/16	3/16																																																																										
DMPV 1/4	1/4																																																																										
DMPV 3/8	3/8																																																																										
DMPV 1/2	1/2																																																																										
DMPV 5/8	5/8																																																																										
DMPV 3/4	3/4																																																																										
MODEL	Tube Size																																																																										
DMPE 1/8	1/8																																																																										
DMPE 5/32	5/32																																																																										
DMPE 3/16	3/16																																																																										
DMPE 1/4	1/4																																																																										
DMPE 3/8	3/8																																																																										
DMPE 1/2	1/2																																																																										
DMPE 5/8	5/8																																																																										
DMPE 3/4	3/4																																																																										
MODEL	Tube Size																																																																										
DMPM 1/8	1/8																																																																										
DMPM 5/32	5/32																																																																										
DMPM 3/16	3/16																																																																										
DMPM 1/4	1/4																																																																										
DMPM 3/8	3/8																																																																										
DMPM 1/2	1/2																																																																										
DMPM 5/8	5/8																																																																										
DMPM 3/4	3/4																																																																										

Reducer Straight



MODEL	Tube Size	Tube Size
DMPG 1/4-5/32	1/4	5/32
DMPG 5/16-5/32	5/16	5/32
DMPG 5/16-1/4	5/16	1/4
DMPG 3/8-5/32	3/8	5/32
DMPG 3/8-1/4	3/8	1/4
DMPG 3/8-5/16	3/8	5/16
DMPG 1/2-1/4	1/2	1/4
DMPG 1/2-5/16	1/2	5/16
DMPG 1/2-3/8	1/2	3/8


Reducer Tee



MODEL	Tube 1	Tube 2
DMPGT 1/4-5/32	1/4	5/32
DMPGT 5/16-5/32	5/16	5/32
DMPGT 5/16-1/4	5/16	1/4
DMPGT 3/8-5/32	3/8	5/32
DMPGT 3/8-1/4	3/8	1/4
DMPGT 3/8-5/16	3/8	5/16
DMPGT 1/2-1/4	1/2	1/4
DMPGT 1/2-5/16	1/2	5/16
DMPGT 1/2-3/8	1/2	3/8


D.O.T. Push In Fittings 全铜DOT快速接头
Metric Tube Size 公制管径

 Male Adapter - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPC 6-1/8BSPT	6mm	1/8BSPT	DMPC 6-1/8NPT	6mm	1/8NPT	DMPC 6-M10	6mm	M10
DMPC 6-1/4BSPT	6mm	1/4BSPT	DMPC 6-1/4NPT	6mm	1/4NPT	DMPC 6-M12	6mm	M12
DMPC 6-3/8BSPT	6mm	3/8BSPT	DMPC 6-3/8NPT	6mm	3/8NPT	DMPC 6-M16	6mm	M16
DMPC 6-1/2BSPT	6mm	1/2BSPT	DMPC 6-1/2NPT	6mm	1/2NPT	DMPC 6-M22	6mm	M22
DMPC 10-1/8BSPT	10mm	1/8BSPT	DMPC 8-1/8NPT	8mm	1/8NPT	DMPC 8-M10	8mm	M10
DMPC 10-1/4BSPT	10mm	1/4BSPT	DMPC 8-1/4NPT	8mm	1/4NPT	DMPC 8-M12	8mm	M12
DMPC 10-3/8BSPT	10mm	3/8BSPT	DMPC 8-3/8NPT	8mm	3/8NPT	DMPC 8-M16	8mm	M16
DMPC 10-1/2BSPT	10mm	1/2BSPT	DMPC 8-1/2NPT	8mm	1/2NPT	DMPC 8-M22	8mm	M22
DMPC 12-1/4BSPT	12mm	1/4BSPT	DMPC 10-1/4NPT	10mm	1/4NPT	DMPC 10-M12	10mm	M12
DMPC 12-3/8BSPT	12mm	3/8BSPT	DMPC 10-3/8NPT	10mm	3/8NPT	DMPC 10-M16	10mm	M16
DMPC 12-1/2BSPT	12mm	1/2BSPT	DMPC 10-1/2NPT	10mm	1/2NPT	DMPC 10-M22	10mm	M22
DMPC 12-3/4BSPT	12mm	3/4BSPT	DMPC 12-1/4NPT	12mm	1/4NPT	DMPC 12-M12	12mm	M12
			DMPC 12-3/8NPT	12mm	3/8NPT	DMPC 12-M16	12mm	M16
			DMPC 12-1/2NPT	12mm	1/2NPT	DMPC 12-M22	12mm	M22
			DMPC 16-3/8NPT	16mm	3/8NPT	DMPC 15-M22	15MM	M22
			DMPC 16-1/2NPT	16mm	1/2NPT	DMPC 16-M16	16mm	M16
						DMPC 16-M22	16mm	M22

 Female Adapter - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPCF 6-1/8BSPT	6mm	1/8BSPT	DMPCF 6-1/8NPT	6mm	1/8NPT	DMPCF 6-M10	6mm	M10
DMPCF 6-1/4BSPT	6mm	1/4BSPT	DMPCF 6-1/4NPT	6mm	1/4NPT	DMPCF 6-M12	6mm	M12
DMPCF 6-3/8BSPT	6mm	3/8BSPT	DMPCF 6-3/8NPT	6mm	3/8NPT	DMPCF 6-M16	6mm	M16
DMPCF 6-1/2BSPT	6mm	1/2BSPT	DMPCF 6-1/2NPT	6mm	1/2NPT	DMPCF 6-M22	6mm	M22
DMPCF 10-1/8BSPT	10mm	1/8BSPT	DMPCF 8-1/8NPT	8mm	1/8NPT	DMPCF 8-M10	8mm	M10
DMPCF 10-1/4BSPT	10mm	1/4BSPT	DMPCF 8-1/4NPT	8mm	1/4NPT	DMPCF 8-M12	8mm	M12
DMPCF 10-3/8BSPT	10mm	3/8BSPT	DMPCF 8-3/8NPT	8mm	3/8NPT	DMPCF 8-M16	8mm	M16
DMPCF 10-1/2BSPT	10mm	1/2BSPT	DMPCF 8-1/2NPT	8mm	1/2NPT	DMPCF 8-M22	8mm	M22
DMPCF 12-1/4BSPT	12mm	1/4BSPT	DMPCF 10-1/4NPT	10mm	1/4NPT	DMPCF 10-M12	10mm	M12
DMPCF 12-3/8BSPT	12mm	3/8BSPT	DMPCF 10-3/8NPT	10mm	3/8NPT	DMPCF 10-M16	10mm	M16
DMPCF 12-1/2BSPT	12mm	1/2BSPT	DMPCF 10-1/2NPT	10mm	1/2NPT	DMPCF 10-M22	10mm	M22
DMPCF 12-3/4BSPT	12mm	3/4BSPT	DMPCF 12-1/4NPT	12mm	1/4NPT	DMPCF 12-M12	12mm	M12
			DMPCF 12-3/8NPT	12mm	3/8NPT	DMPCF 12-M16	12mm	M16
			DMPCF 12-1/2NPT	12mm	1/2NPT	DMPCF 12-M22	12mm	M22
			DMPCF 16-3/8NPT	16mm	3/8NPT	DMPCF 15-M22	15MM	M22
			DMPCF 16-1/2NPT	16mm	1/2NPT	DMPCF 16-M16	16mm	M16
						DMPCF 16-M22	16mm	M22

 Union		 Union Elbow		 Union Tee	
MODEL	Tube Size	MODEL	Tube Size	MODEL	Tube Size
DMPU 4	4mm	DMPV 4	4mm	DMPE 4	4mm
DMPU 6	6mm	DMPV 6	6mm	DMPE 6	6mm
DMPU 8	8mm	DMPV 8	8mm	DMPE 8	8mm
DMPU 9	9mm	DMPV 9	9mm	DMPE 9	9mm
DMPU 10	10mm	DMPV 10	10mm	DMPE 10	10mm
DMPU 11	11mm	DMPV 11	11mm	DMPE 11	11mm
DMPU 12	12mm	DMPV 12	12mm	DMPE 12	12mm
DMPU 15	15mm	DMPV 15	15mm	DMPE 15	15mm
DMPU 16	16mm	DMPV 16	16mm	DMPE 16	16mm

D.O.T. Push In Fittings 全铜DOT快速接头
Metric Tube Size 公制管径

 No Swivel 90 Deg. Male Elbow - DOT Brass Push To Connect Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPL 6-1/8BSPT	6mm	1/8BSPT	DMPL 6-1/8NPT	6mm	1/8NPT	DMPL 6-M10	6mm	M10
DMPL 6-1/4BSPT	6mm	1/4BSPT	DMPL 6-1/4NPT	6mm	1/4NPT	DMPL 6-M12	6mm	M12
DMPL 6-3/8BSPT	6mm	3/8BSPT	DMPL 6-3/8NPT	6mm	3/8NPT	DMPL 6-M16	6mm	M16
DMPL 6-1/2BSPT	6mm	1/2BSPT	DMPL 6-1/2NPT	6mm	1/2NPT	DMPL 6-M22	6mm	M22
DMPL 10-1/8BSPT	10mm	1/8BSPT	DMPL 8-1/8NPT	8mm	1/8NPT	DMPL 8-M10	8mm	M10
DMPL 10-1/4BSPT	10mm	1/4BSPT	DMPL 8-1/4NPT	8mm	1/4NPT	DMPL 8-M12	8mm	M12
DMPL 10-3/8BSPT	10mm	3/8BSPT	DMPL 8-3/8NPT	8mm	3/8NPT	DMPL 8-M16	8mm	M16
DMPL 10-1/2BSPT	10mm	1/2BSPT	DMPL 8-1/2NPT	8mm	1/2NPT	DMPL 8-M22	8mm	M22
DMPL 12-1/4BSPT	12mm	1/4BSPT	DMPL 10-1/4NPT	10mm	1/4NPT	DMPL 10-M12	10mm	M12
DMPL 12-3/8BSPT	12mm	3/8BSPT	DMPL 10-3/8NPT	10mm	3/8NPT	DMPL 10-M16	10mm	M16
DMPL 12-1/2BSPT	12mm	1/2BSPT	DMPL 10-1/2NPT	10mm	1/2NPT	DMPL 10-M22	10mm	M22
DMPL 12-3/4BSPT	12mm	3/4BSPT	DMPL 12-1/4NPT	12mm	1/4NPT	DMPL 12-M12	12mm	M12
			DMPL 12-3/8NPT	12mm	3/8NPT	DMPL 12-M16	12mm	M16
			DMPL 12-1/2NPT	12mm	1/2NPT	DMPL 12-M22	12mm	M22
			DMPL 16-3/8NPT	16mm	3/8NPT	DMPL 15-M22	15MM	M22
			DMPL 16-1/2NPT	16mm	1/2NPT	DMPL 16-M16	16mm	M16
						DMPL 16-M22	16mm	M22


 Swivel 90 Deg. Male Elbow - DOT Brass Push In Air Fittings								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLS 6-1/8BSPT	6mm	1/8BSPT	DMPLS 6-1/8NPT	6mm	1/8NPT	DMPLS 6-M10	6mm	M10
DMPLS 6-1/4BSPT	6mm	1/4BSPT	DMPLS 6-1/4NPT	6mm	1/4NPT	DMPLS 6-M12	6mm	M12
DMPLS 6-3/8BSPT	6mm	3/8BSPT	DMPLS 6-3/8NPT	6mm	3/8NPT	DMPLS 6-M16	6mm	M16
DMPLS 6-1/2BSPT	6mm	1/2BSPT	DMPLS 6-1/2NPT	6mm	1/2NPT	DMPLS 6-M22	6mm	M22
DMPLS 10-1/8BSPT	10mm	1/8BSPT	DMPLS 8-1/8NPT	8mm	1/8NPT	DMPLS 8-M10	8mm	M10
DMPLS 10-1/4BSPT	10mm	1/4BSPT	DMPLS 8-1/4NPT	8mm	1/4NPT	DMPLS 8-M12	8mm	M12
DMPLS 10-3/8BSPT	10mm	3/8BSPT	DMPLS 8-3/8NPT	8mm	3/8NPT	DMPLS 8-M16	8mm	M16
DMPLS 10-1/2BSPT	10mm	1/2BSPT	DMPLS 8-1/2NPT	8mm	1/2NPT	DMPLS 8-M22	8mm	M22
DMPLS 12-1/4BSPT	12mm	1/4BSPT	DMPLS 10-1/4NPT	10mm	1/4NPT	DMPLS 10-M12	10mm	M12
DMPLS 12-3/8BSPT	12mm	3/8BSPT	DMPLS 10-3/8NPT	10mm	3/8NPT	DMPLS 10-M16	10mm	M16
DMPLS 12-1/2BSPT	12mm	1/2BSPT	DMPLS 10-1/2NPT	10mm	1/2NPT	DMPLS 10-M22	10mm	M22
DMPLS 12-3/4BSPT	12mm	3/4BSPT	DMPLS 12-1/4NPT	12mm	1/4NPT	DMPLS 12-M12	12mm	M12
			DMPLS 12-3/8NPT	12mm	3/8NPT	DMPLS 12-M16	12mm	M16
			DMPLS 12-1/2NPT	12mm	1/2NPT	DMPLS 12-M22	12mm	M22
			DMPLS 16-3/8NPT	16mm	3/8NPT	DMPLS 15-M22	15MM	M22
			DMPLS 16-1/2NPT	16mm	1/2NPT	DMPLS 16-M16	16mm	M16
						DMPLS 16-M22	16mm	M22

 Union Bulkhead			 Reducer Straight			 Reducer Tee		
MODEL	Tube Size		MODEL	Tube Size	Tube Size	MODEL	Tube 1	Tube 2
DMPM 4	4mm		DMPG 06-04	6mm	4mm	DMPGT 06-04	6mm	4mm
DMPM 6	6mm		DMPG 08-04	8mm	4mm	DMPGT 08-04	8mm	4mm
DMPM 8	8mm		DMPG 08-06	8mm	6mm	DMPGT 08-06	8mm	6mm
DMPM 9	9mm		DMPG 10-04	10mm	4mm	DMPGT 10-04	10mm	4mm
DMPM 10	10mm		DMPG 10-06	10mm	6mm	DMPGT 10-06	10mm	6mm
DMPM 11	11mm		DMPG 10-08	10mm	8mm	DMPGT 10-08	10mm	8mm
DMPM 12	12mm		DMPG 12-06	12mm	6mm	DMPGT 12-06	12mm	6mm
DMPM 15	15mm		DMPG 12-08	12mm	8mm	DMPGT 12-08	12mm	8mm
DMPM 16	16mm		DMPG 12-10	12mm	10mm	DMPGT 12-10	12mm	10mm

D.O.T. Push In Fittings 全铜DOT快速接头
Metric Tube Size 公制管径

								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLF 6-1/8BSPT	6mm	1/8BSPT	DMPLF 6-1/8NPT	6mm	1/8NPT	DMPLF 6-M10	6mm	M10
DMPLF 6-1/4BSPT	6mm	1/4BSPT	DMPLF 6-1/4NPT	6mm	1/4NPT	DMPLF 6-M12	6mm	M12
DMPLF 6-3/8BSPT	6mm	3/8BSPT	DMPLF 6-3/8NPT	6mm	3/8NPT	DMPLF 6-M16	6mm	M16
DMPLF 6-1/2BSPT	6mm	1/2BSPT	DMPLF 6-1/2NPT	6mm	1/2NPT	DMPLF 6-M22	6mm	M22
DMPLF 10-1/8BSPT	10mm	1/8BSPT	DMPLF 8-1/8NPT	8mm	1/8NPT	DMPLF 8-M10	8mm	M10
DMPLF 10-1/4BSPT	10mm	1/4BSPT	DMPLF 8-1/4NPT	8mm	1/4NPT	DMPLF 8-M12	8mm	M12
DMPLF 10-3/8BSPT	10mm	3/8BSPT	DMPLF 8-3/8NPT	8mm	3/8NPT	DMPLF 8-M16	8mm	M16
DMPLF 10-1/2BSPT	10mm	1/2BSPT	DMPLF 8-1/2NPT	8mm	1/2NPT	DMPLF 8-M22	8mm	M22
DMPLF 12-1/4BSPT	12mm	1/4BSPT	DMPLF 10-1/4NPT	10mm	1/4NPT	DMPLF 10-M12	10mm	M12
DMPLF 12-3/8BSPT	12mm	3/8BSPT	DMPLF 10-3/8NPT	10mm	3/8NPT	DMPLF 10-M16	10mm	M16
DMPLF 12-1/2BSPT	12mm	1/2BSPT	DMPLF 10-1/2NPT	10mm	1/2NPT	DMPLF 10-M22	10mm	M22
DMPLF 12-3/4BSPT	12mm	3/4BSPT	DMPLF 12-1/4NPT	12mm	1/4NPT	DMPLF 12-M12	12mm	M12
			DMPLF 12-3/8NPT	12mm	3/8NPT	DMPLF 12-M16	12mm	M16
			DMPLF 12-1/2NPT	12mm	1/2NPT	DMPLF 12-M22	12mm	M22
			DMPLF 16-3/8NPT	16mm	3/8NPT	DMPLF 15-M22	15MM	M22
			DMPLF 16-1/2NPT	16mm	1/2NPT	DMPLF 16-M16	16mm	M16
						DMPLF 16-M22	16mm	M22


								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLFS 6-1/8BSPT	6mm	1/8BSPT	DMPLFS 6-1/8NPT	6mm	1/8NPT	DMPLFS 6-M10	6mm	M10
DMPLFS 6-1/4BSPT	6mm	1/4BSPT	DMPLFS 6-1/4NPT	6mm	1/4NPT	DMPLFS 6-M12	6mm	M12
DMPLFS 6-3/8BSPT	6mm	3/8BSPT	DMPLFS 6-3/8NPT	6mm	3/8NPT	DMPLFS 6-M16	6mm	M16
DMPLFS 6-1/2BSPT	6mm	1/2BSPT	DMPLFS 6-1/2NPT	6mm	1/2NPT	DMPLFS 6-M22	6mm	M22
DMPLFS 10-1/8BSPT	10mm	1/8BSPT	DMPLFS 8-1/8NPT	8mm	1/8NPT	DMPLFS 8-M10	8mm	M10
DMPLFS 10-1/4BSPT	10mm	1/4BSPT	DMPLFS 8-1/4NPT	8mm	1/4NPT	DMPLFS 8-M12	8mm	M12
DMPLFS 10-3/8BSPT	10mm	3/8BSPT	DMPLFS 8-3/8NPT	8mm	3/8NPT	DMPLFS 8-M16	8mm	M16
DMPLFS 10-1/2BSPT	10mm	1/2BSPT	DMPLFS 8-1/2NPT	8mm	1/2NPT	DMPLFS 8-M22	8mm	M22
DMPLFS 12-1/4BSPT	12mm	1/4BSPT	DMPLFS 10-1/4NPT	10mm	1/4NPT	DMPLFS 10-M12	10mm	M12
DMPLFS 12-3/8BSPT	12mm	3/8BSPT	DMPLFS 10-3/8NPT	10mm	3/8NPT	DMPLFS 10-M16	10mm	M16
DMPLFS 12-1/2BSPT	12mm	1/2BSPT	DMPLFS 10-1/2NPT	10mm	1/2NPT	DMPLFS 10-M22	10mm	M22
DMPLFS 12-3/4BSPT	12mm	3/4BSPT	DMPLFS 12-1/4NPT	12mm	1/4NPT	DMPLFS 12-M12	12mm	M12
			DMPLFS 12-3/8NPT	12mm	3/8NPT	DMPLFS 12-M16	12mm	M16
			DMPLFS 12-1/2NPT	12mm	1/2NPT	DMPLFS 12-M22	12mm	M22
			DMPLFS 16-3/8NPT	16mm	3/8NPT	DMPLFS 15-M22	15MM	M22
			DMPLFS 16-1/2NPT	16mm	1/2NPT	DMPLFS 16-M16	16mm	M16
						DMPLFS 16-M22	16mm	M22


								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPMM6-1/8BSPT	6mm	1/8BSPT	DMPMM 6-1/8NPT	6mm	1/8NPT	DMPMM 6-M12	6mm	M12
DMPMM 6-1/4BSPT	6mm	1/4BSPT	DMPMM 6-1/4NPT	6mm	1/4NPT	DMPMM 6-M16	6mm	M16
DMPMM 8-1/4BSPT	8mm	1/4BSPT	DMPMM 8-1/4NPT	8mm	1/4NPT	DMPMM 8-M16	8mm	M16
DMPMM 8-3/8BSPT	8mm	3/8BSPT	DMPMM 8-3/8NPT	8mm	3/8NPT	DMPMM 8-M22	8mm	M22
DMPMM 10-1/4BSPT	10mm	1/4BSPT	DMPMM 10-1/4NPT	10mm	1/4NPT	DMPMM 10-M16	10mm	M16
DMPMM 10-3/8BSPT	10mm	3/8BSPT	DMPMM 10-3/8NPT	10mm	3/8NPT	DMPMM 10-M22	10mm	M22
DMPMM 1/2-3/8BSPT	12mm	3/8BSPT	DMPMM 1/2-3/8NPT	12mm	3/8NPT	DMPMM 1/2-M22	12mm	M22

D.O.T. Push In Fittings 全铜DOT快速接头

								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPB 6-1/8BSPT	6mm	1/8BSPT	DMPB 6-1/8NPT	6mm	1/8NPT	DMPB 6-M10	6mm	M10
DMPB 6-1/4BSPT	6mm	1/4BSPT	DMPB 6-1/4NPT	6mm	1/4NPT	DMPB 6-M12	6mm	M12
DMPB 6-3/8BSPT	6mm	3/8BSPT	DMPB 6-3/8NPT	6mm	3/8NPT	DMPB 6-M16	6mm	M16
DMPB 6-1/2BSPT	6mm	1/2BSPT	DMPB 6-1/2NPT	6mm	1/2NPT	DMPB 6-M22	6mm	M22
DMPB 10-1/8BSPT	10mm	1/8BSPT	DMPB 8-1/8NPT	8mm	1/8NPT	DMPB 8-M10	8mm	M10
DMPB 10-1/4BSPT	10mm	1/4BSPT	DMPB 8-1/4NPT	8mm	1/4NPT	DMPB 8-M12	8mm	M12
DMPB 10-3/8BSPT	10mm	3/8BSPT	DMPB 8-3/8NPT	8mm	3/8NPT	DMPB 8-M16	8mm	M16
DMPB 10-1/2BSPT	10mm	1/2BSPT	DMPB 8-1/2NPT	8mm	1/2NPT	DMPB 8-M22	8mm	M22
DMPB 12-1/4BSPT	12mm	1/4BSPT	DMPB 10-1/4NPT	10mm	1/4NPT	DMPB 10-M12	10mm	M12
DMPB 12-3/8BSPT	12mm	3/8BSPT	DMPB 10-3/8NPT	10mm	3/8NPT	DMPB 10-M16	10mm	M16
DMPB 12-1/2BSPT	12mm	1/2BSPT	DMPB 10-1/2NPT	10mm	1/2NPT	DMPB 10-M22	10mm	M22
DMPB 12-3/4BSPT	12mm	3/4BSPT	DMPB 12-1/4NPT	12mm	1/4NPT	DMPB 12-M12	12mm	M12
			DMPB 12-3/8NPT	12mm	3/8NPT	DMPB 12-M16	12mm	M16
			DMPB 12-1/2NPT	12mm	1/2NPT	DMPB 12-M22	12mm	M22
			DMPB 16-3/8NPT	16mm	3/8NPT	DMPB 15-M22	15MM	M22
			DMPB 16-1/2NPT	16mm	1/2NPT	DMPB 16-M16	16mm	M16
						DMPB 16-M22	16mm	M22

								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBS 6-1/8BSPT	6mm	1/8BSPT	DMPBS 6-1/8NPT	6mm	1/8NPT	DMPBS 6-M10	6mm	M10
DMPBS 6-1/4BSPT	6mm	1/4BSPT	DMPBS 6-1/4NPT	6mm	1/4NPT	DMPBS 6-M12	6mm	M12
DMPBS 6-3/8BSPT	6mm	3/8BSPT	DMPBS 6-3/8NPT	6mm	3/8NPT	DMPBS 6-M16	6mm	M16
DMPBS 6-1/2BSPT	6mm	1/2BSPT	DMPBS 6-1/2NPT	6mm	1/2NPT	DMPBS 6-M22	6mm	M22
DMPBS 10-1/8BSPT	10mm	1/8BSPT	DMPBS 8-1/8NPT	8mm	1/8NPT	DMPBS 8-M10	8mm	M10
DMPBS 10-1/4BSPT	10mm	1/4BSPT	DMPBS 8-1/4NPT	8mm	1/4NPT	DMPBS 8-M12	8mm	M12
DMPBS 10-3/8BSPT	10mm	3/8BSPT	DMPBS 8-3/8NPT	8mm	3/8NPT	DMPBS 8-M16	8mm	M16
DMPBS 10-1/2BSPT	10mm	1/2BSPT	DMPBS 8-1/2NPT	8mm	1/2NPT	DMPBS 8-M22	8mm	M22
DMPBS 12-1/4BSPT	12mm	1/4BSPT	DMPBS 10-1/4NPT	10mm	1/4NPT	DMPBS 10-M12	10mm	M12
DMPBS 12-3/8BSPT	12mm	3/8BSPT	DMPBS 10-3/8NPT	10mm	3/8NPT	DMPBS 10-M16	10mm	M16
DMPBS 12-1/2BSPT	12mm	1/2BSPT	DMPBS 10-1/2NPT	10mm	1/2NPT	DMPBS 10-M22	10mm	M22
DMPBS 12-3/4BSPT	12mm	3/4BSPT	DMPBS 12-1/4NPT	12mm	1/4NPT	DMPBS 12-M12	12mm	M12
			DMPBS 12-3/8NPT	12mm	3/8NPT	DMPBS 12-M16	12mm	M16
			DMPBS 12-1/2NPT	12mm	1/2NPT	DMPBS 12-M22	12mm	M22
			DMPBS 16-3/8NPT	16mm	3/8NPT	DMPBS 15-M22	15MM	M22
			DMPBS 16-1/2NPT	16mm	1/2NPT	DMPBS 16-M16	16mm	M16
						DMPBS 16-M22	16mm	M22

								
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPMF 6-1/8BSPT	6mm	1/8BSPT	DMPMF 6-1/8NPT	6mm	1/8NPT	DMPMF 6-M10	6mm	M10
DMPMF 6-1/4BSPT	6mm	1/4BSPT	DMPMF 6-1/4NPT	6mm	1/4NPT	DMPMF 6-M12	6mm	M12
DMPMF 6-3/8BSPT	6mm	3/8BSPT	DMPMF 6-3/8NPT	6mm	3/8NPT	DMPMF 6-M16	6mm	M16
DMPMF 6-1/2BSPT	6mm	1/2BSPT	DMPMF 6-1/2NPT	6mm	1/2NPT	DMPMF 6-M22	6mm	M22
DMPMF 10-1/8BSPT	10mm	1/8BSPT	DMPMF 10-1/8NPT	10mm	1/8NPT	DMPMF 8-M10	8mm	M10
DMPMF 10-1/4BSPT	10mm	1/4BSPT	DMPMF 10-1/4NPT	10mm	1/4NPT	DMPMF 8-M12	8mm	M12
DMPMF 10-3/8BSPT	10mm	3/8BSPT	DMPMF 10-3/8NPT	10mm	3/8NPT	DMPMF 8-M16	8mm	M16
DMPMF 10-1/2BSPT	10mm	1/2BSPT	DMPMF 10-1/2NPT	10mm	1/2NPT	DMPMF 8-M22	8mm	M22
DMPMF 12-1/4BSPT	12mm	1/4BSPT	DMPMF 12-1/4NPT	12mm	1/4NPT	DMPMF 10-M12	10mm	M12
DMPMF 12-3/8BSPT	12mm	3/8BSPT	DMPMF 12-3/8NPT	12mm	3/8NPT	DMPMF 10-M16	10mm	M16
DMPMF 12-1/2BSPT	12mm	1/2BSPT	DMPMF 12-1/2NPT	12mm	1/2NPT	DMPMF 10-M22	10mm	M22
DMPMF 12-3/4BSPT	12mm	3/4BSPT	DMPMF 12-3/4NPT	12mm	3/4NPT	DMPMF 12-M12	12mm	M12
						DMPMF 12-M16	12mm	M16
						DMPMF 12-M22	12mm	M22
						DMPMF 15-M22	15MM	M22
						DMPMF 16-M16	16mm	M16
						DMPMF 16-M22	16mm	M22



No Swivel Female Branch Tee - DOT Brass Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBF 6-1/8BSPT	6mm	1/8BSPT	DMPBF 6-1/8NPT	6mm	1/8NPT	DMPBF 6-M10	6mm	M10
DMPBF 6-1/4BSPT	6mm	1/4BSPT	DMPBF 6-1/4NPT	6mm	1/4NPT	DMPBF 6-M12	6mm	M12
DMPBF 6-3/8BSPT	6mm	3/8BSPT	DMPBF 6-3/8NPT	6mm	3/8NPT	DMPBF 6-M16	6mm	M16
DMPBF 6-1/2BSPT	6mm	1/2BSPT	DMPBF 6-1/2NPT	6mm	1/2NPT	DMPBF 6-M22	6mm	M22
DMPBF 10-1/8BSPT	10mm	1/8BSPT	DMPBF 8-1/8NPT	8mm	1/8NPT	DMPBF 8-M10	8mm	M10
DMPBF 10-1/4BSPT	10mm	1/4BSPT	DMPBF 8-1/4NPT	8mm	1/4NPT	DMPBF 8-M12	8mm	M12
DMPBF 10-3/8BSPT	10mm	3/8BSPT	DMPBF 8-3/8NPT	8mm	3/8NPT	DMPBF 8-M16	8mm	M16
DMPBF 10-1/2BSPT	10mm	1/2BSPT	DMPBF 8-1/2NPT	8mm	1/2NPT	DMPBF 8-M22	8mm	M22
DMPBF 12-1/4BSPT	12mm	1/4BSPT	DMPBF 10-1/4NPT	10mm	1/4NPT	DMPBF 10-M12	10mm	M12
DMPBF 12-3/8BSPT	12mm	3/8BSPT	DMPBF 10-3/8NPT	10mm	3/8NPT	DMPBF 10-M16	10mm	M16
DMPBF 12-1/2BSPT	12mm	1/2BSPT	DMPBF 10-1/2NPT	10mm	1/2NPT	DMPBF 10-M22	10mm	M22
DMPBF 12-3/4BSPT	12mm	3/4BSPT	DMPBF 12-1/4NPT	12mm	1/4NPT	DMPBF 12-M12	12mm	M12
			DMPBF 12-3/8NPT	12mm	3/8NPT	DMPBF 12-M16	12mm	M16
			DMPBF 12-1/2NPT	12mm	1/2NPT	DMPBF 12-M22	12mm	M22
			DMPBF 16-3/8NPT	16mm	3/8NPT	DMPBF 15-M22	15MM	M22
			DMPBF 16-1/2NPT	16mm	1/2NPT	DMPBF 16-M16	16mm	M16
						DMPBF 16-M22	16mm	M22



Swivel Female Run Tee - DOT Brass Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPBFS 6-1/8BSPT	6mm	1/8BSPT	DMPBFS 6-1/8NPT	6mm	1/8NPT	DMPBFS 6-M10	6mm	M10
DMPBFS 6-1/4BSPT	6mm	1/4BSPT	DMPBFS 6-1/4NPT	6mm	1/4NPT	DMPBFS 6-M12	6mm	M12
DMPBFS 6-3/8BSPT	6mm	3/8BSPT	DMPBFS 6-3/8NPT	6mm	3/8NPT	DMPBFS 6-M16	6mm	M16
DMPBFS 6-1/2BSPT	6mm	1/2BSPT	DMPBFS 6-1/2NPT	6mm	1/2NPT	DMPBFS 6-M22	6mm	M22
DMPBFS 10-1/8BSPT	10mm	1/8BSPT	DMPBFS 8-1/8NPT	8mm	1/8NPT	DMPBFS 8-M10	8mm	M10
DMPBFS 10-1/4BSPT	10mm	1/4BSPT	DMPBFS 8-1/4NPT	8mm	1/4NPT	DMPBFS 8-M12	8mm	M12
DMPBFS 10-3/8BSPT	10mm	3/8BSPT	DMPBFS 8-3/8NPT	8mm	3/8NPT	DMPBFS 8-M16	8mm	M16
DMPBFS 10-1/2BSPT	10mm	1/2BSPT	DMPBFS 8-1/2NPT	8mm	1/2NPT	DMPBFS 8-M22	8mm	M22
DMPBFS 12-1/4BSPT	12mm	1/4BSPT	DMPBFS 10-1/4NPT	10mm	1/4NPT	DMPBFS 10-M12	10mm	M12
DMPBFS 12-3/8BSPT	12mm	3/8BSPT	DMPBFS 10-3/8NPT	10mm	3/8NPT	DMPBFS 10-M16	10mm	M16
DMPBFS 12-1/2BSPT	12mm	1/2BSPT	DMPBFS 10-1/2NPT	10mm	1/2NPT	DMPBFS 10-M22	10mm	M22
DMPBFS 12-3/4BSPT	12mm	3/4BSPT	DMPBFS 12-1/4NPT	12mm	1/4NPT	DMPBFS 12-M12	12mm	M12
			DMPBFS 12-3/8NPT	12mm	3/8NPT	DMPBFS 12-M16	12mm	M16
			DMPBFS 12-1/2NPT	12mm	1/2NPT	DMPBFS 12-M22	12mm	M22
			DMPBFS 16-3/8NPT	16mm	3/8NPT	DMPBFS 15-M22	15MM	M22
			DMPBFS 16-1/2NPT	16mm	1/2NPT	DMPBFS 16-M16	16mm	M16
						DMPBFS 16-M22	16mm	M22



No Swivel Male Run Tee - DOT Brass Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPD 6-1/8BSPT	6mm	1/8BSPT	DMPD 6-1/8NPT	6mm	1/8NPT	DMPD 6-M10	6mm	M10
DMPD 6-1/4BSPT	6mm	1/4BSPT	DMPD 6-1/4NPT	6mm	1/4NPT	DMPD 6-M12	6mm	M12
DMPD 6-3/8BSPT	6mm	3/8BSPT	DMPD 6-3/8NPT	6mm	3/8NPT	DMPD 6-M16	6mm	M16
DMPD 6-1/2BSPT	6mm	1/2BSPT	DMPD 6-1/2NPT	6mm	1/2NPT	DMPD 6-M22	6mm	M22
DMPD 10-1/8BSPT	10mm	1/8BSPT	DMPD 8-1/8NPT	8mm	1/8NPT	DMPD 8-M10	8mm	M10
DMPD 10-1/4BSPT	10mm	1/4BSPT	DMPD 8-1/4NPT	8mm	1/4NPT	DMPD 8-M12	8mm	M12
DMPD 10-3/8BSPT	10mm	3/8BSPT	DMPD 8-3/8NPT	8mm	3/8NPT	DMPD 8-M16	8mm	M16
DMPD 10-1/2BSPT	10mm	1/2BSPT	DMPD 8-1/2NPT	8mm	1/2NPT	DMPD 8-M22	8mm	M22
DMPD 12-1/4BSPT	12mm	1/4BSPT	DMPD 10-1/4NPT	10mm	1/4NPT	DMPD 10-M12	10mm	M12
DMPD 12-3/8BSPT	12mm	3/8BSPT	DMPD 10-3/8NPT	10mm	3/8NPT	DMPD 10-M16	10mm	M16
DMPD 12-1/2BSPT	12mm	1/2BSPT	DMPD 10-1/2NPT	10mm	1/2NPT	DMPD 10-M22	10mm	M22
DMPD 12-3/4BSPT	12mm	3/4BSPT	DMPD 12-1/4NPT	12mm	1/4NPT	DMPD 12-M12	12mm	M12
			DMPD 12-3/8NPT	12mm	3/8NPT	DMPD 12-M16	12mm	M16
			DMPD 12-1/2NPT	12mm	1/2NPT	DMPD 12-M22	12mm	M22
			DMPD 16-3/8NPT	16mm	3/8NPT	DMPD 15-M22	15MM	M22
			DMPD 16-1/2NPT	16mm	1/2NPT	DMPD 16-M16	16mm	M16
						DMPD 16-M22	16mm	M22



Swivel 90 Deg. Male Run Tee - DOT Brass Push In Air Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPDS 6-1/8BSPT	6mm	1/8BSPT	DMPDS 6-1/8NPT	6mm	1/8NPT	DMPDS 6-M10	6mm	M10
DMPDS 6-1/4BSPT	6mm	1/4BSPT	DMPDS 6-1/4NPT	6mm	1/4NPT	DMPDS 6-M12	6mm	M12
DMPDS 6-3/8BSPT	6mm	3/8BSPT	DMPDS 6-3/8NPT	6mm	3/8NPT	DMPDS 6-M16	6mm	M16
DMPDS 6-1/2BSPT	6mm	1/2BSPT	DMPDS 6-1/2NPT	6mm	1/2NPT	DMPDS 6-M22	6mm	M22
DMPDS 10-1/8BSPT	10mm	1/8BSPT	DMPDS 8-1/8NPT	8mm	1/8NPT	DMPDS 8-M10	8mm	M10
DMPDS 10-1/4BSPT	10mm	1/4BSPT	DMPDS 8-1/4NPT	8mm	1/4NPT	DMPDS 8-M12	8mm	M12
DMPDS 10-3/8BSPT	10mm	3/8BSPT	DMPDS 8-3/8NPT	8mm	3/8NPT	DMPDS 8-M16	8mm	M16
DMPDS 10-1/2BSPT	10mm	1/2BSPT	DMPDS 8-1/2NPT	8mm	1/2NPT	DMPDS 8-M22	8mm	M22
DMPDS 12-1/4BSPT	12mm	1/4BSPT	DMPDS 10-1/4NPT	10mm	1/4NPT	DMPDS 10-M12	10mm	M12
DMPDS 12-3/8BSPT	12mm	3/8BSPT	DMPDS 10-3/8NPT	10mm	3/8NPT	DMPDS 10-M16	10mm	M16
DMPDS 12-1/2BSPT	12mm	1/2BSPT	DMPDS 10-1/2NPT	10mm	1/2NPT	DMPDS 10-M22	10mm	M22
DMPDS 12-3/4BSPT	12mm	3/4BSPT	DMPDS 12-1/4NPT	12mm	1/4NPT	DMPDS 12-M12	12mm	M12
			DMPDS 12-3/8NPT	12mm	3/8NPT	DMPDS 12-M16	12mm	M16
			DMPDS 12-1/2NPT	12mm	1/2NPT	DMPDS 12-M22	12mm	M22
			DMPDS 16-3/8NPT	16mm	3/8NPT	DMPDS 15-M22	15MM	M22
			DMPDS 16-1/2NPT	16mm	1/2NPT	DMPDS 16-M16	16mm	M16
						DMPDS 16-M22	16mm	M22



No Swivel 45 Deg. Male Elbow - DOT Brass Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPL45 6-1/8BSPT	6mm	1/8BSPT	DMPL45 6-1/8NPT	6mm	1/8NPT	DMPL45 6-M10	6mm	M10
DMPL45 6-1/4BSPT	6mm	1/4BSPT	DMPL45 6-1/4NPT	6mm	1/4NPT	DMPL45 6-M12	6mm	M12
DMPL45 6-3/8BSPT	6mm	3/8BSPT	DMPL45 6-3/8NPT	6mm	3/8NPT	DMPL45 6-M16	6mm	M16
DMPL45 6-1/2BSPT	6mm	1/2BSPT	DMPL45 6-1/2NPT	6mm	1/2NPT	DMPL45 6-M22	6mm	M22
DMPL45 10-1/8BSPT	10mm	1/8BSPT	DMPL45 8-1/8NPT	8mm	1/8NPT	DMPL45 8-M10	8mm	M10
DMPL45 10-1/4BSPT	10mm	1/4BSPT	DMPL45 8-1/4NPT	8mm	1/4NPT	DMPL45 8-M12	8mm	M12
DMPL45 10-3/8BSPT	10mm	3/8BSPT	DMPL45 8-3/8NPT	8mm	3/8NPT	DMPL45 8-M16	8mm	M16
DMPL45 10-1/2BSPT	10mm	1/2BSPT	DMPL45 8-1/2NPT	8mm	1/2NPT	DMPL45 8-M22	8mm	M22
DMPL45 12-1/4BSPT	12mm	1/4BSPT	DMPL45 10-1/4NPT	10mm	1/4NPT	DMPL45 10-M12	10mm	M12
DMPL45 12-3/8BSPT	12mm	3/8BSPT	DMPL45 10-3/8NPT	10mm	3/8NPT	DMPL45 10-M16	10mm	M16
DMPL45 12-1/2BSPT	12mm	1/2BSPT	DMPL45 10-1/2NPT	10mm	1/2NPT	DMPL45 10-M22	10mm	M22
DMPL45 12-3/4BSPT	12mm	3/4BSPT	DMPL45 12-1/4NPT	12mm	1/4NPT	DMPL45 12-M12	12mm	M12
			DMPL45 12-3/8NPT	12mm	3/8NPT	DMPL45 12-M16	12mm	M16
			DMPL45 12-1/2NPT	12mm	1/2NPT	DMPL45 12-M22	12mm	M22
			DMPL45 16-3/8NPT	16mm	3/8NPT	DMPL45 15-M22	15MM	M22
			DMPL45 16-1/2NPT	16mm	1/2NPT	DMPL45 16-M16	16mm	M16
						DMPL45 16-M22	16mm	M22



Swivel 45 Deg. Male Elbow - DOT Brass Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DMPLS45 6-1/8BSPT	6mm	1/8BSPT	DMPLS45 6-1/8NPT	6mm	1/8NPT	DMPLS45 6-M10	6mm	M10
DMPLS45 6-1/4BSPT	6mm	1/4BSPT	DMPLS45 6-1/4NPT	6mm	1/4NPT	DMPLS45 6-M12	6mm	M12
DMPLS45 6-3/8BSPT	6mm	3/8BSPT	DMPLS45 6-3/8NPT	6mm	3/8NPT	DMPLS45 6-M16	6mm	M16
DMPLS45 6-1/2BSPT	6mm	1/2BSPT	DMPLS45 6-1/2NPT	6mm	1/2NPT	DMPLS45 6-M22	6mm	M22
DMPLS45 10-1/8BSPT	10mm	1/8BSPT	DMPLS45 8-1/8NPT	8mm	1/8NPT	DMPLS45 8-M10	8mm	M10
DMPLS45 10-1/4BSPT	10mm	1/4BSPT	DMPLS45 8-1/4NPT	8mm	1/4NPT	DMPLS45 8-M12	8mm	M12
DMPLS45 10-3/8BSPT	10mm	3/8BSPT	DMPLS45 8-3/8NPT	8mm	3/8NPT	DMPLS45 8-M16	8mm	M16
DMPLS45 10-1/2BSPT	10mm	1/2BSPT	DMPLS45 8-1/2NPT	8mm	1/2NPT	DMPLS45 8-M22	8mm	M22
DMPLS45 12-1/4BSPT	12mm	1/4BSPT	DMPLS45 10-1/4NPT	10mm	1/4NPT	DMPLS45 10-M12	10mm	M12
DMPLS45 12-3/8BSPT	12mm	3/8BSPT	DMPLS45 10-3/8NPT	10mm	3/8NPT	DMPLS45 10-M16	10mm	M16
DMPLS45 12-1/2BSPT	12mm	1/2BSPT	DMPLS45 10-1/2NPT	10mm	1/2NPT	DMPLS45 10-M22	10mm	M22
DMPLS45 12-3/4BSPT	12mm	3/4BSPT	DMPLS45 12-1/4NPT	12mm	1/4NPT	DMPLS45 12-M12	12mm	M12
			DMPLS45 12-3/8NPT	12mm	3/8NPT	DMPLS45 12-M16	12mm	M16
			DMPLS45 12-1/2NPT	12mm	1/2NPT	DMPLS45 12-M22	12mm	M22
			DMPLS45 16-3/8NPT	16mm	3/8NPT	DMPLS45 15-M22	15MM	M22
			DMPLS45 16-1/2NPT	16mm	1/2NPT	DMPLS45 16-M16	16mm	M16
						DMPLS45 16-M22	16mm	M22

Composite DOT Push To Connect Fittings 复合DOT快速接头

Performance 性能

复合DOT快速接头采用聚合物壳体和黄铜螺纹和保持机构制造。他们利用爪子夹紧软管，加上一个弹性密封机构来完成管端密封，允许相对简单的组装，除了气管剪不需要额外的工具。像黄铜配件一样，预气孔(PMT)，复合快速接头不会生锈或腐蚀。内部的快速连接密封机制提供了强大和可靠的密封，足以满足所有的DOT参数，并承受极端的高温 and 低温。

Composite DOT-certified push-to-connect fittings are manufactured with a polymer body and brass screw threads and holding mechanisms. They utilize a collet to grip tubing, plus an elastomeric sealing mechanism to complete the tube end seal, allowing for a relatively foolproof assembly with no additional tools other than a tube cutter. Like their brass counterpart, Prestomatic (PMT), composite PTC fittings do not rust or corrode. The internal push-to-connect sealing mechanism affords a strong and dependable seal robust enough to meet all DOT parameters and to withstand high and low-temperature extremes.

Application 应用

空气制动器，空气罐，空气悬挂，滑块，轮胎充气，一次和二次，空气管路，驾驶室控制

Air Brakes , Air Tanks , Air Ride, Sliders, Tire Inflation, Primary & Secondary, Air Lines, Cab Controls

Specifications 技术参数

Pressure Range Up to 250 PSI (17.2 bar)

Temperature Range -40 to +200 F (-40 °C to 93.3 °C)

Compatible Tubing: SAE J844 Type A & B nylon tubing

Product Features:

Materia: Brass Collet, Plastic body, Brass Thread, Brass Tube Support

Oring: Viton Sealing (Also can be used with Buna N O-ring)

Standard: Meets D.O.T. FMVSS571.106

Meets SAE J2494-3

Composite Body – Strong, Lightweight, Compact and Impact Resistant Plug-in configurations




Connection



Disconnection

How To Order 产品订购



Model

C	Male straight Connector
CF	Female Straight
L	90° Male Elbow
L45	45° Male Elbow
LF	90° Female Elbow
B	Male Brach Tee
BF	Female Brach Tee
D	Male Run Tee
X	Male Y Fittings
U	Union Straight
V	Union Elbow
E	Union Tee
Y	Union Y
G	Reducer Straight
GT	Reducer Tee

For example ① :
 If order male 90 degree elbow , 1/8NPT thread, 1/4 OD imperial tube, the order item code: CDPL 1/4-1/8NPT

For example ② :
 If order male straight , 1/2NPT thread, 10mm*7.5mm metric tube, the order item code: CDPC 10-1/2NPT

For example ③ :
 If order union straight , 3/8 OD imperial tube, the order item code: CDPU 3/8



Special Fittings

Fitting configurations and sizes other than those shown in the catalog can be furnished. It is suggested that a print or sketch be submitted with the inquiry. Price and delivery for special fittings furnished on request for specified quantities.

Tapered threads

Recommended torque values for standard threads are shown in table below. First torque fitting manually, then apply torque as specified.

NPT Thread	1/16NPT	1/8NPT	1/4NPT	3/8NPT	1/2NPT	3/4NPT	
BSPT Thread		1/8BSPT	1/4BSPT	3/8BSPT	1/2BSPT		

Parallel threads

The installation of the metric fitting shall be directly tightened into the thread without any further preparation. The necessary torque values are according as specified. All Metric Thread will be with O-ring to seal

Metric Thread	M10*1.0	M12*1.5	M14*1.5	M16*1.5	M22*1.5		
---------------	---------	---------	---------	---------	---------	--	--

Recommended tubing for use with Push-in DOT


Tube should be to the following standards:
 - SAE J844 (Imperial dimensions)
 - DIN 74324 (Metric dimensions)
 - SAE J1394 (Metric dimensions)

Nylon (Polyamide) tubing, according to SAE J844

Imperial O.D.	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
Imperial I.D.	0.079"	0.092"	0.118"	0.170"	0.232"	0.251"	0.376"	0.441"	0.566"

Nylon (Polyamide) tubing, according to DIN 74324 and SAE J1394

Metric O.D.	4mm	6mm	8mm	10mm	12mm	15mm	16mm
Metric I.D.	2mm	4mm	6mm	7.5mm	9mm	12mm	12mm

 Male Adapter - Composite DOT PTC Fittings 外牙直通复合DOT快速接头						 Female Adapter - Composite DOT PTC Fittings 内牙直通复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPC 5/32-1/8NPT	5/32	1/8NPT	CDPC 4-1/8NPT	4mm	1/8NPT	CDPCF 5/32-1/8NPT	5/32	1/8NPT	CDPCF 4-1/8NPT	4mm	1/8NPT
CDPC 5/32-1/4NPT	5/32	1/4NPT	CDPC 4-1/4NPT	4mm	1/4NPT	CDPCF 5/32-1/4NPT	5/32	1/4NPT	CDPCF 4-1/4NPT	4mm	1/4NPT
CDPC 1/4-1/8NPT	1/4	1/8NPT	CDPC 6-1/8NPT	6mm	1/8NPT	CDPCF 1/4-1/8NPT	1/4	1/8NPT	CDPCF 6-1/8NPT	6mm	1/8NPT
CDPC 1/4-1/4NPT	1/4	1/4NPT	CDPC 6-1/4NPT	6mm	1/4NPT	CDPCF 1/4-1/4NPT	1/4	1/4NPT	CDPCF 6-1/4NPT	6mm	1/4NPT
CDPC 1/4-3/8NPT	1/4	3/8NPT	CDPC 6-3/8NPT	6mm	3/8NPT	CDPCF 1/4-3/8NPT	1/4	3/8NPT	CDPCF 6-3/8NPT	6mm	3/8NPT
CDPC 1/4-1/2NPT	1/4	1/2NPT	CDPC 6-1/2NPT	6mm	1/2NPT	CDPCF 1/4-1/2NPT	1/4	1/2NPT	CDPCF 6-1/2NPT	6mm	1/2NPT
CDPC 3/8-1/8NPT	3/8	1/8NPT	CDPC 10-1/8NPT	10mm	1/8NPT	CDPCF 3/8-1/8NPT	3/8	1/8NPT	CDPCF 10-1/8NPT	10mm	1/8NPT
CDPC 3/8-1/4NPT	3/8	1/4NPT	CDPC 10-1/4NPT	10mm	1/4NPT	CDPCF 3/8-1/4NPT	3/8	1/4NPT	CDPCF 10-1/4NPT	10mm	1/4NPT
CDPC 3/8-3/8NPT	3/8	3/8NPT	CDPC 10-3/8NPT	10mm	3/8NPT	CDPCF 3/8-3/8NPT	3/8	3/8NPT	CDPCF 10-3/8NPT	10mm	3/8NPT
CDPC 3/8-1/2NPT	3/8	1/2NPT	CDPC 10-1/2NPT	10mm	1/2NPT	CDPCF 3/8-1/2NPT	3/8	1/2NPT	CDPCF 10-1/2NPT	10mm	1/2NPT
CDPC 1/2-1/4NPT	1/2	1/4NPT	CDPC 12-1/4NPT	12mm	1/4NPT	CDPCF 1/2-1/4NPT	1/2	1/4NPT	CDPCF 12-1/4NPT	12mm	1/4NPT
CDPC 1/2-3/8NPT	1/2	3/8NPT	CDPC 12-3/8NPT	12mm	3/8NPT	CDPCF 1/2-3/8NPT	1/2	3/8NPT	CDPCF 12-3/8NPT	12mm	3/8NPT
CDPC 1/2-1/2NPT	1/2	1/2NPT	CDPC 12-1/2NPT	12mm	1/2NPT	CDPCF 1/2-1/2NPT	1/2	1/2NPT	CDPCF 12-1/2NPT	12mm	1/2NPT
CDPC 5/8-3/8NPT	5/8	3/8NPT				CDPCF 5/8-3/8NPT	5/8	3/8NPT			
CDPC 5/8-1/2NPT	5/8	1/2NPT				CDPCF 5/8-1/2NPT	5/8	1/2NPT			
CDPC 5/8-3/4NPT	5/8	3/4NPT				CDPCF 5/8-3/4NPT	5/8	3/4NPT			
CDPC 3/4-3/8NPT	3/4	3/8NPT				CDPCF 3/4-3/8NPT	3/4	3/8NPT			
CDPC 3/4-1/2NPT	3/4	1/2NPT				CDPCF 3/4-1/2NPT	3/4	1/2NPT			
CDPC 3/4-3/4NPT	3/4	3/4NPT				CDPCF 3/4-3/4NPT	3/4	3/4NPT			

 90 Degree Male Elbow - Composite DOT PTC Fittings 90度外牙弯头复合DOT快速接头						 45 Degree Male Elbow - Composite DOT PTC Fittings 45度外牙弯头复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPL 5/32-1/16NPT	5/32	1/16NPT	CDPL 4-1/8NPT	4mm	1/8NPT	CDPL45 5/32-1/16NPT	5/32	1/16NPT	CDPL45 4-1/8NPT	4mm	1/8NPT
CDPL 5/32-1/8NPT	5/32	1/8NPT	CDPL 4-1/4NPT	4mm	1/4NPT	CDPL45 5/32-1/8NPT	5/32	1/8NPT	CDPL45 4-1/4NPT	4mm	1/4NPT
CDPL 5/32-1/4NPT	5/32	1/4NPT	CDPL 6-1/8NPT	6mm	1/8NPT	CDPL45 5/32-1/4NPT	5/32	1/4NPT	CDPL45 6-1/8NPT	6mm	1/8NPT
CDPL 1/4-1/8NPT	1/4	1/8NPT	CDPL 6-1/4NPT	6mm	1/4NPT	CDPL45 1/4-1/8NPT	1/4	1/8NPT	CDPL45 6-1/4NPT	6mm	1/4NPT
CDPL 1/4-1/4NPT	1/4	1/4NPT	CDPL 6-3/8NPT	6mm	3/8NPT	CDPL45 1/4-1/4NPT	1/4	1/4NPT	CDPL45 6-3/8NPT	6mm	3/8NPT
CDPL 1/4-3/8NPT	1/4	3/8NPT	CDPL 6-1/2NPT	6mm	1/2NPT	CDPL45 1/4-3/8NPT	1/4	3/8NPT	CDPL45 6-1/2NPT	6mm	1/2NPT
CDPL 1/4-1/2NPT	1/4	1/2NPT	CDPL 10-1/8NPT	10mm	1/8NPT	CDPL45 1/4-1/2NPT	1/4	1/2NPT	CDPL45 10-1/8NPT	10mm	1/8NPT
CDPL 3/8-1/8NPT	3/8	1/8NPT	CDPL 10-1/4NPT	10mm	1/4NPT	CDPL45 3/8-1/8NPT	3/8	1/8NPT	CDPL45 10-1/4NPT	10mm	1/4NPT
CDPL 3/8-1/4NPT	3/8	1/4NPT	CDPL 10-3/8NPT	10mm	3/8NPT	CDPL45 3/8-1/4NPT	3/8	1/4NPT	CDPL45 10-3/8NPT	10mm	3/8NPT
CDPL 3/8-3/8NPT	3/8	3/8NPT	CDPL 10-1/2NPT	10mm	1/2NPT	CDPL45 3/8-3/8NPT	3/8	3/8NPT	CDPL45 10-1/2NPT	10mm	1/2NPT
CDPL 3/8-1/2NPT	3/8	1/2NPT	CDPL 12-1/4NPT	12mm	1/4NPT	CDPL45 3/8-1/2NPT	3/8	1/2NPT	CDPL45 12-1/4NPT	12mm	1/4NPT
CDPL 1/2-1/4NPT	1/2	1/4NPT	CDPL 12-3/8NPT	12mm	3/8NPT	CDPL45 1/2-1/4NPT	1/2	1/4NPT	CDPL45 12-3/8NPT	12mm	3/8NPT
CDPL 1/2-3/8NPT	1/2	3/8NPT	CDPL 12-1/2NPT	12mm	1/2NPT	CDPL45 1/2-3/8NPT	1/2	3/8NPT	CDPL45 12-1/2NPT	12mm	1/2NPT
CDPL 1/2-1/2NPT	1/2	1/2NPT				CDPL45 1/2-1/2NPT	1/2	1/2NPT			
CDPL 5/8-3/8NPT	5/8	3/8NPT				CDPL45 5/8-3/8NPT	5/8	3/8NPT			
CDPL 5/8-1/2NPT	5/8	1/2NPT				CDPL45 5/8-1/2NPT	5/8	1/2NPT			
CDPL 3/4-3/8NPT	3/4	3/8NPT				CDPL45 3/4-3/8NPT	3/4	3/8NPT			
CDPL 3/4-1/2NPT	3/4	1/2NPT				CDPL45 3/4-1/2NPT	3/4	1/2NPT			
CDPL 3/4-3/4NPT	3/4	3/4NPT				CDPL45 3/4-3/4NPT	3/4	3/4NPT			

 Union - Composite DOT PTC Fittings 等径直通复合DOT快速接头						 Union Elbow - Composite DOT PTC Fittings 等径弯头复合DOT快速接头					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
CDPU 5/32	5/32	5/32	CDPU 4	4mm	4mm	CDPV 5/32	5/32	5/32	CDPV 4	4mm	4mm
CDPU 1/4	1/4	1/4	CDPU 6	6mm	6mm	CDPV 1/4	1/4	1/4	CDPV 6	6mm	6mm
CDPU 3/8	3/8	3/8	CDPU 8	8mm	8mm	CDPV 3/8	3/8	3/8	CDPV 8	8mm	8mm
CDPU 1/2	1/2	1/2	CDPU 10	10mm	10mm	CDPV 1/2	1/2	1/2	CDPV 10	10mm	10mm
CDPU 5/8	5/8	5/8	CDPU 12	12mm	12mm	CDPV 5/8	5/8	5/8	CDPV 12	12mm	12mm
CDPU 3/4	3/4	3/4				CDPV 3/4	3/4	3/4			

 Female Elbow - Composite DOT PTC Fittings 内牙弯头复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPLF 5/32-1/16NPT	5/32	1/16NPT	CDPLF 4-1/8NPT	4mm	1/8NPT
CDPLF 5/32-1/8NPT	5/32	1/8NPT	CDPLF 4-1/4NPT	4mm	1/4NPT
CDPLF 5/32-1/4NPT	5/32	1/4NPT	CDPLF 6-1/8NPT	6mm	1/8NPT
CDPLF 1/4-1/8NPT	1/4	1/8NPT	CDPLF 6-1/4NPT	6mm	1/4NPT
CDPLF 1/4-1/4NPT	1/4	1/4NPT	CDPLF 6-3/8NPT	6mm	3/8NPT
CDPLF 1/4-3/8NPT	1/4	3/8NPT	CDPLF 6-1/2NPT	6mm	1/2NPT
CDPLF 1/4-1/2NPT	1/4	1/2NPT	CDPLF 10-1/8NPT	10mm	1/8NPT
CDPLF 3/8-1/8NPT	3/8	1/8NPT	CDPLF 10-1/4NPT	10mm	1/4NPT
CDPLF 3/8-1/4NPT	3/8	1/4NPT	CDPLF 10-3/8NPT	10mm	3/8NPT
CDPLF 3/8-3/8NPT	3/8	3/8NPT	CDPLF 10-1/2NPT	10mm	1/2NPT
CDPLF 3/8-1/2NPT	3/8	1/2NPT	CDPLF 12-1/4NPT	12mm	1/4NPT
CDPLF 1/2-1/4NPT	1/2	1/4NPT	CDPLF 12-3/8NPT	12mm	3/8NPT
CDPLF 1/2-3/8NPT	1/2	3/8NPT	CDPLF 12-1/2NPT	12mm	1/2NPT
CDPLF 1/2-1/2NPT	1/2	1/2NPT			
CDPLF 5/8-3/8NPT	5/8	3/8NPT			
CDPLF 5/8-1/2NPT	5/8	1/2NPT			
CDPLF 3/4-3/8NPT	3/4	3/8NPT			
CDPLF 3/4-1/2NPT	3/4	1/2NPT			
CDPLF 3/4-3/4NPT	3/4	3/4NPT			

 Male Branch Tee - Composite DOT PTC Fittings 中间外牙T型三通复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPB 5/32-1/16NPT	5/32	1/16NPT	CDPB 4-1/8NPT	4mm	1/8NPT
CDPB 5/32-1/8NPT	5/32	1/8NPT	CDPB 4-1/4NPT	4mm	1/4NPT
CDPB 5/32-1/4NPT	5/32	1/4NPT	CDPB 6-1/8NPT	6mm	1/8NPT
CDPB 1/4-1/8NPT	1/4	1/8NPT	CDPB 6-1/4NPT	6mm	1/4NPT
CDPB 1/4-1/4NPT	1/4	1/4NPT	CDPB 6-3/8NPT	6mm	3/8NPT
CDPB 1/4-3/8NPT	1/4	3/8NPT	CDPB 6-1/2NPT	6mm	1/2NPT
CDPB 1/4-1/2NPT	1/4	1/2NPT	CDPB 10-1/8NPT	10mm	1/8NPT
CDPB 3/8-1/8NPT	3/8	1/8NPT	CDPB 10-1/4NPT	10mm	1/4NPT
CDPB 3/8-1/4NPT	3/8	1/4NPT	CDPB 10-3/8NPT	10mm	3/8NPT
CDPB 3/8-3/8NPT	3/8	3/8NPT	CDPB 10-1/2NPT	10mm	1/2NPT
CDPB 3/8-1/2NPT	3/8	1/2NPT	CDPB 12-1/4NPT	12mm	1/4NPT
CDPB 1/2-1/4NPT	1/2	1/4NPT	CDPB 12-3/8NPT	12mm	3/8NPT
CDPB 1/2-3/8NPT	1/2	3/8NPT	CDPB 12-1/2NPT	12mm	1/2NPT
CDPB 1/2-1/2NPT	1/2	1/2NPT			
CDPB 5/8-3/8NPT	5/8	3/8NPT			
CDPB 5/8-1/2NPT	5/8	1/2NPT			
CDPB 3/4-3/8NPT	3/4	3/8NPT			
CDPB 3/4-1/2NPT	3/4	1/2NPT			
CDPB 3/4-3/4NPT	3/4	3/4NPT			

 Female Branch Tee - Composite DOT PTC Fittings 中间内牙T型三通复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPBF 5/32-1/16NPT	5/32	1/16NPT	CDPBF 4-1/8NPT	4mm	1/8NPT
CDPBF 5/32-1/8NPT	5/32	1/8NPT	CDPBF 4-1/4NPT	4mm	1/4NPT
CDPBF 5/32-1/4NPT	5/32	1/4NPT	CDPBF 6-1/8NPT	6mm	1/8NPT
CDPBF 1/4-1/8NPT	1/4	1/8NPT	CDPBF 6-1/4NPT	6mm	1/4NPT
CDPBF 1/4-1/4NPT	1/4	1/4NPT	CDPBF 6-3/8NPT	6mm	3/8NPT
CDPBF 1/4-3/8NPT	1/4	3/8NPT	CDPBF 6-1/2NPT	6mm	1/2NPT
CDPBF 1/4-1/2NPT	1/4	1/2NPT	CDPBF 10-1/8NPT	10mm	1/8NPT
CDPBF 3/8-1/8NPT	3/8	1/8NPT	CDPBF 10-1/4NPT	10mm	1/4NPT
CDPBF 3/8-1/4NPT	3/8	1/4NPT	CDPBF 10-3/8NPT	10mm	3/8NPT
CDPBF 3/8-3/8NPT	3/8	3/8NPT	CDPBF 10-1/2NPT	10mm	1/2NPT
CDPBF 3/8-1/2NPT	3/8	1/2NPT	CDPBF 12-1/4NPT	12mm	1/4NPT
CDPBF 1/2-1/4NPT	1/2	1/4NPT	CDPBF 12-3/8NPT	12mm	3/8NPT
CDPBF 1/2-3/8NPT	1/2	3/8NPT	CDPBF 12-1/2NPT	12mm	1/2NPT
CDPBF 1/2-1/2NPT	1/2	1/2NPT			
CDPBF 5/8-3/8NPT	5/8	3/8NPT			
CDPBF 5/8-1/2NPT	5/8	1/2NPT			
CDPBF 3/4-3/8NPT	3/4	3/8NPT			
CDPBF 3/4-1/2NPT	3/4	1/2NPT			
CDPBF 3/4-3/4NPT	3/4	3/4NPT			

 Male Run Tee - Composite DOT PTC Fittings 侧面外牙T型三通复合DOT快速接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPD 5/32-1/16NPT	5/32	1/16NPT	CDPD 4-1/8NPT	4mm	1/8NPT
CDPD 5/32-1/8NPT	5/32	1/8NPT	CDPD 4-1/4NPT	4mm	1/4NPT
CDPD 5/32-1/4NPT	5/32	1/4NPT	CDPD 6-1/8NPT	6mm	1/8NPT
CDPD 1/4-1/8NPT	1/4	1/8NPT	CDPD 6-1/4NPT	6mm	1/4NPT
CDPD 1/4-1/4NPT	1/4	1/4NPT	CDPD 6-3/8NPT	6mm	3/8NPT
CDPD 1/4-3/8NPT	1/4	3/8NPT	CDPD 6-1/2NPT	6mm	1/2NPT
CDPD 1/4-1/2NPT	1/4	1/2NPT	CDPD 10-1/8NPT	10mm	1/8NPT
CDPD 3/8-1/8NPT	3/8	1/8NPT	CDPD 10-1/4NPT	10mm	1/4NPT
CDPD 3/8-1/4NPT	3/8	1/4NPT	CDPD 10-3/8NPT	10mm	3/8NPT
CDPD 3/8-3/8NPT	3/8	3/8NPT	CDPD 10-1/2NPT	10mm	1/2NPT
CDPD 3/8-1/2NPT	3/8	1/2NPT	CDPD 12-1/4NPT	12mm	1/4NPT
CDPD 1/2-1/4NPT	1/2	1/4NPT	CDPD 12-3/8NPT	12mm	3/8NPT
CDPD 1/2-3/8NPT	1/2	3/8NPT	CDPD 12-1/2NPT	12mm	1/2NPT
CDPD 1/2-1/2NPT	1/2	1/2NPT			
CDPD 5/8-3/8NPT	5/8	3/8NPT			
CDPD 5/8-1/2NPT	5/8	1/2NPT			
CDPD 3/4-3/8NPT	3/4	3/8NPT			
CDPD 3/4-1/2NPT	3/4	1/2NPT			
CDPD 3/4-3/4NPT	3/4	3/4NPT			

 Union Tee - Composite DOT PTC Fittings T型等径三通复合DOT快速接头					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
CDPE 5/32	5/32		CDPE 4	4mm	4mm
CDPE 1/4	1/4	1/4	CDPE 6	6mm	6mm
CDPE 3/8	3/8	3/8	CDPE 8	8mm	8mm
CDPE 1/2	1/2	1/2	CDPE 10	10mm	10mm
CDPE 5/8	5/8	5/8	CDPE 12	12mm	12mm
CDPE 3/4	3/4	3/4			

 Union Y - Composite DOT PTC Fittings Y型等径三通复合DOT快速接头					
MODEL	Tube Size	Tube Size	MODEL	Tube Size	Tube Size
CDPY 5/32	5/32		CDPY 4	4mm	4mm
CDPY 1/4	1/4	1/4	CDPY 6	6mm	6mm
CDPY 3/8	3/8	3/8	CDPY 8	8mm	8mm
CDPY 1/2	1/2	1/2	CDPY 10	10mm	10mm
CDPY 5/8	5/8	5/8	CDPY 12	12mm	12mm
CDPY 3/4	3/4	3/4			

 Male Y - Composite DOT PTC Fittings Y型三通外牙弯头复合DOT快速接					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
CDPX 5/32-1/16NPT	5/32	1/16NPT	CDPX 4-1/8NPT	4mm	1/8NPT
CDPX 5/32-1/8NPT	5/32	1/8NPT	CDPX 4-1/4NPT	4mm	1/4NPT
CDPX 5/32-1/4NPT	5/32	1/4NPT	CDPX 6-1/8NPT	6mm	1/8NPT
CDPX 1/4-1/8NPT	1/4	1/8NPT	CDPX 6-1/4NPT	6mm	1/4NPT
CDPX 1/4-1/4NPT	1/4	1/4NPT	CDPX 6-3/8NPT	6mm	3/8NPT
CDPX 1/4-3/8NPT	1/4	3/8NPT	CDPX 6-1/2NPT	6mm	1/2NPT
CDPX 1/4-1/2NPT	1/4	1/2NPT	CDPX 10-1/8NPT	10mm	1/8NPT
CDPX 3/8-1/8NPT	3/8	1/8NPT	CDPX 10-1/4NPT	10mm	1/4NPT
CDPX 3/8-1/4NPT	3/8	1/4NPT	CDPX 10-3/8NPT	10mm	3/8NPT
CDPX 3/8-3/8NPT	3/8	3/8NPT	CDPX 10-1/2NPT	10mm	1/2NPT
CDPX 3/8-1/2NPT	3/8	1/2NPT	CDPX 12-1/4NPT	12mm	1/4NPT
CDPX 1/2-1/4NPT	1/2	1/4NPT	CDPX 12-3/8NPT	12mm	3/8NPT
CDPX 1/2-3/8NPT	1/2	3/8NPT	CDPX 12-1/2NPT	12mm	1/2NPT
CDPX 1/2-1/2NPT	1/2	1/2NPT			
CDPX 5/8-3/8NPT	5/8	3/8NPT			
CDPX 5/8-1/2NPT	5/8	1/2NPT			
CDPX 3/4-3/8NPT	3/4	3/8NPT			
CDPX 3/4-1/2NPT	3/4	1/2NPT			
CDPX 3/4-3/4NPT	3/4	3/4NPT			

 Reducer Straight - Composite DOT PTC Fittings 变径直通复合DOT快速接头					
MODEL	Tube 1	Tube 2	MODEL	Tube 1	Tube 2
CDPG 1/4-5/32	1/4	5/32	CDPG 06-04	6mm	4mm
CDPG 5/16-5/32	5/16	5/32	CDPG 08-04	8mm	4mm
CDPG 5/16-1/4	5/16	1/4	CDPG 08-06	8mm	6mm
CDPG 3/8-5/32	3/8	5/32	CDPG 10-04	10mm	4mm
CDPG 3/8-1/4	3/8	1/4	CDPG 10-06	10mm	6mm
CDPG 3/8-5/16	3/8	5/16	CDPG 10-08	10mm	8mm
CDPG 1/2-1/4	1/2	1/4	CDPG 12-06	12mm	6mm
CDPG 1/2-5/16	1/2	5/16	CDPG 12-08	12mm	8mm
CDPG 1/2-3/8	1/2	3/8	CDPG 12-10	12mm	10mm

 Reducer Tee - Composite DOT PTC Fittings 变径T型三通复合DOT快速接头							
MODEL	Tube 1	Tube 2	Tube 3	MODEL	Tube 1	Tube 2	Tube 3
CDPGT 1/4-5/32	1/4	5/32	1/4	CDPGT 06-04	6mm	4mm	6mm
CDPGT 5/16-5/32	5/16	5/32	5/16	CDPGT 08-04	8mm	4mm	8mm
CDPGT 5/16-1/4	5/16	1/4	5/16	CDPGT 08-06	8mm	6mm	8mm
CDPGT 3/8-5/32	3/8	5/32	3/8	CDPGT 10-04	10mm	4mm	10mm
CDPGT 3/8-1/4	3/8	1/4	3/8	CDPGT 10-06	10mm	6mm	10mm
CDPGT 3/8-5/16	3/8	5/16	3/8	CDPGT 10-08	10mm	8mm	10mm
CDPGT 1/2-1/4	1/2	1/4	1/2	CDPGT 12-06	12mm	6mm	12mm
CDPGT 1/2-5/16	1/2	5/16	1/2	CDPGT 12-08	12mm	8mm	12mm
CDPGT 1/2-3/8	1/2	3/8	1/2	CDPGT 12-10	12mm	10mm	12mm

 Reducer Y - Composite DOT PTC Fittings 变径Y型三通复合DOT快速接头							
MODEL	Tube 1	Tube 2	Tube 3	MODEL	Tube 1	Tube 2	Tube 3
CDPW 1/4-5/32	1/4	5/32	5/32	CDPW 06-04	6mm	4mm	4mm
CDPW 5/16-5/32	5/16	5/32	5/32	CDPW 08-04	8mm	4mm	4mm
CDPW 5/16-1/4	5/16	1/4	1/4	CDPW 08-06	8mm	6mm	6mm
CDPW 3/8-5/32	3/8	5/32	5/32	CDPW 10-04	10mm	4mm	4mm
CDPW 3/8-1/4	3/8	1/4	1/4	CDPW 10-06	10mm	6mm	6mm
CDPW 3/8-5/16	3/8	5/16	5/16	CDPW 10-08	10mm	8mm	8mm
CDPW 1/2-1/4	1/2	1/4	1/4	CDPW 12-06	12mm	6mm	6mm
CDPW 1/2-5/16	1/2	5/16	5/16	CDPW 12-08	12mm	8mm	8mm
CDPW 1/2-3/8	1/2	3/8	3/8	CDPW 12-10	12mm	10mm	10mm

Composite D.O.T. PTC Fittings 复合DOT快速接头

 Plug In Straight- Composite DOT PTC Fittings 插入式硬管直通复合DOT快速接头					
MODEL	Tube 1	Plug	MODEL	Tube 1	Plug
CDPGJ 5/32-1/4P	5/32	1/4P	CDPGJ 4-6P	4mm	6mm
CDPGJ 1/4-5/32P	1/4	5/32P	CDPGJ 6-4P	6mm	4mm
CDPGJ 1/4-3/8P	1/4	3/8P	CDPGJ 6-8P	6mm	8mm
CDPGJ 3/8-1/4P	3/8	1/4P	CDPGJ 8-6P	8mm	6mm
CDPGJ 3/8-1/2P	3/8	1/2P	CDPGJ 6-10P	6mm	10mm
CDPGJ 1/2-3/8P	1/2	3/8P	CDPGJ 10-12P	10mm	12mm
			CDPGJ 12-10P	12mm	10mm

 Plug In Elbow - Composite DOT PTC Fittings 插入式硬管弯头复合DOT快速接头					
MODEL	Tube 1	Plug	MODEL	Tube 1	Plug
CDPLJ 5/32-5/32P	5/32	5/32P	CDPLJ 4-4P	4mm	4mm
CDPLJ 1/4-5/32P	1/4	5/32P	CDPLJ 6-4P	6mm	4mm
CDPLJ 1/4-1/4P	1/4	1/4P	CDPLJ 6-6P	6mm	6mm
CDPLJ 1/4-3/8P	1/4	3/8P	CDPLJ 6-8P	6mm	8mm
CDPLJ 3/8-1/4P	3/8	1/4P	CDPLJ 8-6P	8mm	6mm
CDPLJ 3/8-3/8P	3/8	3/8P	CDPLJ 8-8P	8mm	8mm
CDPLJ 3/8-1/2P	3/8	1/2P	CDPLJ 8-10P	8mm	10mm
CDPLJ 1/2-1/4P	1/2	1/4P	CDPLJ 10-8P	10mm	8mm
CDPLJ 1/2-3/8P	1/2	3/8P	CDPLJ 10-10P	10mm	10mm
CDPLJ 1/2-1/2P	1/2	1/2P	CDPLJ 12-10P	12mm	10mm
CDPLJ 5/8-1/2P	5/8	1/2P	CDPLJ 12-12P	12mm	12mm

 Plug In Male Branch Tee - Composite DOT PTC Fittings 插入式中间硬管T型三通复合DOT快速接头							
MODEL	Tube 1	Plug	Tube 2	MODEL	Tube 1	Plug	Tube 2
CDPTJ 5/32-5/32P-5/32	5/32	5/32P	5/32	CDPTJ 4-4P-4	4mm	4mm	4mm
CDPTJ 5/32-1/4P-5/32	5/32	1/4P	5/32	CDPTJ 4-6P-4	4mm	6mm	4mm
CDPTJ 1/4-1/4P-1/4	1/4	1/4P	1/4	CDPTJ 6-6P-6	6mm	6mm	6mm
CDPTJ 1/4-3/8P-1/4	1/4	3/8P	1/4	CDPTJ 6-8P-6	6mm	8mm	6mm
CDPTJ 3/8-3/8P-3/8	3/8	3/8P	3/8	CDPTJ 8-8P-8	8mm	8mm	8mm
CDPTJ 1/4-1/2P-1/4	1/4	1/2P	1/4	CDPTJ 8-10P-8	8mm	10mm	8mm
CDPTJ 3/8-1/2P-3/8	3/8	1/2P	3/8	CDPTJ 10-10P-10	10mm	10mm	10mm
CDPTJ 1/2-1/2P-1/2	1/2	1/2	1/2P	CDPTJ 8-12P-8	8mm	12mm	8mm
				CDPTJ 10-12P-10	10mm	12mm	10mm
				CDPTJ 12-12P-12	12mm	12mm	12mm

 Plug In Male Run Tee - Composite DOT PTC Fittings 插入式侧面硬管T型三通复合DOT快速接头							
MODEL	Tube 1	Tube 2	Plug	MODEL	Tube 1	Tube 2	Plug
CDPSJ 5/32-5/32-5/32P	5/32	5/32	5/32P	CDPSJ 4-4-4P	4mm	4mm	4mm
CDPSJ 5/32-5/32-1/4P	5/32	5/32	1/4P	CDPSJ 4-4-6P	4mm	4mm	6mm
CDPSJ 1/4-1/4-1/4P	1/4	1/4	1/4P	CDPSJ 6-6-6P	6mm	6mm	6mm
CDPSJ 1/4-1/4-3/8P	1/4	1/4	3/8P	CDPSJ 6-6-8P	6mm	6mm	8mm
CDPSJ 3/8-3/8-3/8P	3/8	3/8	3/8P	CDPSJ 8-8-8P	8mm	8mm	8mm
CDPSJ 1/4-1/4-1/2P	1/4	1/4	1/2P	CDPSJ 8-8-10P	8mm	8mm	10mm
CDPSJ 3/8-3/8-1/2P	3/8	3/8	1/2P	CDPSJ 10-10-10P	10mm	10mm	10mm
CDPSJ 1/2-1/2-1/2P	1/2	1/2	1/2P	CDPSJ 8-8-12P	8mm	8mm	12mm
				CDPSJ 10-10-12P	10mm	10mm	12mm
				CDPSJ 12-12-12P	12mm	12mm	12mm



***Metric Thread Thread is available, contact us for more detail

Composite DOT Push In Fittings - Manifold, contact us for more detail

Kit of D.O.T. Air Brake Fittings DOT接头套装

DOT Air Brake Line Fittings Brass Push to Connect Kit And DOT Compression Fittings Kit



DOT Air Brake Brass Push to Connect Kit (1/4", 3/8", & 1/2") 28 pcs

Item Code	Description	Qty
DBPT-28	DOT Straight Male Push Lock Connector 3/8" Tube, 1/2" NPT Pipe Thread	2pcs
	DOT Straight Male Push Lock Connector 3/8" Tube, 3/8" NPT Pipe Thread	2pcs
	DOT Straight Male Push Lock Connector 1/2" Tube, 1/2" NPT Pipe Thread	2pcs
	DOT Straight Male Push Lock Connector 1/2" Tube, 3/8" NPT Pipe Thread	2pcs
	DOT Straight Male Push Lock Connector 1/2" Tube, 1/4" NPT Pipe Thread	2pcs
	DOT 90 Degree Male Elbow Push Lock Connector 3/8" Tube, 1/4" NPT Pipe Thread.	2pcs
	DOT 90 Degree Male Elbow Push Lock Lock Connector 3/8" Tube, 3/8" NPT Pipe Thread	2pcs
	DOT 90 Degree Male Elbow Push Lock Connector 1/2" Tube, 1/2" NPT Pipe Thread	2pcs
	DOT 90 Degree Male Elbow Push Lock Connector 1/2" Tube, 3/8" NPT Pipe Thread.	2pcs
	DOT 90 Degree Male Elbow Push Lock Connector 1/2" Tube, 1/4" NPT Pipe Thread	2pcs
	DOT Push Lock Union Tee 1/2" Tube, 1/2" Tube, 1/2" Tube	2pcs
	DOT Push Lock Union Tee 3/8" Tube, 3/8" Tube, 3/8" Tube	2pcs
	DOT Straight Push Lock Union Connector 1/2" Tube, 1/2" Tube	2pcs
	DOT Straight Push Lock Union Connector 3/8" Tube, 3/8" Tube	2pcs




DOT Air Brake Fittings for Nylon Tubing Kit - Brass Push to Connect (1/4") 25 Pcs

Item Code	Description	Qty
DBPT-25	DOT Push To Connect Fittings 90 Degree Elbow 1/4" Tube x 1/8" NPT	2pcs
	DOT Push To Connect Fittings 90 Degree Elbow 1/4" Tube x 1/4" NPT	2pcs
	DOT Push To Connect Fittings Tube Tee 1/4"	2pcs
	DOT Push To Connect Fittings Tube Union 1/4"	5pcs
	DOT Push To Connect Fittings 90 Degree SW Elbow 1/4" Tube x 1/8" NPT	2pcs
	DOT Push To Connect Fittings 90 Degree SW Elbow 1/4" Tube x 1/4" NPT	2pcs
	DOT Push To Connect Fittings Straight 1/4" Tube x 1/8" NPT	5pcs
	DOT Push To Connect Fittings Straight 1/4" Tube x 1/4" NPT	2pcs
	DOT Push To Connect Fittings 1/4" Bulkhead Union	2pcs
	Nylon Cutter	1pcs

DOT Air Brake Compression Fittings for Nylon Tubing Kit - 38 Pcs

Item Code	Description	Qty
DBC-38	DOT Compression Air Brake Fittings Union 1/4	4pcs
	DOT Compression Air Brake Fittings Union 3/8	4pcs
	DOT Compression Air Brake Fittings Union 1/2	4pcs
	DOT Compression Air Brake Fittings Union 5/8	2pcs
	DOT Compression Air Brake Fittings Tee 1/4	2pcs
	DOT Compression Air Brake Fittings Tee 3/8	2pcs
	DOT Compression Air Brake Fittings Tee 1/2	2pcs
	DOT Compression Air Brake Fittings Male Elbow 1/4 OD-1/8NPT	2pcs
	DOT Compression Air Brake Fittings Male Elbow 1/4 OD-1/4NPT	2pcs
	DOT Compression Air Brake Fittings Male Elbow 3/8 OD-3/8NPT	2pcs
	DOT Compression Air Brake Fittings Male Elbow 1/2 OD-3/8NPT	2pcs
	DOT Compression Air Brake Fittings Male Straight 1/4 OD-1/8NPT	2pcs
	DOT Compression Air Brake Fittings Male Straight 1/4 OD-1/4NPT	2pcs
	DOT Compression Air Brake Fittings Male Straight 3/8 OD-3/8NPT	2pcs
	DOT Compression Air Brake Fittings Male Straight 1/2 OD-3/8NPT	2pcs
	Brass Bushing Fittings 3/8NPT Female - 1/2NPT Male	2pcs


DOT Composite Air Brake Push To Connect Fittings Kit



DOT Air Brake Fittings for Nylon Tubing Kit - 24 Pcs


Item Code	Description	Qty
CDK1-24	Composite DOT Push To Connect Air Brake Fittings Union 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Union 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Union 1/2	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 1/2	2pcs
	Composite DOT Push To Connect Air Brake Fittings 90 Degree Male Elbow 3/8 OD - 1/4NPT	2pcs
	Composite DOT Push To Connect Air Brake Fittings 90 Degree Male Elbow 3/8 OD - 3/8NPT	2pcs
	Composite DOT Push To Connect Air Brake Fittings 90 Degree Male Elbow 1/4 OD - 1/8NPT	2pcs
	DOT Brass Push To Connect Fittings Male Straight 1/4 OD - 1/8NPT	2pcs
	DOT Brass Push To Connect Fittings Male Straight 1/4 OD - 1/4NPT	2pcs
	DOT Brass Push To Connect Fittings Male Straight 3/8 OD - 1/4NPT	2pcs

DOT Composite Air Brake Push To Connect Fittings Kit - 24 Pcs



Item Code	Description	Qty
CDK2-24	Composite DOT Push To Connect Air Brake Fittings Union 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Union 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Union 1/2	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Tee 1/2	2pcs
	Composite DOT Push To Connect Air Brake Fittings Y 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Y 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Reducer Y 1/4-3/8-1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Elbow 1/4	2pcs
	Composite DOT Push To Connect Air Brake Fittings Elbow 3/8	2pcs
	Composite DOT Push To Connect Air Brake Fittings Elbow 1/2	2pcs

DOT Air Brake Line Fittings Brass Push to Connect Kit



DOT Air Brake Brass Push to Connect Kit (1/4", 3/8", & 1/2") 32 pcs

Item Code	Description	Qty
DBPT-32	DOT Air Brake Push In Fittings Union 1/8	2pcs
	DOT Air Brake Push In Fittings Union 1/4	2pcs
	DOT Air Brake Push In Fittings Union 3/8	2pcs
	DOT Air Brake Push In Fittings Union 1/2	2pcs
	DOT Air Brake Push In Fittings Male Straight 1/4 OD, 1/4NPT	2pcs
	DOT Air Brake Push In Fittings Male Straight 1/4 OD, 3/8NPT	2pcs
	DOT Air Brake Push In Fittings Male Straight 3/8 OD, 1/8NPT	2pcs
	DOT Air Brake Push In Fittings Male Straight 3/8 OD, 3/8NPT	2pcs
	DOT Air Brake Push In Fittings Male Straight 3/8 OD, 1/2NPT	2pcs
	DOT Air Brake Push In Fittings Male Straight 1/2 OD, 1/2NPT	2pcs
	DOT Air Brake Push In Fittings 90 Degree Male Elbow 1/4 OD, 1/8NPT	2pcs
	DOT Air Brake Push In Fittings 90 Degree Male Elbow 1/4 OD, 1/4NPT	2pcs
	DOT Air Brake Push In Fittings 90 Degree Male Elbow 1/4 OD, 3/8NPT	2pcs
	DOT Air Brake Push In Fittings 90 Degree Male Elbow 1/2 OD, 3/8NPT	2pcs
	DOT Air Brake Push In Fittings Tee 1/4	2pcs
	DOT Air Brake Push In Fittings Tee 3/8	2pcs



Accept different fittings as kit in plastic box !!!
 OEM brand on Box

NTA DOT Air Brake Compression Fittings 全铜DOT卡套接头

Application 应用

空气制动系统或驾驶室空气控制，使用SAE J844型A和B尼龙管，除了温度超过+200°F(+93°C)或电池酸可能滴在空气软管上。

Air brake systems or in cab air controls, Use with SAE J844 Type A and B nylon tubing, except where temperatures exceed +200°F(+93°C) or where battery acid can drip on tubing.

Features 产品特点



1. 结构: 三件式单元: 壳体、螺母和衬套。材质为挤压铜棒(CA360)和锻造铜(CA377)。
 2. 抗震性: 耐抗震。
 3. 优点: 易于组装(无需管准备或扩口)。内部的管衬套和肋套压缩和积极抓地力。使用长螺母和球形套(DOT空气制动配件的铜管)可用于连接铜管。使用铜管时，应将插入件拆卸。

NTA compression style air brake fittings meet D.O.T. FMVSS 571.106 specifications and the functional requirements of SAE J246 and SAE J1131.

1. Construction - Three piece unit: body, nut and sleeve. Extruded(CA360) and Forged(CA377) Configuration.
 2. Vibration resistance - Fair resistance.
 3. Advantages - Easy to assemble (no tube preparation or flaring required.) Built in tube support and ribbed sleeve for compression and positive grip. May be used with copper tubing by using long nut and spherical sleeve (DOT Air Brake Fittings For Copper Tubing). Insert should be removed for copper tubing use.

Specifications 技术参数

1. Temperature Range: Fittings will withstand variations from -40°F to +200°F (-40°C to +93°C)
 2. Working Pressure: Maximum operating pressure of 150 psi.




Tube Size	Torque	A Dimension
1/4	85-15 in. lbs	0.085/0.105
3/8	12-17 ft. lbs	0.125/0.145
1/2	25-33 ft. lbs	0.100/0.120
5/8	26-35 ft. lbs	0.115/0.135
3/4	38-50 ft. lbs	0.180/0.200

Assembly Instructions: 安装指导

1. Cut tubing to desired length.
 2. Slide nut and then sleeve on tubing. Threaded end of nut "A" must face toward connector body.
 3. Insert tubing into the preassembled fitting. Besure tubing is bottomed in connector.
 4. Tighten nut to requiredtorque as indicated on above chart.

How To Order 产品订购



C	Male Adapter
CF	Female Adapter
L	90° Male Elbow
L45	45° Male Elbow
LF	90° Female Elbow
B	Male Brach Tee
BF	Female Brach Tee
D	Male Run Tee
U	Union
V	Union Elbow
E	Union Tee
M	Union Bulkhead
G	Reducer Straight
GT	Reducer Tee
MF	Female Bulkhead
TS	Brass Tube Support
PN	Nut
PS	Ferrules



For example ① :
 If order male 90 degree elbow , 1/8NPT thread, 1/4 OD imperial tube, the order item code: DQPL 1/4-1/8NPT

For example ② :
 If order male straight , M16*1.5 thread, 10mm*7.5mm metric tube, the order item code: DQPC 10-M16

For example ③ :
 If order union straight , 12mm OD * 9mm ID metric tube, the order item code: DQPU 12

Special Fittings

Fitting configurations and sizes other than those shown in the catalog can be furnished. It is suggested that a print or sketch be submitted with the inquiry. Price and delivery for special fittings furnished on request for specified quantities.

D.O.T. Compression Fittings DOT 卡套接头

Tapered threads

Recommended torque values for standard threads are shown in table below. First torque fitting manually, then apply torque as specified.

NPT Thread	1/16NPT	1/8NPT	1/4NPT	3/8NPT	1/2NPT	3/4NPT	
BSPT Thread		1/8BSPT	1/4BSPT	3/8BSPT	1/2BSPT		

Parallel threads

The installation of the metric fitting shall be directly tightened into the thread without any further preparation. The necessary torque values are according as specified. All Metric Thread will be with O-ring to seal

Metric Thread	M10*1.0	M12*1.5	M14*1.5	M16*1.5	M22*1.5		
---------------	---------	---------	---------	---------	---------	--	--

Recommended tubing for use with DOT Compression Air Brake Fittings

Tube should be to the following standards:
 - SAE J844 (Imperial dimensions)
 - DIN 74324 (Metric dimensions)
 - SAE J1394 (Metric dimensions)

Nylon (Polyamide) tubing, according to SAE J844

Imperial O.D.	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
Imperial I.D.	0.079"	0.092"	0.118"	0.170"	0.232"	0.251"	0.376"	0.441"	0.566"


Nylon (Polyamide) tubing, according to DIN 74324 and SAE J1394

Metric O.D.	4mm	6mm	8mm	10mm	12mm	15mm	16mm
Metric I.D.	2mm	4mm	6mm	7.5mm	9mm	12mm	12mm

Special Fittings

Fitting configurations and sizes other than those shown in the catalog can be furnished. It is suggested that a print or sketch be submitted with the inquiry. Price and delivery for special fittings furnished on request for specified quantities.

D.O.T. Compression Fittings DOT 卡套接头



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPC 1/8-1/16NPT	1/8	1/16NPT	DQPC 4-1/8NPT	4mm	1/8NPT
DQPC 1/8-1/8NPT	1/8	1/8NPT	DQPC 6-1/8NPT	6mm	1/8NPT
DQPC 3/16-1/16NPT	3/16	1/16NPT	DQPC 6-1/4NPT	6mm	1/4NPT
DQPC 3/16-1/8NPT	3/16	1/8NPT	DQPC 8-1/8NPT	8mm	1/8NPT
DQPC 3/16-1/4NPT	3/16	1/4NPT	DQPC 8-1/4NPT	8mm	1/4NPT
DQPC 1/4-1/16NPT	1/4	1/16NPT	DQPC 8-M12	8mm	M12*1.5
DQPC 1/4-1/8NPT	1/4	1/8NPT	DQPC 8-3/8NPT	8mm	3/8NPT
DQPC 1/4-1/4NPT	1/4	1/4NPT	DQPC 10-1/4NPT	10mm	1/4NPT
DQPC 1/4-3/8NPT	1/4	3/8NPT	DQPC 10-3/8NPT	10mm	3/8NPT
DQPC 1/4-1/2NPT	1/4	1/2NPT	DQPC 10-1/2NPT	10mm	1/2NPT
DQPC 5/32-1/16NPT	5/32	1/16NPT	DQPC 12-1/4NPT	12mm	1/4NPT
DQPC 5/32-1/8NPT	5/32	1/8NPT	DQPC 12-3/8NPT	12mm	3/8NPT
DQPC 5/32-1/4NPT	5/32	1/4NPT	DQPC 12-1/2NPT	12mm	1/2NPT
DQPC 5/32-3/8NPT	5/32	3/8NPT	DQPC 14-1/2NPT	14mm	1/2NPT
DQPC 3/8-1/8NPT	3/8	1/8NPT	DQPC 15-1/2NPT	15mm	1/2NPT
DQPC 3/8-1/4NPT	3/8	1/4NPT	DQPC 16-1/2NPT	16mm	1/2NPT
DQPC 3/8-3/8NPT	3/8	3/8NPT	DQPC 18-1/2NPT	18mm	1/2NPT
DQPC 3/8-1/2NPT	3/8	1/2NPT			
DQPC 1/2-1/4NPT	1/2	1/4NPT			
DQPC 1/2-3/8NPT	1/2	3/8NPT			
DQPC 1/2-1/2NPT	1/2	1/2NPT			
DQPC 1/2-3/4NPT	1/2	3/4NPT			
DQPC 5/8-3/8NPT	5/8	3/8NPT			
DQPC 5/8-1/2NPT	5/8	1/2NPT			
DQPC 5/8-3/4NPT	5/8	3/4NPT			
DQPC 3/4-1/2NPT	3/4	1/2NPT			
DQPC 3/4-3/4NPT	3/4	3/4NPT			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPL 1/8-1/16NPT	1/8	1/16NPT	DQPL 4-1/8NPT	4mm	1/8NPT
DQPL 1/8-1/8NPT	1/8	1/8NPT	DQPL 6-1/8NPT	6mm	1/8NPT
DQPL 3/16-1/16NPT	3/16	1/16NPT	DQPL 6-1/4NPT	6mm	1/4NPT
DQPL 3/16-1/8NPT	3/16	1/8NPT	DQPL 8-1/8NPT	8mm	1/8NPT
DQPL 3/16-1/4NPT	3/16	1/4NPT	DQPL 8-1/4NPT	8mm	1/4NPT
DQPL 1/4-1/16NPT	1/4	1/16NPT	DQPL 8-M12	8mm	M12*1.5
DQPL 1/4-1/8NPT	1/4	1/8NPT	DQPL 8-3/8NPT	8mm	3/8NPT
DQPL 1/4-1/4NPT	1/4	1/4NPT	DQPL 10-1/4NPT	10mm	1/4NPT
DQPL 1/4-3/8NPT	1/4	3/8NPT	DQPL 10-3/8NPT	10mm	3/8NPT
DQPL 1/4-1/2NPT	1/4	1/2NPT	DQPL 10-1/2NPT	10mm	1/2NPT
DQPL 5/32-1/16NPT	5/32	1/16NPT	DQPL 12-1/4NPT	12mm	1/4NPT
DQPL 5/32-1/8NPT	5/32	1/8NPT	DQPL 12-3/8NPT	12mm	3/8NPT
DQPL 5/32-1/4NPT	5/32	1/4NPT	DQPL 12-1/2NPT	12mm	1/2NPT
DQPL 5/32-3/8NPT	5/32	3/8NPT	DQPL 14-1/2NPT	14mm	1/2NPT
DQPL 3/8-1/8NPT	3/8	1/8NPT	DQPL 15-1/2NPT	15mm	1/2NPT
DQPL 3/8-1/4NPT	3/8	1/4NPT	DQPL 16-1/2NPT	16mm	1/2NPT
DQPL 3/8-3/8NPT	3/8	3/8NPT	DQPL 18-1/2NPT	18mm	1/2NPT
DQPL 3/8-1/2NPT	3/8	1/2NPT			
DQPL 1/2-1/4NPT	1/2	1/4NPT			
DQPL 1/2-3/8NPT	1/2	3/8NPT			
DQPL 1/2-1/2NPT	1/2	1/2NPT			
DQPL 1/2-3/4NPT	1/2	3/4NPT			
DQPL 5/8-3/8NPT	5/8	3/8NPT			
DQPL 5/8-1/2NPT	5/8	1/2NPT			
DQPL 5/8-3/4NPT	5/8	3/4NPT			
DQPL 3/4-1/2NPT	3/4	1/2NPT			
DQPL 3/4-3/4NPT	3/4	3/4NPT			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPCF 1/8-1/16NPT	1/8	1/16NPT	DQPCF 4-1/8NPT	4mm	1/8NPT
DQPCF 1/8-1/8NPT	1/8	1/8NPT	DQPCF 6-1/8NPT	6mm	1/8NPT
DQPCF 3/16-1/16NPT	3/16	1/16NPT	DQPCF 6-1/4NPT	6mm	1/4NPT
DQPCF 3/16-1/8NPT	3/16	1/8NPT	DQPCF 8-1/8NPT	8mm	1/8NPT
DQPCF 3/16-1/4NPT	3/16	1/4NPT	DQPCF 8-1/4NPT	8mm	1/4NPT
DQPCF 1/4-1/16NPT	1/4	1/16NPT	DQPCF 8-M12	8mm	M12*1.5
DQPCF 1/4-1/8NPT	1/4	1/8NPT	DQPCF 8-3/8NPT	8mm	3/8NPT
DQPCF 1/4-1/4NPT	1/4	1/4NPT	DQPCF 10-1/4NPT	10mm	1/4NPT
DQPCF 1/4-3/8NPT	1/4	3/8NPT	DQPCF 10-3/8NPT	10mm	3/8NPT
DQPCF 1/4-1/2NPT	1/4	1/2NPT	DQPCF 10-1/2NPT	10mm	1/2NPT
DQPCF 5/32-1/16NPT	5/32	1/16NPT	DQPCF 12-1/4NPT	12mm	1/4NPT
DQPCF 5/32-1/8NPT	5/32	1/8NPT	DQPCF 12-3/8NPT	12mm	3/8NPT
DQPCF 5/32-1/4NPT	5/32	1/4NPT	DQPCF 12-1/2NPT	12mm	1/2NPT
DQPCF 5/32-3/8NPT	5/32	3/8NPT	DQPCF 14-1/2NPT	14mm	1/2NPT
DQPCF 3/8-1/8NPT	3/8	1/8NPT	DQPCF 15-1/2NPT	15mm	1/2NPT
DQPCF 3/8-1/4NPT	3/8	1/4NPT	DQPCF 16-1/2NPT	16mm	1/2NPT
DQPCF 3/8-3/8NPT	3/8	3/8NPT	DQPCF 18-1/2NPT	18mm	1/2NPT
DQPCF 3/8-1/2NPT	3/8	1/2NPT			
DQPCF 1/2-1/4NPT	1/2	1/4NPT			
DQPCF 1/2-3/8NPT	1/2	3/8NPT			
DQPCF 1/2-1/2NPT	1/2	1/2NPT			
DQPCF 1/2-3/4NPT	1/2	3/4NPT			
DQPCF 5/8-3/8NPT	5/8	3/8NPT			
DQPCF 5/8-1/2NPT	5/8	1/2NPT			
DQPCF 5/8-3/4NPT	5/8	3/4NPT			
DQPCF 3/4-1/2NPT	3/4	1/2NPT			
DQPCF 3/4-3/4NPT	3/4	3/4NPT			



MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPL45 1/8-1/16NPT	1/8	1/16NPT	DQPL45 4-1/8NPT	4mm	1/8NPT
DQPL45 1/8-1/8NPT	1/8	1/8NPT	DQPL45 6-1/8NPT	6mm	1/8NPT
DQPL45 3/16-1/16NPT	3/16	1/16NPT	DQPL45 6-1/4NPT	6mm	1/4NPT
DQPL45 3/16-1/8NPT	3/16	1/8NPT	DQPL45 8-1/8NPT	8mm	1/8NPT
DQPL45 3/16-1/4NPT	3/16	1/4NPT	DQPL45 8-1/4NPT	8mm	1/4NPT
DQPL45 1/4-1/16NPT	1/4	1/16NPT	DQPL45 8-M12	8mm	M12*1.5
DQPL45 1/4-1/8NPT	1/4	1/8NPT	DQPL45 8-3/8NPT	8mm	3/8NPT
DQPL45 1/4-1/4NPT	1/4	1/4NPT	DQPL45 10-1/4NPT	10mm	1/4NPT
DQPL45 1/4-3/8NPT	1/4	3/8NPT	DQPL45 10-3/8NPT	10mm	3/8NPT
DQPL45 1/4-1/2NPT	1/4	1/2NPT	DQPL45 10-1/2NPT	10mm	1/2NPT
DQPL45 5/32-1/16NPT	5/32	1/16NPT	DQPL45 12-1/4NPT	12mm	1/4NPT
DQPL45 5/32-1/8NPT	5/32	1/8NPT	DQPL45 12-3/8NPT	12mm	3/8NPT
DQPL45 5/32-1/4NPT	5/32	1/4NPT	DQPL45 12-1/2NPT	12mm	1/2NPT
DQPL45 5/32-3/8NPT	5/32	3/8NPT	DQPL45 14-1/2NPT	14mm	1/2NPT
DQPL45 3/8-1/8NPT	3/8	1/8NPT	DQPL45 15-1/2NPT	15mm	1/2NPT
DQPL45 3/8-1/4NPT	3/8	1/4NPT	DQPL45 16-1/2NPT	16mm	1/2NPT
DQPL45 3/8-3/8NPT	3/8	3/8NPT	DQPL45 18-1/2NPT	18mm	1/2NPT
DQPL45 3/8-1/2NPT	3/8	1/2NPT			
DQPL45 1/2-1/4NPT	1/2	1/4NPT			
DQPL45 1/2-3/8NPT	1/2	3/8NPT			
DQPL45 1/2-1/2NPT	1/2	1/2NPT			
DQPL45 1/2-3/4NPT	1/2	3/4NPT			
DQPL45 5/8-3/8NPT	5/8	3/8NPT			
DQPL45 5/8-1/2NPT	5/8	1/2NPT			
DQPL45 5/8-3/4NPT	5/8	3/4NPT			
DQPL45 3/4-1/2NPT	3/4	1/2NPT			
DQPL45 3/4-3/4NPT	3/4	3/4NPT			

 Female Elbow - DOT Compression Fittings 内牙弯头DOT卡套接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPLF 1/8-1/16NPT	1/8	1/16NPT	DQPLF 4-1/8NPT	4mm	1/8NPT
DQPLF 1/8-1/8NPT	1/8	1/8NPT	DQPLF 6-1/8NPT	6mm	1/8NPT
DQPLF 3/16-1/16NPT	3/16	1/16NPT	DQPLF 6-1/4NPT	6mm	1/4NPT
DQPLF 3/16-1/8NPT	3/16	1/8NPT	DQPLF 8-1/8NPT	8mm	1/8NPT
DQPLF 3/16-1/4NPT	3/16	1/4NPT	DQPLF 8-1/4NPT	8mm	1/4NPT
DQPLF 1/4-1/16NPT	1/4	1/16NPT	DQPLF 8-M12	8mm	M12*1.5
DQPLF 1/4-1/8NPT	1/4	1/8NPT	DQPLF 8-3/8NPT	8mm	3/8NPT
DQPLF 1/4-1/4NPT	1/4	1/4NPT	DQPLF 10-1/4NPT	10mm	1/4NPT
DQPLF 1/4-3/8NPT	1/4	3/8NPT	DQPLF 10-3/8NPT	10mm	3/8NPT
DQPLF 1/2-1/2NPT	1/4	1/2NPT	DQPLF 10-1/2NPT	10mm	1/2NPT
DQPLF 5/32-1/16NPT	5/32	1/16NPT	DQPLF 12-1/4NPT	12mm	1/4NPT
DQPLF 5/32-1/8NPT	5/32	1/8NPT	DQPLF 12-3/8NPT	12mm	3/8NPT
DQPLF 5/32-1/4NPT	5/32	1/4NPT	DQPLF 12-1/2NPT	12mm	1/2NPT
DQPLF 5/32-3/8NPT	5/32	3/8NPT	DQPLF 14-1/2NPT	14mm	1/2NPT
DQPLF 3/8-1/8NPT	3/8	1/8NPT	DQPLF 15-1/2NPT	15mm	1/2NPT
DQPLF 3/8-1/4NPT	3/8	1/4NPT	DQPLF 16-1/2NPT	16mm	1/2NPT
DQPLF 3/8-3/8NPT	3/8	3/8NPT	DQPLF 18-1/2NPT	18mm	1/2NPT
DQPLF 3/8-1/2NPT	3/8	1/2NPT			
DQPLF 1/2-1/4NPT	1/2	1/4NPT			
DQPLF 1/2-3/8NPT	1/2	3/8NPT			
DQPLF 1/2-1/2NPT	1/2	1/2NPT			
DQPLF 1/2-3/4NPT	1/2	3/4NPT			
DQPLF 5/8-3/8NPT	5/8	3/8NPT			
DQPLF 5/8-1/2NPT	5/8	1/2NPT			
DQPLF 5/8-3/4NPT	5/8	3/4NPT			
DQPLF 3/4-1/2NPT	3/4	1/2NPT			
DQPLF 3/4-3/4NPT	3/4	3/4NPT			

 Male Run Tee - DOT Compression Fittings 侧面外牙三通DOT卡套接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPD 1/8-1/16NPT	1/8	1/16NPT	DQPD 4-1/8NPT	4mm	1/8NPT
DQPD 1/8-1/8NPT	1/8	1/8NPT	DQPD 6-1/8NPT	6mm	1/8NPT
DQPD 3/16-1/16NPT	3/16	1/16NPT	DQPD 6-1/4NPT	6mm	1/4NPT
DQPD 3/16-1/8NPT	3/16	1/8NPT	DQPD 8-1/8NPT	8mm	1/8NPT
DQPD 3/16-1/4NPT	3/16	1/4NPT	DQPD 8-1/4NPT	8mm	1/4NPT
DQPD 1/4-1/16NPT	1/4	1/16NPT	DQPD 8-M12	8mm	M12*1.5
DQPD 1/4-1/8NPT	1/4	1/8NPT	DQPD 8-3/8NPT	8mm	3/8NPT
DQPD 1/4-1/4NPT	1/4	1/4NPT	DQPD 10-1/4NPT	10mm	1/4NPT
DQPD 1/4-3/8NPT	1/4	3/8NPT	DQPD 10-3/8NPT	10mm	3/8NPT
DQPD 1/4-1/2NPT	1/4	1/2NPT	DQPD 10-1/2NPT	10mm	1/2NPT
DQPD 5/32-1/16NPT	5/32	1/16NPT	DQPD 12-1/4NPT	12mm	1/4NPT
DQPD 5/32-1/8NPT	5/32	1/8NPT	DQPD 12-3/8NPT	12mm	3/8NPT
DQPD 5/32-1/4NPT	5/32	1/4NPT	DQPD 12-1/2NPT	12mm	1/2NPT
DQPD 5/32-3/8NPT	5/32	3/8NPT	DQPD 14-1/2NPT	14mm	1/2NPT
DQPD 3/8-1/8NPT	3/8	1/8NPT	DQPD 15-1/2NPT	15mm	1/2NPT
DQPD 3/8-1/4NPT	3/8	1/4NPT	DQPD 16-1/2NPT	16mm	1/2NPT
DQPD 3/8-3/8NPT	3/8	3/8NPT	DQPD 18-1/2NPT	18mm	1/2NPT
DQPD 3/8-1/2NPT	3/8	1/2NPT			
DQPD 1/2-1/4NPT	1/2	1/4NPT			
DQPD 1/2-3/8NPT	1/2	3/8NPT			
DQPD 1/2-1/2NPT	1/2	1/2NPT			
DQPD 1/2-3/4NPT	1/2	3/4NPT			
DQPD 5/8-3/8NPT	5/8	3/8NPT			
DQPD 5/8-1/2NPT	5/8	1/2NPT			
DQPD 5/8-3/4NPT	5/8	3/4NPT			
DQPD 3/4-1/2NPT	3/4	1/2NPT			
DQPD 3/4-3/4NPT	3/4	3/4NPT			

 Male Branch Tee- DOT Compression Fittings 中间外牙三通DOT卡套					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPB 1/8-1/16NPT	1/8	1/16NPT	DQPB 4-1/8NPT	4mm	1/8NPT
DQPB 1/8-1/8NPT	1/8	1/8NPT	DQPB 6-1/8NPT	6mm	1/8NPT
DQPB 3/16-1/16NPT	3/16	1/16NPT	DQPB 6-1/4NPT	6mm	1/4NPT
DQPB 3/16-1/8NPT	3/16	1/8NPT	DQPB 8-1/8NPT	8mm	1/8NPT
DQPB 3/16-1/4NPT	3/16	1/4NPT	DQPB 8-1/4NPT	8mm	1/4NPT
DQPB 1/4-1/16NPT	1/4	1/16NPT	DQPB 8-M12	8mm	M12*1.5
DQPB 1/4-1/8NPT	1/4	1/8NPT	DQPB 8-3/8NPT	8mm	3/8NPT
DQPB 1/4-1/4NPT	1/4	1/4NPT	DQPB 10-1/4NPT	10mm	1/4NPT
DQPB 1/4-3/8NPT	1/4	3/8NPT	DQPB 10-3/8NPT	10mm	3/8NPT
DQPB 1/2-1/2NPT	1/4	1/2NPT	DQPB 10-1/2NPT	10mm	1/2NPT
DQPB 5/32-1/16NPT	5/32	1/16NPT	DQPB 12-1/4NPT	12mm	1/4NPT
DQPB 5/32-1/8NPT	5/32	1/8NPT	DQPB 12-3/8NPT	12mm	3/8NPT
DQPB 5/32-1/4NPT	5/32	1/4NPT	DQPB 12-1/2NPT	12mm	1/2NPT
DQPB 5/32-3/8NPT	5/32	3/8NPT	DQPB 14-1/2NPT	14mm	1/2NPT
DQPB 3/8-1/8NPT	3/8	1/8NPT	DQPB 15-1/2NPT	15mm	1/2NPT
DQPB 3/8-1/4NPT	3/8	1/4NPT	DQPB 16-1/2NPT	16mm	1/2NPT
DQPB 3/8-3/8NPT	3/8	3/8NPT	DQPB 18-1/2NPT	18mm	1/2NPT
DQPB 3/8-1/2NPT	3/8	1/2NPT			
DQPB 1/2-1/4NPT	1/2	1/4NPT			
DQPB 1/2-3/8NPT	1/2	3/8NPT			
DQPB 1/2-1/2NPT	1/2	1/2NPT			
DQPB 1/2-3/4NPT	1/2	3/4NPT			
DQPB 5/8-3/8NPT	5/8	3/8NPT			
DQPB 5/8-1/2NPT	5/8	1/2NPT			
DQPB 5/8-3/4NPT	5/8	3/4NPT			
DQPB 3/4-1/2NPT	3/4	1/2NPT			
DQPB 3/4-3/4NPT	3/4	3/4NPT			

 Female Branch Tee - DOT Compression Fittings 中间牙三通DOT卡套接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPBF 1/8-1/16NPT	1/8	1/16NPT	DQPBF 4-1/8NPT	4mm	1/8NPT
DQPBF 1/8-1/8NPT	1/8	1/8NPT	DQPBF 6-1/8NPT	6mm	1/8NPT
DQPBF 3/16-1/16NPT	3/16	1/16NPT	DQPBF 6-1/4NPT	6mm	1/4NPT
DQPBF 3/16-1/8NPT	3/16	1/8NPT	DQPBF 8-1/8NPT	8mm	1/8NPT
DQPBF 3/16-1/4NPT	3/16	1/4NPT	DQPBF 8-1/4NPT	8mm	1/4NPT
DQPBF 1/4-1/16NPT	1/4	1/16NPT	DQPBF 8-M12	8mm	M12*1.5
DQPBF 1/4-1/8NPT	1/4	1/8NPT	DQPBF 8-3/8NPT	8mm	3/8NPT
DQPBF 1/4-1/4NPT	1/4	1/4NPT	DQPBF 10-1/4NPT	10mm	1/4NPT
DQPBF 1/4-3/8NPT	1/4	3/8NPT	DQPBF 10-3/8NPT	10mm	3/8NPT
DQPBF 1/4-1/2NPT	1/4	1/2NPT	DQPBF 10-1/2NPT	10mm	1/2NPT
DQPBF 5/32-1/16NPT	5/32	1/16NPT	DQPBF 12-1/4NPT	12mm	1/4NPT
DQPBF 5/32-1/8NPT	5/32	1/8NPT	DQPBF 12-3/8NPT	12mm	3/8NPT
DQPBF 5/32-1/4NPT	5/32	1/4NPT	DQPBF 12-1/2NPT	12mm	1/2NPT
DQPBF 5/32-3/8NPT	5/32	3/8NPT	DQPBF 14-1/2NPT	14mm	1/2NPT
DQPBF 3/8-1/8NPT	3/8	1/8NPT	DQPBF 15-1/2NPT	15mm	1/2NPT
DQPBF 3/8-1/4NPT	3/8	1/4NPT	DQPBF 16-1/2NPT	16mm	1/2NPT
DQPBF 3/8-3/8NPT	3/8	3/8NPT	DQPBF 18-1/2NPT	18mm	1/2NPT
DQPBF 3/8-1/2NPT	3/8	1/2NPT			
DQPBF 1/2-1/4NPT	1/2	1/4NPT			
DQPBF 1/2-3/8NPT	1/2	3/8NPT			
DQPBF 1/2-1/2NPT	1/2	1/2NPT			
DQPBF 1/2-3/4NPT	1/2	3/4NPT			
DQPBF 5/8-3/8NPT	5/8	3/8NPT			
DQPBF 5/8-1/2NPT	5/8	1/2NPT			
DQPBF 5/8-3/4NPT	5/8	3/4NPT			
DQPBF 3/4-1/2NPT	3/4	1/2NPT			
DQPBF 3/4-3/4NPT	3/4	3/4NPT			

 Female Bulkhead - DOT Compression Fittings 内牙夹板DOT卡套接头					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQPMF 1/4-1/8NPT	1/4	1/8NPT	DQPMF 4-1/8NPT	4mm	1/8NPT
DQPMF 1/4-1/4NPT	1/4	1/4NPT	DQPMF 6-1/8NPT	6mm	1/8NPT
DQPMF 1/4-3/8NPT	1/4	3/8NPT	DQPMF 6-1/4NPT	6mm	1/4NPT
DQPMF 1/4-1/2NPT	1/4	1/2NPT	DQPMF 8-1/8NPT	8mm	1/8NPT
DQPMF 3/8-1/8NPT	3/8	1/8NPT	DQPMF 8-1/4NPT	8mm	1/4NPT
DQPMF 3/8-1/4NPT	3/8	1/4NPT	DQPMF 8-M12	8mm	M12*1.5
DQPMF 3/8-3/8NPT	3/8	3/8NPT	DQPMF 8-3/8NPT	8mm	3/8NPT
DQPMF 3/8-1/2NPT	3/8	1/2NPT	DQPMF 10-1/4NPT	10mm	1/4NPT
DQPMF 1/2-1/4NPT	1/2	1/4NPT	DQPMF 10-3/8NPT	10mm	3/8NPT
DQPMF 1/2-3/8NPT	1/2	3/8NPT	DQPMF 10-1/2NPT	10mm	1/2NPT
DQPMF 1/2-1/2NPT	1/2	1/2NPT	DQPMF 12-1/4NPT	12mm	1/4NPT
DQPMF 1/2-3/4NPT	1/2	3/4NPT	DQPMF 12-3/8NPT	12mm	3/8NPT
DQPMF 5/8-3/8NPT	5/8	3/8NPT	DQPMF 12-1/2NPT	12mm	1/2NPT
DQPMF 5/8-1/2NPT	5/8	1/2NPT	DQPMF 14-1/2NPT	14mm	1/2NPT
DQPMF 5/8-3/4NPT	5/8	3/4NPT	DQPMF 15-1/2NPT	15mm	1/2NPT
DQPMF 3/4-1/2NPT	3/4	1/2NPT	DQPMF 16-1/2NPT	16mm	1/2NPT
DQPMF 3/4-3/4NPT	3/4	3/4NPT	DQPMF 18-1/2NPT	18mm	1/2NPT

Union - DOT Compression Fittings
等径直通DOT卡套接头

MODEL	Tube Size	MODEL	Tube Size
DQPU 1/8	1/8	DQPU 4	4mm
DQPU 3/16	3/16	DQPU 6	6mm
DQPU 1/4	1/4	DQPU 8	8mm
DQPU 5/32	5/32	DQPU 10	10mm
DQPU 3/8	3/8	DQPU 12	12mm
DQPU 1/2	1/2	DQPU 14	14mm
DQPU 5/8	5/8	DQPU 15	15mm
DQPU 3/4	3/4	DQPU 16	16mm



Union Elbow - DOT Compression Fittings

等径弯头DOT卡套接头

MODEL	Tube Size	MODEL	Tube Size
DQPV 1/8	1/8	DQPV 4	4mm
DQPV 3/16	3/16	DQPV 6	6mm
DQPV 1/4	1/4	DQPV 8	8mm
DQPV 5/32	5/32	DQPV 10	10mm
DQPV 3/8	3/8	DQPV 12	12mm
DQPV 1/2	1/2	DQPV 14	14mm
DQPV 5/8	5/8	DQPV 15	15mm
DQPV 3/4	3/4	DQPV 16	16mm



Union Tee - DOT Compression Fittings
等径三通DOT卡套接头

MODEL	Tube Size	MODEL	Tube Size
DQPE 1/8	1/8	DQPE 4	4mm
DQPE 3/16	3/16	DQPE 6	6mm
DQPE 1/4	1/4	DQPE 8	8mm
DQPE 5/32	5/32	DQPE 10	10mm
DQPE 3/8	3/8	DQPE 12	12mm
DQPE 1/2	1/2	DQPE 14	14mm
DQPE 5/8	5/8	DQPE 15	15mm
DQPE 3/4	3/4	DQPE 16	16mm

 Union Bulkhead - DOT Compression Fittings 夹板直通DOT卡套接头			
MODEL	Tube Size	MODEL	Tube Size
DQPM 1/8	1/8	DQPM 4	4mm
DQPM 3/16	3/16	DQPM 6	6mm
DQPM 1/4	1/4	DQPM 8	8mm
DQPM 5/32	5/32	DQPM 10	10mm
DQPM 3/8	3/8	DQPM 12	12mm
DQPM 1/2	1/2	DQPM 14	14mm
DQPM 5/8	5/8	DQPM 15	15mm
DQPM 3/4	3/4	DQPM 16	16mm

 Insert - DOT Compression Fittings 衬套 - DOT卡套接头			
MODEL	Tube Size	MODEL	Tube Size
DQTS 1/8	1/8	DQTS 4	4mm
DQTS 3/16	3/16	DQTS 6	6mm
DQTS 1/4	1/4	DQTS 8	8mm
DQTS 5/32	5/32	DQTS 10	10mm
DQTS 3/8	3/8	DQTS 12	12mm
DQTS 1/2	1/2	DQTS 14	14mm
DQTS 5/8	5/8	DQTS 15	15mm
DQTS 3/4	3/4	DQTS 16	16mm

D.O.T. Compression Fittings DOT 卡套接头

			Reducer Straight - DOT Compression Fittings 变径直通DOT卡套接头		
MODEL	Tube 1	Tube 2	MODEL	Tube 1	Tube 2
DQPG 1/4-1/8	1/4	1/8	DQPG 6-4	6mm	4mm
DQPG 5/16-1/4	5/16	1/4	DQPG 8-6	8mm	6mm
DQPG 3/8-1/4	3/8	1/4	DQPG 10-6	10mm	6mm
DQPG 3/8-5/16	3/8	5/16	DQPG 10-8	10mm	8mm
DQPG 1/2-1/4	1/2	1/4	DQPG 12-6	12mm	6mm
DQPG 1/2-5/16	1/2	5/16	DQPG 12-8	12mm	10mm
DQPG 1/2-3/8	1/2	3/8	DQPG 12-10	12mm	10mm

				Reducer Tee - DOT Compression Fittings 变径三通DOT卡套接头			
MODEL	Tube 1	Tube 2	Tube 3	MODEL	Tube 1	Tube 2	Tube 3
DQPGT 1/4-1/8	1/4	1/8	1/4	DQPGT 6-4	6mm	4mm	6mm
DQPGT 5/16-1/4	5/16	1/4	5/16	DQPGT 8-6	8mm	6mm	8mm
DQPGT 3/8-1/4	3/8	1/4	3/8	DQPGT 10-6	10mm	6mm	10mm
DQPGT 3/8-5/16	3/8	5/16	3/8	DQPGT 10-8	10mm	8mm	10mm
DQPGT 1/2-1/4	1/2	1/4	1/2	DQPGT 12-6	12mm	6mm	12mm
DQPGT 1/2-5/16	1/2	5/16	1/2	DQPGT 12-8	12mm	10mm	12mm
DQPGT 1/2-3/8	1/2	3/8	1/2	DQPGT 12-10	12mm	10mm	12mm

DOT Air Brake Fittings For Copper Tubing

DOT Air Brake Fittings For Copper Tubing 全铜DOT接铜管卡套接头

Typical Application 适用

Air Brake Systems 刹车系统

Specifications 技术参数

Working Pressure: Maximum operating pressure of 150 psi.

Vibration: Fair resistance.

Temperature Range: -65°F to +250°F (-53°C to +121°C) with copper tubing.


Material: CA360 Brass.

Used With: Copper tubing in air brake systems.

Advantages: Easy to assemble (no flaring). May be used with nylon tubing by replacing long nut and spherical sleeve with insert, rigid sleeve and nut.

Conformance: Meets specifications and standards of SAE and DOT.

Assembly Instructions 安装指导



1. Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
2. Slide nut and then sleeve on tubing. Threaded end of nut "A" must face toward connector body.
3. Insert tubing into connector. Be sure tubing is bottomed on fitting shoulder.
4. Thread nut onto connector body until it is hand tight.
5. From that point, tighten with a wrench the number of turns indicated in the chart below.

Tube Size	Additional Number Of Turns From Hand Tight
1/4, 3/8	1-3/4
1/2, 5/8, 3/4	3-1/4

DOT Air Brake Fittings For Copper Tubing

 Male Adapter - DOT Compression Fittings For Copper Tubing			 90 Degree Male Elbow - DOT Compression Fittings For Copper Tubing		
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQCPC 1/4-1/8NPT	1/4	1/8NPT	DQCPL 1/4-1/8NPT	1/4	1/8NPT
DQCPC 1/4-1/4NPT	1/4	1/4NPT	DQCPL 1/4-1/4NPT	1/4	1/4NPT
DQCPC 3/8-1/8NPT	3/8	1/8NPT	DQCPL 3/8-1/8NPT	3/8	1/8NPT
DQCPC 3/8-1/4NPT	3/8	1/4NPT	DQCPL 3/8-1/4NPT	3/8	1/4NPT
DQCPC 3/8-3/8NPT	3/8	3/8NPT	DQCPL 3/8-3/8NPT	3/8	3/8NPT
DQCPC 3/8-1/2NPT	3/8	1/2NPT	DQCPL 3/8-1/2NPT	3/8	1/2NPT
DQCPC 1/2-1/4NPT	1/2	1/4NPT	DQCPL 1/2-1/4NPT	1/2	1/4NPT
DQCPC 1/2-3/8NPT	1/2	3/8NPT	DQCPL 1/2-3/8NPT	1/2	3/8NPT
DQCPC 1/2-1/2NPT	1/2	1/2NPT	DQCPL 1/2-1/2NPT	1/2	1/2NPT
DQCPC 5/8-3/8NPT	5/8	3/8NPT	DQCPL 5/8-3/8NPT	5/8	3/8NPT
DQCPC 5/8-1/2NPT	5/8	1/2NPT	DQCPL 5/8-1/2NPT	5/8	1/2NPT
DQCPC 3/4-1/2NPT	3/4	1/2NPT	DQCPL 3/4-1/2NPT	3/4	1/2NPT

 45 Degree Male Elbow - DOT Compression Fittings For Copper Tubing			 90 Degree Male Elbow - DOT Compression Fittings For Copper Tubing		
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQCPL45 1/4-1/8NPT	1/4	1/8NPT	DQCPLF 1/4-1/8NPT	1/4	1/8NPT
DQCPL45 1/4-1/4NPT	1/4	1/4NPT	DQCPLF 1/4-1/4NPT	1/4	1/4NPT
DQCPL45 3/8-1/8NPT	3/8	1/8NPT	DQCPLF 3/8-1/8NPT	3/8	1/8NPT
DQCPL45 3/8-1/4NPT	3/8	1/4NPT	DQCPLF 3/8-1/4NPT	3/8	1/4NPT
DQCPL45 3/8-3/8NPT	3/8	3/8NPT	DQCPLF 3/8-3/8NPT	3/8	3/8NPT
DQCPL45 3/8-1/2NPT	3/8	1/2NPT	DQCPLF 3/8-1/2NPT	3/8	1/2NPT
DQCPL45 1/2-1/4NPT	1/2	1/4NPT	DQCPLF 1/2-1/4NPT	1/2	1/4NPT
DQCPL45 1/2-3/8NPT	1/2	3/8NPT	DQCPLF 1/2-3/8NPT	1/2	3/8NPT
DQCPL45 1/2-1/2NPT	1/2	1/2NPT	DQCPLF 1/2-1/2NPT	1/2	1/2NPT
DQCPL45 5/8-3/8NPT	5/8	3/8NPT	DQCPLF 5/8-3/8NPT	5/8	3/8NPT
DQCPL45 5/8-1/2NPT	5/8	1/2NPT	DQCPLF 5/8-1/2NPT	5/8	1/2NPT
DQCPL45 3/4-1/2NPT	3/4	1/2NPT	DQCPLF 3/4-1/2NPT	3/4	1/2NPT

 Male Branch Tee - DOT Compression Fittings For Copper Tubing			 Male Run Tee - DOT Compression Fittings For Copper Tubing		
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
DQCPB 1/4-1/8NPT	1/4	1/8NPT	DQCPD 1/4-1/8NPT	1/4	1/8NPT
DQCPB 1/4-1/4NPT	1/4	1/4NPT	DQCPD 1/4-1/4NPT	1/4	1/4NPT
DQCPB 3/8-1/8NPT	3/8	1/8NPT	DQCPD 3/8-1/8NPT	3/8	1/8NPT
DQCPB 3/8-1/4NPT	3/8	1/4NPT	DQCPD 3/8-1/4NPT	3/8	1/4NPT
DQCPB 3/8-3/8NPT	3/8	3/8NPT	DQCPD 3/8-3/8NPT	3/8	3/8NPT
DQCPB 3/8-1/2NPT	3/8	1/2NPT	DQCPD 3/8-1/2NPT	3/8	1/2NPT
DQCPB 1/2-1/4NPT	1/2	1/4NPT	DQCPD 1/2-1/4NPT	1/2	1/4NPT
DQCPB 1/2-3/8NPT	1/2	3/8NPT	DQCPD 1/2-3/8NPT	1/2	3/8NPT
DQCPB 1/2-1/2NPT	1/2	1/2NPT	DQCPD 1/2-1/2NPT	1/2	1/2NPT
DQCPB 5/8-3/8NPT	5/8	3/8NPT	DQCPD 5/8-3/8NPT	5/8	3/8NPT
DQCPB 5/8-1/2NPT	5/8	1/2NPT	DQCPD 5/8-1/2NPT	5/8	1/2NPT
DQCPB 3/4-1/2NPT	3/4	1/2NPT	DQCPD 3/4-1/2NPT	3/4	1/2NPT

DOT Air Brake Fittings For Copper Tubing

 Union - DOT Compression Fittings For Copper Tubing		 Union Tee - DOT Compression Fittings For Copper Tubing	
MODEL	Tube Size	MODEL	Tube Size
DQCPU 1/4	1/4	DQCPE 1/4	1/4
DQCPU 3/8	3/8	DQCPE 3/8	3/8
DQCPU 1/2	1/2	DQCPE 1/2	1/2
DQCPU 5/8	5/8	DQCPE 5/8	5/8
DQCPU 3/4	3/4	DQCPE 3/4	3/4

 Union Elbow - DOT Compression Fittings For Copper Tubing		 Union Elbow - DOT Compression Fittings For Copper Tubing	
MODEL	Tube Size	MODEL	Tube Size
DQCPV 1/4	1/4	DQCPN 1/4	1/4
DQCPV 3/8	3/8	DQCPN 3/8	3/8
DQCPV 1/2	1/2	DQCPN 1/2	1/2
DQCPV 5/8	5/8	DQCPN 5/8	5/8
DQCPV 3/4	3/4	DQCPN 3/4	3/4

 Sleeve - DOT Compression Fittings For Copper Tubing	
MODEL	Tube Size
DQCPS 1/4	1/4
DQCPS 3/8	3/8
DQCPS 1/2	1/2
DQCPS 5/8	5/8
DQCPS 3/4	3/4


DOT Air Brake Hose Ends

DOT Air Brake Hose Ends 全铜DOT管端接头

Product Description 描述

- Typical Application: Air Brake hose connections. Meets D.O.T. FMVSS571.106 standards when used for nearly any brake line. Easy to assemble with a good selection of hose end configurations. Brass material offers excellent resistance against corrosion
- Pressure: Determined by maximum working pressure for hose size. Up to 125 psi
- Material: Brass.
- Temperature: -400F to + 1200 F (-40°C to +48°C)
- Advantages: Can be used for nearly any brake line. Easy to assemble with a good selection of hose end configurations. Brass material offers excellent resistance against corrosion.
- Tolerance +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

Assembly Instructions 安装指导




- 1- Slide nut and sleeve onto hose. Make sure bevel edge of sleeve faces out toward fitting.
- 2- Push hose into fitting until it bottoms.
- 3- Screw nut until contact is made with body hex.

NOTE: When reassembling fitting, body and nut should be inspected. Only reuse if in proper condition. Sleeves should never be reused.



DOT Air Brake Hose Ends


Hose End Repair Kit 橡胶管快速接头

	Sleeve - DOT Air Brake Hose Ends		Nut - DOT Air Brake Hose Ends
MODEL	Tube Size	MODEL	Tube Size
DHES 3/8	3/8	DHEN 3/8	3/8
DHES 1/2	1/2	DHEN 1/2	5/32


	Spring Guard Nut - DOT Air Brake Hose Ends		Union Straight - DOT Air Brake Hose Ends
MODEL	Tube Size	MODEL	Tube Size
DHESGN 3/8	3/8	DHEUS 3/8	3/8
DHESGN 1/2	1/2	DHEUS 1/2	1/2

	Male Connector - DOT Air Brake Hose Ends		Male Connector Body - DOT Air Brake Hose Ends
MODEL	Tube Size	Thread Size	
DHEMC 3/8-1/4NPT	3/8	1/4NPTF	
DHEMC 3/8-3/8NPT	3/8	3/8NPTF	
DHEMC 3/8-1/2NPT	3/8	1/2NPTF	
DHEMC 1/2-3/8NPT	1/2	3/8NPTF	
DHEMC 1/2-1/2NPT	1/2	1/2NPTF	
MODEL	Tube Size	Thread Size	
DHEMCB 3/8-1/4NPT	3/8	1/4NPTF	
DHEMCB 3/8-3/8NPT	3/8	3/8NPTF	
DHEMCB 3/8-1/2NPT	3/8	1/2NPTF	
DHEMCB 1/2-3/8NPT	1/2	3/8NPTF	
DHEMCB 1/2-1/2NPT	1/2	1/2NPTF	

	Male Connector With Sping - DOT Air Brake		Female Swivel Connector - DOT Air Brake Hose Ends
MODEL	Tube Size	Thread Size	
DHEMCS 3/8-1/4NPT	3/8	1/4NPTF	
DHEMCS 3/8-3/8NPT	3/8	3/8NPTF	
DHEMCS 3/8-1/2NPT	3/8	1/2NPTF	
DHEMCS 1/2-3/8NPT	1/2	3/8NPTF	
DHEMCS 1/2-1/2NPT	1/2	1/2NPTF	
MODEL	Tube Size	Thread Size	
DHEFSC 3/8 3/4-20UNF	3/8	3/4-20UNF	
DHEFSC 1/2 7/8-20UNF	1/2	7/8-20UNF	

	Male Adapter - DOT Air Brake Hose Ends		Female Swivel Body - DOT Air Brake Hose
MODEL	Tube Size	Thread Size	
DHEMA 3/8-1/4NPT	3/8	1/4NPTF	
DHEMA 3/8-3/8NPT	3/8	3/8NPTF	
DHEMA 3/8-1/2NPT	3/8	1/2NPTF	
DHEMA 1/2-3/8NPT	1/2	3/8NPTF	
DHEMA 1/2-1/2NPT	1/2	1/2NPTF	
MODEL	Tube Size	Thread Size	
DHEFSCB 3/8 3/4-20UNF	3/8	3/4-20UNF	
DHEFSCB 1/2 7/8-20UNF	1/2	7/8-20UNF	


	Nut With Spring- DOT Air Brake Hose Ends		Spring- DOT Air Brake Hose Ends
MODEL	Tube Size	Thread Size	
DHENS 3/8	3/8		
DHENS 1/2	1/2		
MODEL	Tube Size	Thread Size	
DHES 3/8	3/8		
DHES 1/2	1/2		



Brass Pipe Threaded Fittings 全铜管道接头


Product Description 描述

- **Typical Application:** Grease, fuels, LP and Natural gas (available on special order), refrigeration, instrumentation and hydraulic systems.
- **Pressure:** Operating pressure up to 1200 PSI.
- **Vibration:** Fair resistance.
- **Temperature Range:** -650F to +2500F (-530C to +1210C).
- **Used With** Brass, bronze, copper, steel, aluminum and iron pipe.
- **Tolerance:** +/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.
- **Conformance:** Meets specifications and standards of ASA, ASME and SAE
- **Assembly Instructions**
 - 1- Tighten approximately 2-1/2 turns past hand tight.
 - 2- Fittings with Everseal tighten two turns past hand tight. Brittle materials require special cautions.
- **Material:** CA360 Brass.



Special Fittings

Fitting configurations and sizes other than those shown in the catalog can be furnished. It is suggested that a print or sketch be submitted with the inquiry. Price and delivery for special fittings furnished on request for specified quantities.

 Hex Nipple - Brass Pipe Threaded Fittings								
MODEL DPSM 1/8NPT-1/8NPT DPSM 1/4NPT-1/4NPT DPSM 3/8NPT-3/8NPT DPSM 1/2NPT-1/2NPT DPSM 3/4NPT-3/4NPT DPSM 1NPT-1NPT			Thread 1/8 NPT 1/4 NPT 3/8 NPT 1/2 NPT 3/4 NPT 1 NPT			Thread 1/8 NPT 1/4 NPT 3/8 NPT 1/2 NPT 3/4 NPT 1 NPT		
MODEL DPSM R1/8-R1/8 DPSM R1/4-R1/4 DPSM R3/8-R3/8 DPSM R1/2-R1/2 DPSM R3/4-R3/4 DPSM R1-R1			Thread R1/8 R1/4 R3/8 R1/2 R3/4 R1			Thread R1/8 R1/4 R3/8 R1/2 R3/4 R1		
MODEL DPSM M12-M12 DPSM M16-M16 DPSM M22-M22			Thread M12*1.5 M16*1.5 M22*1.5			Thread M12*1.5 M16*1.5 M22*1.5		

 Reducer Hex Nipple - Brass Pipe Threaded Fittings								
MODEL DPSM 1/4NPT-1/8NPT DPSM 3/8NPT-1/4NPT DPSM 3/8NPT-1/8NPT DPSM 1/2NPT-3/8NPT DPSM 1/2NPT-1/4NPT DPSM 1/2NPT-1/8NPT DPSM 3/4NPT-1/2NPT DPSM 3/4NPT-3/8NPT DPSM 3/4NPT-1/4NPT DPSM 1NPT-3/4NPT DPSM 1NPT-1/2NPT DPSM 1NPT-3/8NPT			Thread 1/4 NPT 3/8 NPT 3/8 NPT 1/2 NPT 1/2 NPT 1/2 NPT 1/2 NPT 3/4 NPT 3/4 NPT 3/4 NPT 1 NPT 1 NPT 1 NPT			Thread 1/8 NPT 1/4 NPT 1/8 NPT 3/8 NPT 1/4 NPT 1/8 NPT 1/2 NPT 3/8 NPT 1/4 NPT 3/4 NPT 1/2 NPT 3/8 NPT		
MODEL DPSM R1/4-R1/8 DPSM R3/8-R1/4 DPSM R3/8-R1/8 DPSM R1/2-R3/8 DPSM R1/2-R1/4 DPSM R1/2-R1/8 DPSM R3/4-R1/2 DPSM R3/4-R3/8 DPSM R3/4-1/4 DPSM R1-R3/4 DPSM R1-R1/2 DPSM R1-R3/8			Thread R1/4 R3/8 R3/8 R1/2 R1/2 R1/2 R3/4 R3/4 R3/4 R1 R1 R1			Thread R1/8 R1/4 R1/8 R3/8 R1/4 R1/8 R1/2 R3/8 R1/4 R3/4 R1/2 R3/8		
MODEL DPSM M16-M12 DPSM M22-M12 DPSM M22-M16			Thread M16 M22 M22			Thread M12 M12 M16		

 Cored Hex Plug - Brass Pipe Threaded Fittings								
MODEL DPCO 1/8NPT DPCO 1/4NPT DPCO 3/8NPT DPCO 1/2NPT DPCO 3/4NPT DPCO 1NPT			Thread 1/8 NPT 1/4 NPT 3/8 NPT 1/2 NPT 3/4 NPT 1 NPT			MODEL DPCO R1/8 DPCO R1/4 DPCO R3/8 DPCO R1/2 DPCO R3/4 DPCO R1		
						Thread R1/8 R1/4 R3/8 R1/2 R3/4 R1		
						MODEL DPCO M12 DPCO M16 DPCO M22		
						Thread M12*1.5 M16*1.5 M22*1.5		

 Solid Hex Head Plug - Brass Pipe Threaded Fittings								
MODEL DPO 1/8NPT DPO 1/4NPT DPO 3/8NPT DPO 1/2NPT DPO 3/4NPT DPO 1NPT			Thread 1/8 NPT 1/4 NPT 3/8 NPT 1/2 NPT 3/4 NPT 1 NPT			MODEL DPO R1/8 DPO R1/4 DPO R3/8 DPO R1/2 DPO R3/4 DPO R1		
						Thread R1/8 R1/4 R3/8 R1/2 R3/4 R1		
						MODEL DPO M12 DPO M14 DPO M16 DPO M22		
						Thread M12*1.5 M14*1.5 M16*1.5 M22*1.5		

 Cap - Brass Pipe Threaded Fittings								
MODEL DPOHF 1/8NPSF DPOHF 1/4NPSF DPOHF 3/8NPSF DPOHF 1/2NPSF DPOHF 3/4NPSF DPOHF 1NPSF			Thread 1/8 NPSF 1/4 NPSF 3/8 NPSF 1/2 NPSF 3/4 NPSF 1 NPSF			MODEL DPOHF G1/8 DPOHF G1/4 DPOHF G3/8 DPOHF G1/2 DPOHF G3/4 DPOHF G1		
						Thread G1/8 G1/4 G3/8 G1/2 G3/4 G1		
						MODEL DPOHF M12 DPOHF M16 DPOHF M22		
						Thread M12*1.5 M16*1.5 M22*1.5		

Brass Pipe Threaded Fittings 铜接头

 Slotted Plug - Brass Pipe Threaded Fittings					
MODEL	Thread		MODEL	Thread	
DPOHS 1/8NPT	1/8 NPT		DPOHS R1/8	R1/8	
DPOHS 1/4NPT	1/4 NPT		DPOHS R1/4	R1/4	
DPOHS 3/8NPT	3/8 NPT		DPOHS R3/8	R3/8	
			DPOHS M12	M12*1.5	
			DPOHS M16	M16*1.5	
			DPOHS M22	M22*1.5	

 Square Head Plug - Brass Pipe Threaded					
MODEL	Thread		MODEL	Thread	
DPOHM 1/8NPT	1/8 NPT		DPOHM R1/8	R1/8	
DPOHM 1/4NPT	1/4 NPT		DPOHM R1/4	R1/4	
DPOHM 3/8NPT	3/8 NPT		DPOHM R3/8	R3/8	
DPOHM 1/2NPT	1/2 NPT		DPOHM R1/2	R1/2	
DPOHM 3/4NPT	3/4 NPT		DPOHM R3/4	R3/4	
DPOHM 1NPT	1 NPT		DPOHM R1	R1	
			DPOHM M12	M12*1.5	
			DPOHM M16	M16*1.5	
			DPOHM M22	M22*1.5	

 Hex Socket Plug - Brass Pipe Threaded Fittings					
MODEL	Thread		MODEL	Thread	
DPOH 1/8NPT	1/8 NPT		DPOH R1/8	R1/8	
DPOH 1/4NPT	1/4 NPT		DPOH R1/4	R1/4	
DPOH 3/8NPT	3/8 NPT		DPOH R3/8	R3/8	
DPOH 1/2NPT	1/2 NPT		DPOH R1/2	R1/2	
DPOH 3/4NPT	3/4 NPT		DPOH R3/4	R3/4	
			DPOH M12	M12*1.5	
			DPOH M16	M16*1.5	
			DPOH M22	M22*1.5	

 Bulkhead Coupling - Brass Pipe Threaded Fittings			 Female Bulkhead - Brass Pipe Threaded Fittings			
MODEL	Female	Male	MODEL	Female	Male	Bulkhead
DBPMS 1/8NPSF - 5/8 UNF	1/8 NPSF	5/8-18 UNF	DBPMF 1/4NPSF-1/2NPT-2.16	1/4 NPSF	1/2NPT	3/4-16 UNF
DBPM 1/8NPSF - 5/8 UNF	1/8 NPSF	5/8-18 UNF	DBPMF 1/4NPSF-1/2NPT-2.53	1/4 NPSF	1/2NPT	3/4-16 UNF
DBPMS 1/4NPSF - 3/4 UNF	1/4 NPSF	3/4-16 UNF	DBPMF 1/4NPSF-1/2NPT-2.94	1/4 NPSF	1/2NPT	1-14 UNF
DBPM 1/4NPSF - 3/4 UNF	1/4 NPSF	3/4-16 UNF	DBPMF 1/4NPSF-1/2NPT-3.94	1/4 NPSF	1/2NPT	1-14 UNF
DBPM 3/8NPSF - 1 UNF	3/8 NPSF	1-14 UNF				
DBPM 1/2NPSF - 1-1/8 UNF	1/2 NPSF	1-1/8-14 UNF				

 Coupling - Brass Pipe Threaded Fittings								
MODEL	Female	Female	MODEL	Female	Female	MODEL	Female	Female
DPSFS 1/8NPSF-1/8NPSF	1/8 NPSF	1/8 NPSF	DPSFS G1/8-G1/8	G1/8	G1/8	DPSF M12-M12	M12	M12
DPSF 1/8NPSF-1/8NPSF	1/8 NPSF	1/8 NPSF	DPSF G1/8-G1/8	G1/8	G1/8	DPSF M16-M16	M16	M16
DPSFS 1/4NPSF-1/4NPSF	1/4 NPSF	1/4 NPSF	DPSFS G1/4-G1/4	G1/4	G1/4	DPSF M22-M22	M22	M22
DPSF 1/4NPSF-1/4NPSF	1/4 NPSF	1/4 NPSF	DPSF G1/4-G1/4	G1/4	G1/4			
DPSFS 3/8NPSF-3/8NPSF	3/8 NPSF	3/8 NPSF	DPSFS G3/8-G3/8	G3/8	G3/8			
DPSF 3/8NPSF-3/8NPSF	3/8 NPSF	3/8 NPSF	DPSF G3/8-G3/8	G3/8	G3/8			
DPSFS 1/2NPSF-1/2NPSF	1/2 NPSF	1/2 NPSF	DPSFS G1/2-G1/2	G1/2	G1/2			
DPSF 1/2NPSF-1/2NPSF	1/2 NPSF	1/2 NPSFF	DPSF G1/2-G1/2	G1/2	G1/2			
DPSFS 3/4NPSF-3/4NPSF	3/4NPSF	3/4 NPSF	DPSFS G3/4-G3/4	G3/4	G3/4			
DPSF 3/4NPSF-3/4NPSF	3/4NPSF	3/4 NPSF	DPSF G3/4-G3/4	G3/4	G3/4			
DPSF 1NPSF-1NPSF	1 NPSF	1 NPSF	DPSF G1-G1	G1	G1			

Brass Pipe Threaded Fittings 铜接头

 Reducer Coupling - Brass Pipe Threaded Fittings								
MODEL	Female	Female	MODEL	Female	Female	MODEL	Female	Female
DPSFS 1/4NPSF-1/8NPSF	1/4 NPSF	1/8 NPSF	DPSFS G1/4-G1/8	G1/4	G1/8	DPSF M16-M12	M16	M12
DPSF 1/4NPSF-1/8NPSF	1/4 NPSF	1/8 NPSF	DPSF G1/4-G1/8	G1/4	G1/8	DPSF M22-M12	M22	M12
DPSF 3/8NPSF-1/8NPSF	3/8 NPSF	1/8 NPSF	DPSF G3/8-G1/8	G3/8	G1/8	DPSF M22-M16	M22	M16
DPSFS 3/8NPSF-1/4NPSF	3/8 NPSF	1/4 NPSF	DPSFS G3/8-G1/4	G3/8	G1/4			
DPSF 3/8NPSF-1/4NPSF	3/8 NPSF	1/4 NPSF	DPSF G3/8-G1/4	G3/8	G1/4			
DPSF 1/2NPSF-1/8NPSF	1/2 NPSF	1/8 NPSF	DPSF G1/2-G1/8	G1/2	G1/8			
DPSFS 1/2NPSF-1/4NPSF	1/2 NPSF	1/4 NPSF	DPSFS G1/2-G1/4	G1/2	G1/4			
DPSF 1/2NPSF-1/4NPSF	1/2 NPSF	1/4 NPSF	DPSF G1/2-G1/4	G1/2	G1/4			
DPSFS 1/2NPSF-3/8NPSF	1/2 NPSF	3/8 NPSF	DPSFS G1/2-G3/8	G1/2	G3/8			
DPSF 1/2NPSF-3/8NPSF	1/2 NPSF	3/8 NPSF	DPSF G1/2-G3/8	G1/2	G3/8			
DPSF 3/4NPSF-3/8NPSF	3/4NPSF	3/8 NPSF	DPSF G3/4-G3/8	G3/4	G3/8			
DPSF 3/4NPSF-1/2NPSF	3/4NPSF	1/2 NPSF	DPSF G3/4-G1/2	G3/4	G1/2			

 Adapter - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPSMFS 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPSMFS G1/8-R1/8	G1/8	R1/8	DPSMF M12-1/8NPT	M12	1/8NPT
DPSMF 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPSMF G1/8-R1/8	G1/8	R1/8	DPSMF M16-1/4NPT	M16	1/4NPT
DPSMFS 1/4NPSF-1/8NPT	1/4 NPSF	1/8 NPT	DPSMFS G1/4-R1/8	G1/4	R1/8	DPSMF M16-3/8NPT	M16	3/8NPT
DPSMF 1/4NPSF-1/8NPT	1/4 NPSF	1/8 NPT	DPSMF G1/4NPT-R1/8	G1/4	R1/8	DPSMF M16-1/2NPT	M16	1/2NPT
DPSMFS 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPSMFS G1/4NPT-R1/4	G1/4	R1/4	DPSMF M22-1/2NPT	M22	1/2NPT
DPSMF 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPSMF G1/4NPT-R1/4	G1/4	R1/4	DPSMF M22-1/2NPT	M22	3/4NPT
DPSMF 3/8NPSF-1/8NPT	3/8 NPSF	1/8 NPT	DPSMF G3/8-R1/8	G3/8	R1/8			
DPSMFS 3/8NPSF-1/4NPT	3/8 NPSF	1/4 NPT	DPSMFS G3/8-R1/4	G3/8	R1/4			
DPSMF 3/8NPSF-1/4NPT	3/8 NPSF	1/4 NPT	DPSMF G3/8-R1/4	G3/8	R1/4			
DPSMFS 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPSMFS G3/8-R3/8	G3/8	R3/8			
DPSMF 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPSMF G3/8-R3/8	G3/8	R3/8			
DPSMF 1/2NPSF-1/4NPT	1/2 NPSF	1/4 NPT	DPSMF G1/2-R1/4	G1/2	R1/4			
DPSMFS 1/2NPSF-3/8NPT	1/2 NPSF	3/8 NPT	DPSMFS G1/2-R3/8	G1/2	R3/8			
DPSMF 1/2NPSF-3/8NPT	1/2 NPSF	3/8 NPT	DPSMF G1/2-R3/8	G1/2	R3/8			
DPSMF 1/2NPSF-1/2NPT	1/2 NPSF	1/2 NPT	DPSMF G1/2-R1/2	G1/2	R1/2			
DPSMF 3/4NPSF-3/8NPT	3/4 NPSF	3/8 NPT	DPSMF G3/4-R3/8	G3/4	R3/8			
DPSMFS 3/4NPSF-1/2NPT	3/4 NPSF	1/2 NPT	DPSMFS G3/4-R1/2	G3/4	R1/2			
DPSMF 3/4NPSF-1/2NPT	3/4 NPSF	1/2 NPT	DPSMF G3/4-R1/2	G3/4	R1/2			
DPSMF 3/4NPSF-3/4NPT	3/4 NPSF	3/4 NPT	DPSMF G3/4-R3/4	G3/4	R3/4			


 Hex Bushing - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPRMFS 1/4NPSF-1/8NPT	1/4 NPSF	1/8 NPT	DPRMF 1/4NPSF-M12	1/4 NPSF	M12	DPRMF M12-1/8NPT	M12	1/8NPT
DPRMF 1/4NPSF-1/8NPT	1/4 NPSF	1/8 NPT	DPRMF 1/4NPSF-M14	1/4 NPSF	M14	DPRMF M16-1/4NPT	M16	1/4NPT
DPRMF 3/8NPSF-1/8NPT	3/8 NPSF	1/8 NPT	DPRMF 1/4NPSF-M16	1/4 NPSF	M16	DPRMF M16-3/8NPT	M16	3/8NPT
DPRMFS 3/8NPSF-1/4NPT	3/8 NPSF	1/4 NPT	DPRMF 1/4NPSF-M22	1/4 NPSF	M22	DPRMF M16-1/2NPT	M16	1/2NPT
DPRMF 3/8NPSF-1/4NPT	3/8 NPSF	1/4 NPT	DPRMF 3/8NPSF-M16	3/8NPSF	M16	DPRMF M22-1/2NPT	M22	1/2NPT
DPRMF 1/2NPSF-1/8NPT	1/2 NPSF	1/8 NPT	DPRMF 3/8NPSF-M22	3/8NPSF	M22	DPRMF M22-1/2NPT	M22	3/4NPT
DPRMFS 1/2NPSF-1/4NPT	1/2 NPSF	1/4 NPT	DPRMF 1/2NPSF-M16	1/2NPSF	M16			
DPRMF 1/2NPSF-1/4NPT	1/2 NPSF	1/4 NPT	DPRMF 1/2NPSF-M22	1/2NPSF	M22			
DPRMF 3/8NPSF-1/4NPT	3/8 NPSF	1/4 NPT						
DPRMF 1/2NPSF-3/8NPT	1/2 NPSF	3/8 NPT						
DPRMF 3/4NPSF-1/8NPT	3/4 NPSF	1/8 NPT						
DPRMF 3/4NPSF-1/4NPT	3/4 NPSF	1/4 NPT						
DPRMF 3/4NPSF-3/8NPT	3/4 NPSF	3/8 NPT						
DPRMF 3/4NPSF-1/2NPT	3/4 NPSF	1/2 NPT						
DPRMF 1NPSF-1/4NPT	1 NPSF	1/4 NPT						
DPRMF 1NPSF-3/8NPT	1 NPSF	3/8 NPT						
DPRMF 1NPSF-1/2NPT	1 NPSF	1/2 NPT						
DPRMF 1NPSF-3/4NPT	1 NPSF	3/4 NPT						

Brass Pipe Threaded Fittings 铜接头

 Close Nipple - Brass Pipe Threaded Fittings					
MODEL	Male		MODEL	Male	
DPSMC 1/8NPT	1/8 NPT		DPSMC R1/8	R1/8	
DPSMC 1/4NPT	1/4 NPT		DPSMC R1/4	R1/4	
DPSMC 3/8NPT	3/8 NPT		DPSMC R3/8	R3/8	
DPSMC 1/2NPT	1/2 NPT		DPSMC R1/2	R1/2	
DPSMC 3/4NPT	3/4 NPT		DPSMC R3/4	R3/4	
MODEL	Male		MODEL	Male	
DPSMC M12	M12*1.5		DPSMC M16	M16*1.5	
DPSMC M22	M22*1.5				

 Long Nipple - Brass Pipe Threaded Fittings								
MODEL	Thread	Length	MODEL	Thread	Length	MODEL	Thread	Length
DPSML 1/8NPT-1.5	1/8 NPT	1.5	DPSML 1/4NPT-3.0	1/4 NPT	3.0	DPSML 1/2NPT-2.0	1/2 NPT	2.0
DPSML 1/8NPT-2.0	1/8 NPT	2.0	DPSML 1/4NPT-3.5	1/4 NPT	3.5	DPSML 1/2NPT-2.5	1/2 NPT	2.5
DPSML 1/8NPT-2.5	1/8 NPT	2.5	DPSML 3/8NPT-1.5	3/8 NPT	1.5	DPSML 1/2NPT-3.0	1/2 NPT	3.0
DPSML 1/8NPT-3.0	1/8 NPT	3.0	DPSML 3/8NPT-2.0	3/8 NPT	2.0	DPSML 1/2NPT-3.5	1/2 NPT	3.5
DPSML 1/8NPT-3.5	1/8 NPT	3.5	DPSML 3/8NPT-2.5	3/8 NPT	2.5	DPSML 3/4NPT-1.5	3/4 NPT	1.5
DPSML 1/4NPT-1.5	1/4 NPT	1.5	DPSML 3/8NPT-3.0	3/8 NPT	3.0	DPSML 3/4NPT-2.0	3/4 NPT	2.0
DPSML 1/4NPT-2.0	1/4 NPT	2.0	DPSML 3/8NPT-3.5	3/8 NPT	3.5	DPSML 3/4NPT-2.5	3/4 NPT	2.5
DPSML 1/4NPT-2.5	1/4 NPT	2.5	DPSML 1/2NPT-1.5	1/2 NPT	1.5	DPSML 3/4NPT-3.0	3/4 NPT	3.0

 90 Degree Street Elbow - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPLMFS 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPLMF G1/8-R1/8	G1/8	R1/8	DPLMF M12-1/8NPT	M12	1/8NPT
DPLMF 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPLMF G1/4-R1/8	G1/4	R1/8	DPLMF M16-1/4NPT	M16	1/4NPT
DPLMF 1/4NPSF-1/8NPT	1/4 NPSF	1/8 NPT	DPLMF G1/4-R1/4	G1/4	R1/4	DPLMF M16-3/8NPT	M16	3/8NPT
DPLMFS 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPLMF G3/8-R3/8	G3/8	R3/8	DPLMF M16-1/2NPT	M16	1/2NPT
DPLMF 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPLMF G1/2-R1/2	G1/2	R1/2	DPLMF M22-1/2NPT	M22	1/2NPT
DPLMF 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPLMF G 3/4-R3/4	G3/4	R3/4	DPLMF M22-1/2NPT	M22	3/4NPT
DPLMF 1/2NPSF-1/2NPT	1/2 NPSF	1/2 NPT						
DPLMF 3/4NPSF-3/4NPT	3/4 NPSF	3/4 NPT						

 45 Degree Street Elbow - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPLMF45 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPLMF45 G1/8-R1/8	G1/8	R1/8	DPLMF45 M12-1/8NPT	M12	1/8NPT
DPLMF45 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPLMF45 G1/4-R1/4	G1/4	R1/4	DPLMF45 M16-1/4NPT	M16	1/4NPT
DPLMF45 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPLMF45 G3/8-R3/8	G3/8	R3/8	DPLMF45 M16-3/8NPT	M16	3/8NPT
DPLMF45 1/2NPSF-1/2NPT	1/2 NPSF	1/2 NPT	DPLMF45 G1/2-R1/2	G1/2	R1/2	DPLMF45 M16-1/2NPT	M16	1/2NPT
DPLMF45 3/4NPSF-3/4NPT	3/4 NPSF	3/4 NPT	DPLMF45 G3/4-R3/4	G3/4	R3/4	DPLMF45 M22-1/2NPT	M22	1/2NPT
						DPLMF45 M22-1/2NPT	M22	3/4NPT

 90 Degree Female Elbow - Brass Pipe Threaded Fittings					
MODEL	Female		MODEL	Female	
DPLFF 1/8NPSF	1/8 NPSF		DPLFF G1/8-G1/8	G1/8	
DPLFF 1/4NPSF	1/4 NPSF		DPLFF G1/4-G1/8	G1/4	
DPLFF 3/8NPSF	3/8 NPSF		DPLFF G1/4-G1/4	G1/4	
DPLFF 1/2NPSF	1/2 NPSF		DPLFF G3/8-G3/8	G3/8	
DPLFF 3/4NPSF	3/4 NPSF		DPLFF G1/2-G1/2	G1/2	
			DPLFF G 3/4-G3/4	G3/4	
MODEL	Female		MODEL	Female	
DPLFF M12	M12		DPLFF M12	M12	
DPLFF M16	M16		DPLFF M16	M16	
DPLFF M22	M22		DPLFF M22	M22	

Brass Pipe Threaded Fittings 铜接头

 45 Degree Male Elbow - Brass Pipe Threaded Fittings								
MODEL	Male	Male	MODEL	Male	Male	MODEL	Male	Male
DPLMM45 1/8NPT-1/8NPT	1/8 NPT	1/8 NPT	DPLMM45 R1/8-R1/8	R1/8	R1/8	DPLMM45 M12-M12	M12	M12
DPLMM45 1/4NPT-1/8NPT	1/4 NPT	1/8 NPT	DPLMM45 R1/4-R1/8	R1/4	R1/8	DPLMM45 M16-M12	M16	M12
DPLMM45 1/4NPT-1/4NPT	1/4 NPT	1/4 NPT	DPLMM45 R1/4-R1/4	R1/4	R1/4	DPLMM45 M16-M16	M16	M16
DPLMM45 3/8NPT-1/4NPT	3/8 NPT	1/4 NPT	DPLMM45 R3/8-R3/8	R3/8	R3/8	DPLMM45 M22-M16	M22	M16
DPLMM45 3/8NPT-3/8NPT	3/8 NPT	3/8 NPT	DPLMM45 R1/2-R1/2	R1/2	R1/2	DPLMM45 M22-M22	M22	M22
DPLMM45 1/2NPT-3/8NPT	1/2 NPT	3/8 NPT	DPLMM45 R3/4-R3/4	R3/4	R3/4			
DPLMM45 1/2NPT-1/2NPT	1/2 NPT	1/2 NPT						
DPLMM45 3/4NPT-1/2NPT	3/4 NPT	1/2 NPT						
DPLMM45 3/4NPT-3/4NPT	3/4 NPT	3/4 NPT						

 90 Degree Street Elbow - Brass Pipe Threaded Fittings								
MODEL	Male	Male	MODEL	Male	Male	MODEL	Female	Male
DPLMM 1/8NPT-1/8NPT	1/8 NPT	1/8 NPT	DPLMM R1/8-R1/8	R1/8	R1/8	DPLMM M12-M12	M12	M12
DPLMM 1/4NPT-1/8NPT	1/4 NPT	1/8 NPT	DPLMM R1/4-R1/8	R1/4	R1/8	DPLMM M16-M12	M16	M12
DPLMM 1/4NPT-1/4NPT	1/4 NPT	1/4 NPT	DPLMM R1/4-R1/4	R1/4	R1/4	DPLMM M16-M16	M16	M16
DPLMM 3/8NPT-1/4NPT	3/8 NPT	1/4 NPT	DPLMM R3/8-R3/8	R3/8	R3/8	DPLMM M22-M16	M22	M16
DPLMM 3/8NPT-3/8NPT	3/8 NPT	3/8 NPT	DPLMM R1/2-R1/2	R1/2	R1/2	DPLMM M22-M22	M22	M22
DPLMM 1/2NPT-3/8NPT	1/2 NPT	3/8 NPT	DPLMM R3/4-R3/4	R3/4	R3/4			
DPLMM 1/2NPT-1/2NPT	1/2 NPT	1/2 NPT						
DPLMM 3/4NPT-1/2NPT	3/4 NPT	1/2 NPT						
DPLMM 3/4NPT-3/4NPT	3/4 NPT	3/4 NPT						

 45 Degree Female Elbow - Brass Pipe Threaded Fittings					
MODEL	Female		MODEL	Female	
DPLFF45 1/8NPSF	1/8 NPSF		DPLFF45 G1/8	G1/8	
DPLFF45 1/4NPSF	1/4 NPSF		DPLFF45 G1/4	G1/4	
DPLFF45 3/8NPSF	3/8 NPSF		DPLFF45 G1/4	G1/4	
DPLFF45 1/2NPSF	1/2 NPSF		DPLFF45 G3/8	G3/8	
DPLFF45 3/4NPSF	3/4 NPSF		DPLFF45 G1/2	G1/2	
			DPLFF45 G 3/4	G3/4	
MODEL	Female		MODEL	Female	
DPLFF45 M12	M12		DPLFF45 M12	M12	
DPLFF45 M16	M16		DPLFF45 M16	M16	
DPLFF45 M22	M22		DPLFF45 M22	M22	

 Male Branch Tee - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPMT 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPMT G1/8-R1/8	G1/8	R1/8	DPMT M12-1/8NPT	M12	1/8NPT
DPMT 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPMT G1/4-R1/4	G1/4	R1/4	DPMT M16-1/4NPT	M16	1/4NPT
DPMT 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPMT G3/8-R3/8	G3/8	R3/8	DPMT M16-3/8NPT	M16	3/8NPT
DPMT 1/2NPSF-1/2NPT	1/2 NPSF	1/2 NPT	DPMT G1/2-R1/2	G1/2	R1/2	DPMT M16-1/2NPT	M16	1/2NPT
DPMT 3/4NPSF-3/4NPT	3/4 NPSF	3/4 NPT	DPMT G 3/4-R3/4	G3/4	R3/4	DPMT M22-1/2NPT	M22	1/2NPT
						DPMT M22-1/2NPT	M22	3/4NPT

 Union - Brass Pipe Threaded Fittings					
MODEL	Female		MODEL	Female	
DPNF 1/8NPSF	1/8 NPSF		DPNF G1/8	G1/8	
DPNF 1/4NPSF	1/4 NPSF		DPNF G1/4	G1/4	
DPNF 3/8NPSF	3/8 NPSF		DPNF G3/8	G3/8	
DPNF 1/2NPSF	1/2 NPSF		DPNF G1/2	G1/2	
MODEL	Female		MODEL	Female	
DPNF M12	M12*1.5		DPNF M12	M12*1.5	
DPNF M16	M16*1.5		DPNF M16	M16*1.5	
DPNF M22	M22*1.5		DPNF M22	M22*1.5	

Brass Pipe Threaded Fittings 铜接头

 Female Tee - Brass Pipe Threaded Fittings					
MODEL	Female	MODEL	Female	MODEL	Female
DPFT 1/8NPSF	1/8 NPSF	DPFT G1/8	G1/8	DPFT M12	M12
DPFT 1/4NPSF	1/4 NPSF	DPFT G1/4	G1/4	DPFT M16	M16
DPFT 3/8NPSF	3/8 NPSF	DPFT G1/4	G1/4	DPFT M22	M22
DPFT 1/2NPSF	1/2 NPSF	DPFT G3/8	G3/8		
DPFT 3/4NPSF	3/4 NPSF	DPFT G1/2	G1/2		
		DPFT G3/4	G3/4		

 Male Run Tee - Brass Pipe Threaded Fittings								
MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
DPMST 1/8NPSF-1/8NPT	1/8 NPSF	1/8 NPT	DPMST G1/8-R1/8	G1/8	R1/8	DPMST M12-1/8NPT	M12	1/8NPT
DPMST 1/4NPSF-1/4NPT	1/4 NPSF	1/4 NPT	DPMST G1/4-R1/4	G1/4	R1/4	DPMST M16-1/4NPT	M16	1/4NPT
DPMST 3/8NPSF-3/8NPT	3/8 NPSF	3/8 NPT	DPMST G3/8-R3/8	G3/8	R3/8	DPMST M16-3/8NPT	M16	3/8NPT
DPMST 1/2NPSF-1/2NPT	1/2 NPSF	1/2 NPT	DPMST G1/2-R1/2	G1/2	R1/2	DPMST M16-1/2NPT	M16	1/2NPT
DPMST 3/4NPSF-3/4NPT	3/4 NPSF	3/4 NPT	DPMST G 3/4-R3/4	G3/4	R3/4	DPMST M22-1/2NPT	M22	1/2NPT
						DPMST M22-1/2NPT	M22	3/4NPT

 Male Tee - Brass Pipe Threaded Fittings					
MODEL	Male	MODEL	Male		
DPSMT 1/8NPT	1/8 NPT	DPSMT R1/8	R1/8		
DPSMT 1/4NPT	1/4 NPT	DPSMT R1/4	R1/4		
DPSMT 3/8NPT	3/8 NPT	DPSMT R1/4	R1/4		
DPSMT 1/2NPT	1/2 NPT	DPSMT R3/8	R3/8		
DPSMT 3/4NPT	3/4 NPT	DPSMT R1/2	R1/2		
		DPSMT R3/4	R3/4		


 Cross - Brass Pipe Threaded Fittings					
MODEL	Female	MODEL	Female	MODEL	Female
DPFC 1/8NPSF	1/8 NPSF	DPFC G1/8	G1/8	DPFC M12	M12
DPFC 1/4NPSF	1/4 NPSF	DPFC G1/4	G1/4	DPFC M16	M16
DPFC 3/8NPSF	3/8 NPSF	DPFC G1/4	G1/4	DPFC M22	M22
DPFC 1/2NPSF	1/2 NPSF	DPFC G3/8	G3/8		
DPFC 3/4NPSF	3/4 NPSF	DPFC G1/2	G1/2		
		DPFC G3/4	G3/4		

Brass Hose Barb Fittings 全铜宝塔接头

Brass Hose Barb Fittings 全铜宝塔接头


Product Description 描述

- Temperature and Working Pressure Ranges: From -400F to + 1600F at 150 PSI maximum.
 - Tolerance: +/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.
- Note: These fittings are intended for use with hose clamp, similar type clamp or a crimped ferrule.
- Assembly Instructions
- 1- Cut hose cleanly and squarely to length.
 - 2- Slide clamp on hose.
 - 3- Lubricate hose. Push hose on fitting until hose bottoms against stop ring or hex.
 - 4- Position hose clamp as shown below and secure with a screwdriver or wrench. Maintain “A” dimension noted below for proper clamp positioning.



Hose Size	A
3/16"	1/4"
1/4"	1/4"
5/16"	1/4"
3/8"	1/8"
1/2"	1/8"
5/8"	1/8"
3/4"	1/8"

Actual Profile of Hose Barbs



Brass Hose Barb Fittings 全铜宝塔接头

Imperial Tube Size 英制管径

 Male Adapter - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTM 1/8-1/8NPT	1/8	1/8 NPT	DPHTM 1/2-1/4NPT	1/2	1/4 NPT	DPHTM 1/4-M12	1/4	M12
DPHTM 1/8-1/4NPT	1/8	1/4 NPT	DPHTM 1/2-3/8NPT	1/2	3/8 NPT	DPHTM 1/4-M16	1/4	M16
DPHTM 3/16-1/8NPT	3/16	1/8 NPT	DPHTM 1/2-1/2NPT	1/2	1/2 NPT	DPHTM 1/4-M22	1/4	M22
DPHTM 3/16-1/4NPT	3/16	1/4 NPT	DPHTM 1/2-3/4NPT	1/2	3/4 NPT	DPHTM 3/8-M12	3/8	M12
DPHTM 1/4-1/16NPT	1/4	1/16 NPT	DPHTM 1/2-1NPT	1/2	1 NPT	DPHTM 3/8-M16	3/8	M16
DPHTM 1/4-1/8NPT	1/4	1/8 NPT	DPHTM 5/8-1/4NPT	5/8	1/4 NPT	DPHTM 3/8-M22	3/8	M22
DPHTM 1/4-1/4NPT	1/4	1/4 NPT	DPHTM 5/8-3/8NPT	5/8	3/8 NPT	DPHTM 1/2-M16	1/2	M16
DPHTM 1/4-3/8NPT	1/4	3/8 NPT	DPHTM 5/8-1/2NPT	5/8	1/2 NPT	DPHTM 1/2-M22	1/2	M22
DPHTM 1/4-1/2NPT	1/4	1/2 NPT	DPHTM 5/8-3/4NPT	5/8	3/4 NPT	DPHTM 3/4-M22	3/4	M22
DPHTM 5/16-1/8NPT	5/16	1/8 NPT	DPHTM 5/8-1NPT	5/8	1 NPT			
DPHTM 5/16-1/4NPT	5/16	1/4 NPT	DPHTM 3/4-3/8NPT	3/4	3/8 NPT			
DPHTM 5/16-3/8NPT	5/16	3/8 NPT	DPHTM 3/4-1/2NPT	3/4	1/2 NPT			
DPHTM 5/16-1/2NPT	5/16	1/2 NPT	DPHTM 3/4-3/4NPT	3/4	3/4 NPT			
DPHTM 3/8-1/8NPT	3/8	1/8 NPT	DPHTM 3/4-1NPT	3/4	1 NPT			
DPHTM 3/8-1/4NPT	3/8	1/4 NPT	DPHTM 1-1/2NPT	1	1/2 NPT			
DPHTM 3/8-3/8NPT	3/8	3/8 NPT	DPHTM 1-3/4NPT	1	3/4 NPT			
DPHTM 3/8-1/2NPT	3/8	1/2 NPT	DPHTM 1-1NPT	1	1 NPT			
DPHTM 3/8-3/4NPT	3/8	3/4 NPT	DPHTM 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPHTM 1/2-1/8NPT	1/2	1/8 NPT	DPHTM 1-1/4 - 1NPT	1 1/4	1 NPT			

 Swivel Male Adapter - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTMS 1/8-1/8NPT	1/8	1/8 NPT	DPHTMS 1/2-1/4NPT	1/2	1/4 NPT	DPHTMS 1/4-M12	1/4	M12
DPHTMS 1/8-1/4NPT	1/8	1/4 NPT	DPHTMS 1/2-3/8NPT	1/2	3/8 NPT	DPHTMS 1/4-M16	1/4	M16
DPHTMS 3/16-1/8NPT	3/16	1/8 NPT	DPHTMS 1/2-1/2NPT	1/2	1/2 NPT	DPHTMS 1/4-M22	1/4	M22
DPHTMS 3/16-1/4NPT	3/16	1/4 NPT	DPHTMS 1/2-3/4NPT	1/2	3/4 NPT	DPHTMS 3/8-M12	3/8	M12
DPHTMS 1/4-1/16NPT	1/4	1/16 NPT	DPHTMS 1/2-1NPT	1/2	1 NPT	DPHTMS 3/8-M16	3/8	M16
DPHTMS 1/4-1/8NPT	1/4	1/8 NPT	DPHTMS 5/8-1/4NPT	5/8	1/4 NPT	DPHTMS 3/8-M22	3/8	M22
DPHTMS 1/4-1/4NPT	1/4	1/4 NPT	DPHTMS 5/8-3/8NPT	5/8	3/8 NPT	DPHTMS 1/2-M16	1/2	M16
DPHTMS 1/4-3/8NPT	1/4	3/8 NPT	DPHTMS 5/8-1/2NPT	5/8	1/2 NPT	DPHTMS 1/2-M22	1/2	M22
DPHTMS 1/4-1/2NPT	1/4	1/2 NPT	DPHTMS 5/8-3/4NPT	5/8	3/4 NPT	DPHTMS 3/4-M22	3/4	M22
DPHTMS 5/16-1/8NPT	5/16	1/8 NPT	DPHTMS 5/8-1NPT	5/8	1 NPT			
DPHTMS 5/16-1/4NPT	5/16	1/4 NPT	DPHTMS 3/4-3/8NPT	3/4	3/8 NPT			
DPHTMS 5/16-3/8NPT	5/16	3/8 NPT	DPHTMS 3/4-1/2NPT	3/4	1/2 NPT			
DPHTMS 5/16-1/2NPT	5/16	1/2 NPT	DPHTMS 3/4-3/4NPT	3/4	3/4 NPT			
DPHTMS 3/8-1/8NPT	3/8	1/8 NPT	DPHTMS 3/4-1NPT	3/4	1 NPT			
DPHTMS 3/8-1/4NPT	3/8	1/4 NPT	DPHTMS 1-1/2NPT	1	1/2 NPT			
DPHTMS 3/8-3/8NPT	3/8	3/8 NPT	DPHTMS 1-3/4NPT	1	3/4 NPT			
DPHTMS 3/8-1/2NPT	3/8	1/2 NPT	DPHTMS 1-1NPT	1	1 NPT			
DPHTMS 3/8-3/4NPT	3/8	3/4 NPT	DPHTMS 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPHTMS 1/2-1/8NPT	1/2	1/8 NPT	DPHTMS 1-1/4 - 1NPT	1 1/4	1 NPT			

 Tee - Brass Hose Barb Fittings	
MODEL	Hose Size
DPTH 1/8	1/8
DPTH 3/16	3/16
DPTH 1/4	1/4
DPTH 5/16	5/16
DPTH 3/8	3/8
DPTH 1/2	1/2
DPTH 5/8	5/8
DPTH 3/4	3/4
DPTH 1	1

 Y - Brass Hose Barb Fittings	
MODEL	Hose Size
DPYH 1/8	1/8
DPYH 3/16	3/16
DPYH 1/4	1/4
DPYH 5/16	5/16
DPYH 3/8	3/8
DPYH 1/2	1/2
DPYH 5/8	5/8
DPYH 3/4	3/4
DPYH 1	1

Brass Hose Barb Fittings 全铜宝塔接头

Imperial Tube Size 英制管径

 Female Adapter - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTF 1/8-1/8NPSF	1/8	1/8 NPSF	DPHTF 1/2-1/4NPSF	1/2	1/4 NPSF	DPHTF 1/4-M12	1/4	M12
DPHTF 1/8-1/4NPSF	1/8	1/4 NPSF	DPHTF 1/2-3/8NPSF	1/2	3/8 NPSF	DPHTF 1/4-M16	1/4	M16
DPHTF 3/16-1/8NPSF	3/16	1/8 NPSF	DPHTF 1/2-1/2NPSF	1/2	1/2 NPSF	DPHTF 1/4-M22	1/4	M22
DPHTF 3/16-1/4NPSF	3/16	1/4 NPSF	DPHTF 1/2-3/4NPSF	1/2	3/4 NPSF	DPHTF 3/8-M12	3/8	M12
DPHTF 1/4-1/16NPSF	1/4	1/16 NPSF	DPHTF 1/2-1NPSF	1/2	1 NPSF	DPHTF 3/8-M16	3/8	M16
DPHTF 1/4-1/8NPSF	1/4	1/8 NPSF	DPHTF 5/8-1/4NPSF	5/8	1/4 NPSF	DPHTF 3/8-M22	3/8	M22
DPHTF 1/4-1/4NPSF	1/4	1/4 NPSF	DPHTF 5/8-3/8NPSF	5/8	3/8 NPSF	DPHTF 1/2-M16	1/2	M16
DPHTF 1/4-3/8NPSF	1/4	3/8 NPSF	DPHTF 5/8-1/2NPSF	5/8	1/2 NPSF	DPHTF 1/2-M22	1/2	M22
DPHTF 1/4-1/2NPSF	1/4	1/2 NPSF	DPHTF 5/8-3/4NPSF	5/8	3/4 NPSF	DPHTF 3/4-M22	3/4	M22
DPHTF 5/16-1/8NPSF	5/16	1/8 NPSF	DPHTF 5/8-1NPSF	5/8	1 NPSF			
DPHTF 5/16-1/4NPSF	5/16	1/4 NPSF	DPHTF 3/4-3/8NPSF	3/4	3/8 NPSF			
DPHTF 5/16-3/8NPSF	5/16	3/8 NPSF	DPHTF 3/4-1/2NPSF	3/4	1/2 NPSF			
DPHTF 5/16-1/2NPSF	5/16	1/2 NPSF	DPHTF 3/4-3/4NPSF	3/4	3/4 NPSF			
DPHTF 3/8-1/8NPSF	3/8	1/8 NPSF	DPHTF 3/4-1NPSF	3/4	1 NPSF			
DPHTF 3/8-1/4NPSF	3/8	1/4 NPSF	DPHTF 1-1/2NPSF	1	1/2 NPSF			
DPHTF 3/8-3/8NPSF	3/8	3/8 NPSF	DPHTF 1-3/4NPSF	1	3/4 NPSF			
DPHTF 3/8-1/2NPSF	3/8	1/2 NPSF	DPHTF 1-1NPSF	1	1 NPSF			
DPHTF 3/8-3/4NPSF	3/8	3/4 NPSF	DPHTF 1-1/4 - 3/4NPSF	1 1/4	3/4 NPSF			
DPHTF 1/2-1/8NPSF	1/2	1/8 NPSF	DPHTF 1-1/4 - 1NPSF	1 1/4	1 NPSF			

 Swivel Female Adapter - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTFS 1/8-1/8NPSF	1/8	1/8 NPSF	DPHTFS 1/2-1/4NPSF	1/2	1/4 NPSF	DPHTFS 1/4-M12	1/4	M12
DPHTFS 1/8-1/4NPSF	1/8	1/4 NPSF	DPHTFS 1/2-3/8NPSF	1/2	3/8 NPSF	DPHTFS 1/4-M16	1/4	M16
DPHTFS 3/16-1/8NPSF	3/16	1/8 NPSF	DPHTFS 1/2-1/2NPSF	1/2	1/2 NPSF	DPHTFS 1/4-M22	1/4	M22
DPHTFS 3/16-1/4NPSF	3/16	1/4 NPSF	DPHTFS 1/2-3/4NPSF	1/2	3/4 NPSF	DPHTFS 3/8-M12	3/8	M12
DPHTFS 1/4-1/16NPSF	1/4	1/16 NPSF	DPHTFS 1/2-1NPSF	1/2	1 NPSF	DPHTFS 3/8-M16	3/8	M16
DPHTFS 1/4-1/8NPSF	1/4	1/8 NPSF	DPHTFS 5/8-1/4NPSF	5/8	1/4 NPSF	DPHTFS 3/8-M22	3/8	M22
DPHTFS 1/4-1/4NPSF	1/4	1/4 NPSF	DPHTFS 5/8-3/8NPSF	5/8	3/8 NPSF	DPHTFS 1/2-M16	1/2	M16
DPHTFS 1/4-3/8NPSF	1/4	3/8 NPSF	DPHTFS 5/8-1/2NPSF	5/8	1/2 NPSF	DPHTFS 1/2-M22	1/2	M22
DPHTFS 1/4-1/2NPSF	1/4	1/2 NPSF	DPHTFS 5/8-3/4NPSF	5/8	3/4 NPSF	DPHTFS 3/4-M22	3/4	M22
DPHTFS 5/16-1/8NPSF	5/16	1/8 NPSF	DPHTFS 5/8-1NPSF	5/8	1 NPSF			
DPHTFS 5/16-1/4NPSF	5/16	1/4 NPSF	DPHTFS 3/4-3/8NPSF	3/4	3/8 NPSF			
DPHTFS 5/16-3/8NPSF	5/16	3/8 NPSF	DPHTFS 3/4-1/2NPSF	3/4	1/2 NPSF			
DPHTFS 5/16-1/2NPSF	5/16	1/2 NPSF	DPHTFS 3/4-3/4NPSF	3/4	3/4 NPSF			
DPHTFS 3/8-1/8NPSF	3/8	1/8 NPSF	DPHTFS 3/4-1NPSF	3/4	1 NPSF			
DPHTFS 3/8-1/4NPSF	3/8	1/4 NPSF	DPHTFS 1-1/2NPSF	1	1/2 NPSF			
DPHTFS 3/8-3/8NPSF	3/8	3/8 NPSF	DPHTFS 1-3/4NPSF	1	3/4 NPSF			
DPHTFS 3/8-1/2NPSF	3/8	1/2 NPSF	DPHTFS 1-1NPSF	1	1 NPSF			
DPHTFS 3/8-3/4NPSF	3/8	3/4 NPSF	DPHTFS 1-1/4 - 3/4NPSF	1 1/4	3/4 NPSF			
DPHTFS 1/2-1/8NPSF	1/2	1/8 NPSF	DPHTFS 1-1/4 - 1NPSF	1 1/4	1 NPSF			


 Female Branch Tee Bulkhead - Brass Hose Barb Fittings			
MODEL	Hose Size	Male Thread	Female Thread
DPHMF 1/4-M12-M12	1/4	M12	M12
DPHMF 1/4-M16-M16	1/4	M16	M16
DPHMF 3/8-M16-M16	3/8	M16	M16
DPHMF 3/8-M22-M22	3/8	M22	M22
DPHMF 1/2-M16-M16	1/2	M16	M16
DPHMF 1/2-M22-M22	1/2	M22	M22
DPHMF 3/4-M22-M22	3/4	M22	M22

 Female Branch Tee Male - Brass Hose Barb Fittings			
MODEL	Hose Size	Male Thread	Female Thread
DPMFH 3/8-3/8NPT-M16	3/8	3/8NPT	M16
DPMFH 1/2-3/8NPT-M16	1/2	3/8NPT	M16
DPMFH 1/2-1/2NPT-M22	1/2	1/2NPT	M22
DPMFH 3/4-3/4NPT-M22	3/4	3/4NPT	M22

Brass Hose Barb Fittings 全铜宝塔接头

Imperial Tube Size 英制管径

 90 Degree Male Elbow - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLMH 1/8-1/8NPT	1/8	1/8 NPT	DPLMH 1/2-1/4NPT	1/2	1/4 NPT	DPLMH 1/4-M12	1/4	M12
DPLMH 1/8-1/4NPT	1/8	1/4 NPT	DPLMH 1/2-3/8NPT	1/2	3/8 NPT	DPLMH 1/4-M16	1/4	M16
DPLMH 3/16-1/8NPT	3/16	1/8 NPT	DPLMH 1/2-1/2NPT	1/2	1/2 NPT	DPLMH 1/4-M22	1/4	M22
DPLMH 3/16-1/4NPT	3/16	1/4 NPT	DPLMH 1/2-3/4NPT	1/2	3/4 NPT	DPLMH 3/8-M12	3/8	M12
DPLMH 1/4-1/16NPT	1/4	1/16 NPT	DPLMH 1/2-1NPT	1/2	1 NPT	DPLMH 3/8-M16	3/8	M16
DPLMH 1/4-1/8NPT	1/4	1/8 NPT	DPLMH 5/8-1/4NPT	5/8	1/4 NPT	DPLMH 3/8-M22	3/8	M22
DPLMH 1/4-1/4NPT	1/4	1/4 NPT	DPLMH 5/8-3/8NPT	5/8	3/8 NPT	DPLMH 1/2-M16	1/2	M16
DPLMH 1/4-3/8NPT	1/4	3/8 NPT	DPLMH 5/8-1/2NPT	5/8	1/2 NPT	DPLMH 1/2-M22	1/2	M22
DPLMH 1/4-1/2NPT	1/4	1/2 NPT	DPLMH 5/8-3/4NPT	5/8	3/4 NPT	DPLMH 3/4-M22	3/4	M22
DPLMH 5/16-1/8NPT	5/16	1/8 NPT	DPLMH 5/8-1NPT	5/8	1 NPT			
DPLMH 5/16-1/4NPT	5/16	1/4 NPT	DPLMH 3/4-3/8NPT	3/4	3/8 NPT			
DPLMH 5/16-3/8NPT	5/16	3/8 NPT	DPLMH 3/4-1/2NPT	3/4	1/2 NPT			
DPLMH 5/16-1/2NPT	5/16	1/2 NPT	DPLMH 3/4-3/4NPT	3/4	3/4 NPT			
DPLMH 3/8-1/8NPT	3/8	1/8 NPT	DPLMH 3/4-1NPT	3/4	1 NPT			
DPLMH 3/8-1/4NPT	3/8	1/4 NPT	DPLMH 1-1/2NPT	1	1/2 NPT			
DPLMH 3/8-3/8NPT	3/8	3/8 NPT	DPLMH 1-3/4NPT	1	3/4 NPT			
DPLMH 3/8-1/2NPT	3/8	1/2 NPT	DPLMH 1-1NPT	1	1 NPT			
DPLMH 3/8-3/4NPT	3/8	3/4 NPT	DPLMH 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPLMH 1/2-1/8NPT	1/2	1/8 NPT	DPLMH 1-1/4 - 1NPT	1 1/4	1 NPT			


 45 Degree Male Elbow - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLMH45 1/8-1/8NPT	1/8	1/8 NPT	DPLMH45 1/2-1/4NPT	1/2	1/4 NPT	DPLMH45 1/4-M12	1/4	M12
DPLMH45 1/8-1/4NPT	1/8	1/4 NPT	DPLMH45 1/2-3/8NPT	1/2	3/8 NPT	DPLMH45 1/4-M16	1/4	M16
DPLMH45 3/16-1/8NPT	3/16	1/8 NPT	DPLMH45 1/2-1/2NPT	1/2	1/2 NPT	DPLMH45 1/4-M22	1/4	M22
DPLMH45 3/16-1/4NPT	3/16	1/4 NPT	DPLMH45 1/2-3/4NPT	1/2	3/4 NPT	DPLMH45 3/8-M12	3/8	M12
DPLMH45 1/4-1/16NPT	1/4	1/16 NPT	DPLMH45 1/2-1NPT	1/2	1 NPT	DPLMH45 3/8-M16	3/8	M16
DPLMH45 1/4-1/8NPT	1/4	1/8 NPT	DPLMH45 5/8-1/4NPT	5/8	1/4 NPT	DPLMH45 3/8-M22	3/8	M22
DPLMH45 1/4-1/4NPT	1/4	1/4 NPT	DPLMH45 5/8-3/8NPT	5/8	3/8 NPT	DPLMH45 1/2-M16	1/2	M16
DPLMH45 1/4-3/8NPT	1/4	3/8 NPT	DPLMH45 5/8-1/2NPT	5/8	1/2 NPT	DPLMH45 1/2-M22	1/2	M22
DPLMH45 1/4-1/2NPT	1/4	1/2 NPT	DPLMH45 5/8-3/4NPT	5/8	3/4 NPT	DPLMH45 3/4-M22	3/4	M22
DPLMH45 5/16-1/8NPT	5/16	1/8 NPT	DPLMH45 5/8-1NPT	5/8	1 NPT			
DPLMH45 5/16-1/4NPT	5/16	1/4 NPT	DPLMH45 3/4-3/8NPT	3/4	3/8 NPT			
DPLMH45 5/16-3/8NPT	5/16	3/8 NPT	DPLMH45 3/4-1/2NPT	3/4	1/2 NPT			
DPLMH45 5/16-1/2NPT	5/16	1/2 NPT	DPLMH45 3/4-3/4NPT	3/4	3/4 NPT			
DPLMH45 3/8-1/8NPT	3/8	1/8 NPT	DPLMH45 3/4-1NPT	3/4	1 NPT			
DPLMH45 3/8-1/4NPT	3/8	1/4 NPT	DPLMH45 1-1/2NPT	1	1/2 NPT			
DPLMH45 3/8-3/8NPT	3/8	3/8 NPT	DPLMH45 1-3/4NPT	1	3/4 NPT			
DPLMH45 3/8-1/2NPT	3/8	1/2 NPT	DPLMH45 1-1NPT	1	1 NPT			
DPLMH45 3/8-3/4NPT	3/8	3/4 NPT	DPLMH45 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPLMH45 1/2-1/8NPT	1/2	1/8 NPT	DPLMH45 1-1/4 - 1NPT	1 1/4	1 NPT			

 Union - Brass Hose Barb Fittings					
MODEL	Hose Size	Hose Size	MODEL	Hose Size	Hose Size
DPHH 1/8	1/8	1/8	DPHH 1/2-3/8	1/2	3/8
DPHH 3/16	3/16	3/16	DPHH 5/8	5/8	5/8
DPHH 1/4	1/4	1/4	DPHH 5/8-3/8	5/8	3/8
DPHH 1/4-1/8	1/4	1/8	DPHH 5/8-1/2	5/8	1/2
DPHH 5/16	5/16	5/16	DPHH 3/4	3/4	3/4
DPHH 5/16-1/4	5/16	1/4	DPHH 3/4-1/2	3/4	1/2
DPHH 3/8	3/8	3/8	DPHH 3/4-5/8	3/4	5/8
DPHH 3/8-1/4	3/8	1/4	DPHH 1-3/4	1	3/4
DPHH 3/8-5/16	3/8	5/16	DPHH 1	1	1
DPHH 1/2	1/2	1/2			

 Cross - Brass Hose Barb Fittings	
MODEL	Hose Size
DPZH 1/8	1/8
DPZH 3/16	3/16
DPZH 1/4	1/4
DPZH 5/16	5/16
DPZH 3/8	3/8
DPZH 1/2	1/2
DPZH 5/8	5/8
DPZH 3/4	3/4
DPZH 1	1

Brass Hose Barb Fittings 全铜宝塔接头

Imperial Tube Size 英制管径

 90 Degree Female Elbow - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLFH 1/8-1/8NPSF	1/8	1/8 NPSF	DPLFH 1/2-1/4NPSF	1/2	1/4 NPSF	DPLFH 1/4-M12	1/4	M12
DPLFH 1/8-1/4NPSF	1/8	1/4 NPSF	DPLFH 1/2-3/8NPSF	1/2	3/8 NPSF	DPLFH 1/4-M16	1/4	M16
DPLFH 3/16-1/8NPSF	3/16	1/8 NPSF	DPLFH 1/2-1/2NPSF	1/2	1/2 NPSF	DPLFH 1/4-M22	1/4	M22
DPLFH 3/16-1/4NPSF	3/16	1/4 NPSF	DPLFH 1/2-3/4NPSF	1/2	3/4 NPSF	DPLFH 3/8-M12	3/8	M12
DPLFH 1/4-1/16NPSF	1/4	1/16 NPSF	DPLFH 1/2-1NPSF	1/2	1 NPSF	DPLFH 3/8-M16	3/8	M16
DPLFH 1/4-1/8NPSF	1/4	1/8 NPSF	DPLFH 5/8-1/4NPSF	5/8	1/4 NPSF	DPLFH 3/8-M22	3/8	M22
DPLFH 1/4-1/4NPSF	1/4	1/4 NPSF	DPLFH 5/8-3/8NPSF	5/8	3/8 NPSF	DPLFH 1/2-M16	1/2	M16
DPLFH 1/4-3/8NPSF	1/4	3/8 NPSF	DPLFH 5/8-1/2NPSF	5/8	1/2 NPSF	DPLFH 1/2-M22	1/2	M22
DPLFH 1/4-1/2NPSF	1/4	1/2 NPSF	DPLFH 5/8-3/4NPSF	5/8	3/4 NPSF	DPLFH 3/4-M22	3/4	M22
DPLFH 5/16-1/8NPSF	5/16	1/8 NPSF	DPLFH 5/8-1NPSF	5/8	1 NPSF			
DPLFH 5/16-1/4NPSF	5/16	1/4 NPSF	DPLFH 3/4-3/8NPSF	3/4	3/8 NPSF			
DPLFH 5/16-3/8NPSF	5/16	3/8 NPSF	DPLFH 3/4-1/2NPSF	3/4	1/2 NPSF			
DPLFH 5/16-1/2NPSF	5/16	1/2 NPSF	DPLFH 3/4-3/4NPSF	3/4	3/4 NPSF			
DPLFH 3/8-1/8NPSF	3/8	1/8 NPSF	DPLFH 3/4-1NPSF	3/4	1 NPSF			
DPLFH 3/8-1/4NPSF	3/8	1/4 NPSF	DPLFH 1-1/2NPSF	1	1/2 NPSF			
DPLFH 3/8-3/8NPSF	3/8	3/8 NPSF	DPLFH 1-3/4NPSF	1	3/4 NPSF			
DPLFH 3/8-1/2NPSF	3/8	1/2 NPSF	DPLFH 1-1NPSF	1	1 NPSF			
DPLFH 3/8-3/4NPSF	3/8	3/4 NPSF	DPLFH 1-1/4 - 3/4NPSF	1 1/4	3/4 NPSF			
DPLFH 1/2-1/8NPSF	1/2	1/8 NPSF	DPLFH 1-1/4 - 1NPSF	1 1/4	1 NPSF			

 Male Branch Tee - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPBH 1/8-1/8NPT	1/8	1/8 NPT	DPBH 1/2-1/4NPT	1/2	1/4 NPT	DPBH 1/4-M12	1/4	M12
DPBH 1/8-1/4NPT	1/8	1/4 NPT	DPBH 1/2-3/8NPT	1/2	3/8 NPT	DPBH 1/4-M16	1/4	M16
DPBH 3/16-1/8NPT	3/16	1/8 NPT	DPBH 1/2-1/2NPT	1/2	1/2 NPT	DPBH 1/4-M22	1/4	M22
DPBH 3/16-1/4NPT	3/16	1/4 NPT	DPBH 1/2-3/4NPT	1/2	3/4 NPT	DPBH 3/8-M12	3/8	M12
DPBH 1/4-1/16NPT	1/4	1/16 NPT	DPBH 1/2-1NPT	1/2	1 NPT	DPBH 3/8-M16	3/8	M16
DPBH 1/4-1/8NPT	1/4	1/8 NPT	DPBH 5/8-1/4NPT	5/8	1/4 NPT	DPBH 3/8-M22	3/8	M22
DPBH 1/4-1/4NPT	1/4	1/4 NPT	DPBH 5/8-3/8NPT	5/8	3/8 NPT	DPBH 1/2-M16	1/2	M16
DPBH 1/4-3/8NPT	1/4	3/8 NPT	DPBH 5/8-1/2NPT	5/8	1/2 NPT	DPBH 1/2-M22	1/2	M22
DPBH 1/4-1/2NPT	1/4	1/2 NPT	DPBH 5/8-3/4NPT	5/8	3/4 NPT	DPBH 3/4-M22	3/4	M22
DPBH 5/16-1/8NPT	5/16	1/8 NPT	DPBH 5/8-1NPT	5/8	1 NPT			
DPBH 5/16-1/4NPT	5/16	1/4 NPT	DPBH 3/4-3/8NPT	3/4	3/8 NPT			
DPBH 5/16-3/8NPT	5/16	3/8 NPT	DPBH 3/4-1/2NPT	3/4	1/2 NPT			
DPBH 5/16-1/2NPT	5/16	1/2 NPT	DPBH 3/4-3/4NPT	3/4	3/4 NPT			
DPBH 3/8-1/8NPT	3/8	1/8 NPT	DPBH 3/4-1NPT	3/4	1 NPT			
DPBH 3/8-1/4NPT	3/8	1/4 NPT	DPBH 1-1/2NPT	1	1/2 NPT			
DPBH 3/8-3/8NPT	3/8	3/8 NPT	DPBH 1-3/4NPT	1	3/4 NPT			
DPBH 3/8-1/2NPT	3/8	1/2 NPT	DPBH 1-1NPT	1	1 NPT			
DPBH 3/8-3/4NPT	3/8	3/4 NPT	DPBH 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPBH 1/2-1/8NPT	1/2	1/8 NPT	DPBH 1-1/4 - 1NPT	1 1/4	1 NPT			

 Elbow - Brass Hose Barb Fittings					
MODEL	Hose Size	Hose Size	MODEL	Hose Size	Hose Size
DPLH 1/8	1/8	1/8	DPLH 1/2-3/8	1/2	3/8
DPLH 3/16	3/16	3/16	DPLH 5/8	5/8	5/8
DPLH 1/4	1/4	1/4	DPLH 5/8-3/8	5/8	3/8
DPLH 1/4-1/8	1/4	1/8	DPLH 5/8-1/2	5/8	1/2
DPLH 5/16	5/16	5/16	DPLH 3/4	3/4	3/4
DPLH 5/16-1/4	5/16	1/4	DPLH 3/4-1/2	3/4	1/2
DPLH 3/8	3/8	3/8	DPLH 3/4-5/8	3/4	5/8
DPLH 3/8-1/4	3/8	1/4	DPLH 1-3/4	1	3/4
DPLH 3/8-5/16	3/8	5/16	DPLH 1	1	1
DPLH 1/2	1/2	1/2			

Brass Hose Barb Fittings 全铜宝塔接头

Imperial Tube Size 英制管径

 Male Run Tee - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPDH 1/8-1/8NPT	1/8	1/8 NPT	DPDH 1/2-1/4NPT	1/2	1/4 NPT	DPDH 1/4-M12	1/4	M12
DPDH 1/8-1/4NPT	1/8	1/4 NPT	DPDH 1/2-3/8NPT	1/2	3/8 NPT	DPDH 1/4-M16	1/4	M16
DPDH 3/16-1/8NPT	3/16	1/8 NPT	DPDH 1/2-1/2NPT	1/2	1/2 NPT	DPDH 1/4-M22	1/4	M22
DPDH 3/16-1/4NPT	3/16	1/4 NPT	DPDH 1/2-3/4NPT	1/2	3/4 NPT	DPDH 3/8-M12	3/8	M12
DPDH 1/4-1/16NPT	1/4	1/16 NPT	DPDH 1/2-1NPT	1/2	1 NPT	DPDH 3/8-M16	3/8	M16
DPDH 1/4-1/8NPT	1/4	1/8 NPT	DPDH 5/8-1/4NPT	5/8	1/4 NPT	DPDH 3/8-M22	3/8	M22
DPDH 1/4-1/4NPT	1/4	1/4 NPT	DPDH 5/8-3/8NPT	5/8	3/8 NPT	DPDH 1/2-M16	1/2	M16
DPDH 1/4-3/8NPT	1/4	3/8 NPT	DPDH 5/8-1/2NPT	5/8	1/2 NPT	DPDH 1/2-M22	1/2	M22
DPDH 1/4-1/2NPT	1/4	1/2 NPT	DPDH 5/8-3/4NPT	5/8	3/4 NPT	DPDH 3/4-M22	3/4	M22
DPDH 5/16-1/8NPT	5/16	1/8 NPT	DPDH 5/8-1NPT	5/8	1 NPT			
DPDH 5/16-1/4NPT	5/16	1/4 NPT	DPDH 3/4-3/8NPT	3/4	3/8 NPT			
DPDH 5/16-3/8NPT	5/16	3/8 NPT	DPDH 3/4-1/2NPT	3/4	1/2 NPT			
DPDH 5/16-1/2NPT	5/16	1/2 NPT	DPDH 3/4-3/4NPT	3/4	3/4 NPT			
DPDH 3/8-1/8NPT	3/8	1/8 NPT	DPDH 3/4-1NPT	3/4	1 NPT			
DPDH 3/8-1/4NPT	3/8	1/4 NPT	DPDH 1-1/2NPT	1	1/2 NPT			
DPDH 3/8-3/8NPT	3/8	3/8 NPT	DPDH 1-3/4NPT	1	3/4 NPT			
DPDH 3/8-1/2NPT	3/8	1/2 NPT	DPDH 1-1NPT	1	1 NPT			
DPDH 3/8-3/4NPT	3/8	3/4 NPT	DPDH 1-1/4 - 3/4NPT	1 1/4	3/4 NPT			
DPDH 1/2-1/8NPT	1/2	1/8 NPT	DPDH 1-1/4 - 1NPT	1 1/4	1 NPT			

 Female Branch Tee - Brass Hose Barb Fittings								
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPBFH 1/8-1/8NPSF	1/8	1/8 NPSF	DPBFH 1/2-1/4NPSF	1/2	1/4 NPSF	DPBFH 1/4-M12	1/4	M12
DPBFH 1/8-1/4NPSF	1/8	1/4 NPSF	DPBFH 1/2-3/8NPSF	1/2	3/8 NPSF	DPBFH 1/4-M16	1/4	M16
DPBFH 3/16-1/8NPSF	3/16	1/8 NPSF	DPBFH 1/2-1/2NPSF	1/2	1/2 NPSF	DPBFH 1/4-M22	1/4	M22
DPBFH 3/16-1/4NPSF	3/16	1/4 NPSF	DPBFH 1/2-3/4NPSF	1/2	3/4 NPSF	DPBFH 3/8-M12	3/8	M12
DPBFH 1/4-1/16NPSF	1/4	1/16 NPSF	DPBFH 1/2-1NPSF	1/2	1 NPSF	DPBFH 3/8-M16	3/8	M16
DPBFH 1/4-1/8NPSF	1/4	1/8 NPSF	DPBFH 5/8-1/4NPSF	5/8	1/4 NPSF	DPBFH 3/8-M22	3/8	M22
DPBFH 1/4-1/4NPSF	1/4	1/4 NPSF	DPBFH 5/8-3/8NPSF	5/8	3/8 NPSF	DPBFH 1/2-M16	1/2	M16
DPBFH 1/4-3/8NPSF	1/4	3/8 NPSF	DPBFH 5/8-1/2NPSF	5/8	1/2 NPSF	DPBFH 1/2-M22	1/2	M22
DPBFH 1/4-1/2NPSF	1/4	1/2 NPSF	DPBFH 5/8-3/4NPSF	5/8	3/4 NPSF	DPBFH 3/4-M22	3/4	M22
DPBFH 5/16-1/8NPSF	5/16	1/8 NPSF	DPBFH 5/8-1NPSF	5/8	1 NPSF			
DPBFH 5/16-1/4NPSF	5/16	1/4 NPSF	DPBFH 3/4-3/8NPSF	3/4	3/8 NPSF			
DPBFH 5/16-3/8NPSF	5/16	3/8 NPSF	DPBFH 3/4-1/2NPSF	3/4	1/2 NPSF			
DPBFH 5/16-1/2NPSF	5/16	1/2 NPSF	DPBFH 3/4-3/4NPSF	3/4	3/4 NPSF			
DPBFH 3/8-1/8NPSF	3/8	1/8 NPSF	DPBFH 3/4-1NPSF	3/4	1 NPSF			
DPBFH 3/8-1/4NPSF	3/8	1/4 NPSF	DPBFH 1-1/2NPSF	1	1/2 NPSF			
DPBFH 3/8-3/8NPSF	3/8	3/8 NPSF	DPBFH 1-3/4NPSF	1	3/4 NPSF			
DPBFH 3/8-1/2NPSF	3/8	1/2 NPSF	DPBFH 1-1NPSF	1	1 NPSF			
DPBFH 3/8-3/4NPSF	3/8	3/4 NPSF	DPBFH 1-1/4 - 3/4NPSF	1 1/4	3/4 NPSF			
DPBFH 1/2-1/8NPSF	1/2	1/8 NPSF	DPBFH 1-1/4 - 1NPSF	1 1/4	1 NPSF			

Brass Hose Barb Fittings 全铜宝塔接头

Metric Tube Size 公制管径

 Metric Male Adapter - Brass Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTM 6-M12	6mm	M12	DPHTM 04-N01	4mm	1/8NPT
DPHTM 6-M16	6mm	M16	DPHTM 04-N02	4mm	1/4NPT
DPHTM 8-M16	8mm	M16	DPHTM 06-N01	6mm	1/8NPT
DPHTM 10-M16	10mm	M16	DPHTM 06-N02	6mm	1/4NPT
DPHTM 12-M16	12mm	M16	DPHTM 06-N03	6mm	3/8NPT
DPHTM 10-M22	10mm	M22	DPHTM 08-N01	8mm	1/8NPT
DPHTM 12-M22	12mm	M22	DPHTM 08-N02	8mm	1/4NPT
DPHTM 15-M22	15mm	M22	DPHTM 08-N03	8mm	3/8NPT
DPHTM 16-M22	16mm	M22	DPHTM 08-N04	8mm	1/2NPT
			DPHTM 10-N02	10mm	1/4NPT
			DPHTM 10-N03	10mm	3/8NPT
			DPHTM 10-N04	10mm	1/2NPT
			DPHTM 12-N02	12mm	1/4NPT
			DPHTM 12-N03	12mm	3/8NPT
			DPHTM 12-N04	12mm	1/2NPT
			DPHTM 12-N06	12mm	3/4NPT

 Metric Swivel Male Adapter - Brass Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTMS 6-M12	6mm	M12	DPHTMS 04-N01	4mm	1/8NPT
DPHTMS 6-M16	6mm	M16	DPHTMS 04-N02	4mm	1/4NPT
DPHTMS 8-M16	8mm	M16	DPHTMS 06-N01	6mm	1/8NPT
DPHTMS 10-M16	10mm	M16	DPHTMS 06-N02	6mm	1/4NPT
DPHTMS 12-M16	12mm	M16	DPHTMS 06-N03	6mm	3/8NPT
DPHTMS 10-M22	10mm	M22	DPHTMS 08-N01	8mm	1/8NPT
DPHTMS 12-M22	12mm	M22	DPHTMS 08-N02	8mm	1/4NPT
DPHTMS 15-M22	15mm	M22	DPHTMS 08-N03	8mm	3/8NPT
DPHTMS 16-M22	16mm	M22	DPHTMS 08-N04	8mm	1/2NPT
			DPHTMS 10-N02	10mm	1/4NPT
			DPHTMS 10-N03	10mm	3/8NPT
			DPHTMS 10-N04	10mm	1/2NPT
			DPHTMS 12-N02	12mm	1/4NPT
			DPHTMS 12-N03	12mm	3/8NPT
			DPHTMS 12-N04	12mm	1/2NPT
			DPHTMS 12-N06	12mm	3/4NPT

 Metric Female Adapter - Brass Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTF 6-M12	6mm	M12	DPHTF 04-1/8NPSF	4mm	1/8NPSF
DPHTF 6-M16	6mm	M16	DPHTF 04-1/4NPSF	4mm	1/4NPSF
DPHTF 8-M16	8mm	M16	DPHTF 06-1/8NPSF	6mm	1/8NPSF
DPHTF 10-M16	10mm	M16	DPHTF 06-1/4NPSF	6mm	1/4NPSF
DPHTF 12-M16	12mm	M16	DPHTF 06-3/8NPSF	6mm	3/8NPSF
DPHTF 10-M22	10mm	M22	DPHTF 08-1/8NPSF	8mm	1/8NPSF
DPHTF 12-M22	12mm	M22	DPHTF 08-1/4NPSF	8mm	1/4NPSF
DPHTF 15-M22	15mm	M22	DPHTF 08-3/8NPSF	8mm	3/8NPSF
DPHTF 16-M22	16mm	M22	DPHTF 08-1/2NPSF	8mm	1/2NPSF
			DPHTF 10-1/4NPSF	10mm	1/4NPSF
			DPHTF 10-3/8NPSF	10mm	3/8NPSF
			DPHTF 10-1/2NPSF	10mm	1/2NPSF
			DPHTF 12-1/4NPSF	12mm	1/4NPSF
			DPHTF 12-3/8NPSF	12mm	3/8NPSF
			DPHTF 12-1/2NPSF	12mm	1/2NPSF
			DPHTF 12-3/4NPSF	12mm	3/4NPSF

 Union Elbow - Hose Barb Fittings			
MODEL	Hose Size	Hose Size	
DPLH 2	2mm	2mm	
DPLH 3-2	3mm	2mm	
DPLH 3	3mm	3mm	
DPLH 4-3	4mm	3mm	
DPLH 4	4mm	4mm	
DPLH 6-4	6mm	4mm	
DPLH 6	6mm	6mm	
DPLH 7-6	7mm	6mm	
DPLH 7	7mm	7mm	
DPLH 9-7	9mm	7mm	
DPLH 9	9mm	9mm	
DPLH 10-9	10mm	9mm	
DPLH 10	10mm	10mm	
DPLH 12-10	12mm	10mm	
DPLH 12	12mm	12mm	
DPLH 14-12	14mm	12mm	
DPLH 14	14mm	14mm	
DPLH 17-14	17mm	14mm	
DPLH 17	17mm	17mm	
DPLH 20-17	20mm	17mm	
DPLH 20	20mm	20mm	

 Union Tee - Hose Barb Fittings		
MODEL	Hose Size	
DPTH 2	2mm	
DPTH 3	3mm	
DPTH 4	4mm	
DPTH 6	6mm	
DPTH 7	7mm	
DPTH 9	9mm	
DPTH 10	10mm	
DPTH 12	12mm	
DPTH 14	14mm	
DPTH 17	17mm	
DPTH 20	20mm	


 Union Cross - Hose Barb Fittings		
MODEL	Hose Size	
DPZH 2	2mm	
DPZH 3	3mm	
DPZH 4	4mm	
DPZH 6	6mm	
DPZH 7	7mm	
DPZH 9	9mm	
DPZH 10	10mm	
DPZH 12	12mm	
DPZH 14	14mm	
DPZH 17	17mm	
DPZH 20	20mm	

Brass Hose Barb Fittings 全铜宝塔接头

Metric Tube Size 公制管径

 Metric Swivel Female Adapter - Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPHTFS 6-M12	6mm	M12	DPHTFS 04-1/8NPSF	4mm	1/8NPSF
DPHTFS 6-M16	6mm	M16	DPHTFS 04-1/4NPSF	4mm	1/4NPSF
DPHTFS 8-M16	8mm	M16	DPHTFS 06-1/8NPSF	6mm	1/8NPSF
DPHTFS 10-M16	10mm	M16	DPHTFS 06-1/4NPSF	6mm	1/4NPSF
DPHTFS 12-M16	12mm	M16	DPHTFS 06-3/8NPSF	6mm	3/8NPSF
DPHTFS 10-M22	10mm	M22	DPHTFS 08-1/8NPSF	8mm	1/8NPSF
DPHTFS 12-M22	12mm	M22	DPHTFS 08-1/4NPSF	8mm	1/4NPSF
DPHTFS 15-M22	15mm	M22	DPHTFS 08-3/8NPSF	8mm	3/8NPSF
DPHTFS 16-M22	16mm	M22	DPHTFS 08-1/2NPSF	8mm	1/2NPSF
			DPHTFS 10-1/4NPSF	10mm	1/4NPSF
			DPHTFS 10-3/8NPSF	10mm	3/8NPSF
			DPHTFS 10-1/2NPSF	10mm	1/2NPSF
			DPHTFS 12-1/4NPSF	12mm	1/4NPSF
			DPHTFS 12-3/8NPSF	12mm	3/8NPSF
			DPHTFS 12-1/2NPSF	12mm	1/2NPSF
			DPHTFS 12-3/4NPSF	12mm	3/4NPSF

					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPBH 6-M12	6mm	M12	DPBH 04-1/8NPT	4mm	1/8NPT
DPBH 6-M16	6mm	M16	DPBH 04-1/4NPT	4mm	1/4NPT
DPBH 8-M16	8mm	M16	DPBH 06-1/8NPT	6mm	1/8NPT
DPBH 10-M16	10mm	M16	DPBH 06-1/4NPT	6mm	1/4NPT
DPBH 12-M16	12mm	M16	DPBH 06-3/8NPT	6mm	3/8NPT
DPBH 10-M22	10mm	M22	DPBH 08-1/8NPT	8mm	1/8NPT
DPBH 12-M22	12mm	M22	DPBH 08-1/4NPT	8mm	1/4NPT
DPBH 15-M22	15mm	M22	DPBH 08-3/8NPT	8mm	3/8NPT
DPBH 16-M22	16mm	M22	DPBH 08-1/2NPT	8mm	1/2NPT
			DPBH 10-1/4NPT	10mm	1/4NPT
			DPBH 10-3/8NPT	10mm	3/8NPT
			DPBH 10-1/2NPT	10mm	1/2NPT
			DPBH 12-1/4NPT	12mm	1/4NPT
			DPBH 12-3/8NPT	12mm	3/8NPT
			DPBH 12-1/2NPT	12mm	1/2NPT
			DPBH 12-3/4NPT	12mm	3/4NPT

					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLMH45 6-M12	6mm	M12	DPLMH45 04-1/8NPT	4mm	1/8NPT
DPLMH45 6-M16	6mm	M16	DPLMH45 04-1/4NPT	4mm	1/4NPT
DPLMH45 8-M16	8mm	M16	DPLMH45 06-1/8NPT	6mm	1/8NPT
DPLMH45 10-M16	10mm	M16	DPLMH45 06-1/4NPT	6mm	1/4NPT
DPLMH45 12-M16	12mm	M16	DPLMH45 06-3/8NPT	6mm	3/8NPT
DPLMH45 10-M22	10mm	M22	DPLMH45 08-1/8NPT	8mm	1/8NPT
DPLMH45 12-M22	12mm	M22	DPLMH45 08-1/4NPT	8mm	1/4NPT
DPLMH45 15-M22	15mm	M22	DPLMH45 08-3/8NPT	8mm	3/8NPT
DPLMH45 16-M22	16mm	M22	DPLMH45 08-1/2NPT	8mm	1/2NPT
			DPLMH45 10-1/4NPT	10mm	1/4NPT
			DPLMH45 10-3/8NPT	10mm	3/8NPT
			DPLMH45 10-1/2NPT	10mm	1/2NPT
			DPLMH45 12-1/4NPT	12mm	1/4NPT
			DPLMH45 12-3/8NPT	12mm	3/8NPT
			DPLMH45 12-1/2NPT	12mm	1/2NPT
			DPLMH45 12-3/4NPT	12mm	3/4NPT


 Metric Union - Hose Barb Fittings		
MODEL	Hose Size	Hose Size
DPHH 2	2mm	2mm
DPHH 3-2	3mm	2mm
DPHH 3	3mm	3mm
DPHH 4-3	4mm	3mm
DPHH 4	4mm	4mm
DPHH 6-4	6mm	4mm
DPHH 6	6mm	6mm
DPHH 7-6	7mm	6mm
DPHH 7	7mm	7mm
DPHH 9-7	9mm	7mm
DPHH 9	9mm	9mm
DPHH 10-9	10mm	9mm
DPHH 10	10mm	10mm
DPHH 12-10	12mm	10mm
DPHH 12	12mm	12mm
DPHH 14-12	14mm	12mm
DPHH 14	14mm	14mm
DPHH 17-14	17mm	14mm
DPHH 17	17mm	17mm
DPHH 20-17	20mm	17mm
DPHH 20	20mm	20mm

 Metric Union Y - Hose Barb Fittings	
MODEL	Hose Size
DPYH 2	2mm
DPYH 3	3mm
DPYH 4	4mm
DPYH 6	6mm
DPYH 7	7mm
DPYH 9	9mm
DPYH 10	10mm
DPYH 12	12mm
DPYH 14	14mm
DPYH 17	17mm
DPYH 20	20mm

 Metric Male Run Tee - Hose Barb Fittings		
MODEL	Hose Size	Thread Size
DPDH 04-1/8NPT	4mm	1/8NPT
DPDH 04-1/4NPT	4mm	1/4NPT
DPDH 06-1/8NPT	6mm	1/8NPT
DPDH 06-1/4NPT	6mm	1/4NPT
DPDH 06-3/8NPT	6mm	3/8NPT
DPDH 08-1/8NPT	8mm	1/8NPT
DPDH 08-1/4NPT	8mm	1/4NPT
DPDH 08-3/8NPT	8mm	3/8NPT
DPDH 08-1/2NPT	8mm	1/2NPT
DPDH 10-1/4NPT	10mm	1/4NPT
DPDH 10-3/8NPT	10mm	3/8NPT
DPDH 10-1/2NPT	10mm	1/2NPT
DPDH 12-1/4NPT	12mm	1/4NPT
DPDH 12-3/8NPT	12mm	3/8NPT
DPDH 12-1/2NPT	12mm	1/2NPT
DPDH 12-3/4NPT	12mm	3/4NPT

Brass Hose Barb Fittings 全铜宝塔接头

Metric Tube Size 公制管径

 Metric Female Elbow - Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLFH 6-M12	6mm	M12	DPLFH 04-1/8NPSF	4mm	1/8NPSF
DPLFH 6-M16	6mm	M16	DPLFH 04-1/4NPSF	4mm	1/4NPSF
DPLFH 8-M16	8mm	M16	DPLFH 06-1/8NPSF	6mm	1/8NPSF
DPLFH 10-M16	10mm	M16	DPLFH 06-1/4NPSF	6mm	1/4NPSF
DPLFH 12-M16	12mm	M16	DPLFH 06-3/8NPSF	6mm	3/8NPSF
DPLFH 10-M22	10mm	M22	DPLFH 08-1/8NPSF	8mm	1/8NPSF
DPLFH 12-M22	12mm	M22	DPLFH 08-1/4NPSF	8mm	1/4NPSF
DPLFH 15-M22	15mm	M22	DPLFH 08-3/8NPSF	8mm	3/8NPSF
DPLFH 16-M22	16mm	M22	DPLFH 08-1/2NPSF	8mm	1/2NPSF
			DPLFH 10-1/4NPSF	10mm	1/4NPSF
			DPLFH 10-3/8NPSF	10mm	3/8NPSF
			DPLFH 10-1/2NPSF	10mm	1/2NPSF
			DPLFH 12-1/4NPSF	12mm	1/4NPSF
			DPLFH 12-3/8NPSF	12mm	3/8NPSF
			DPLFH 12-1/2NPSF	12mm	1/2NPSF
			DPLFH 12-3/4NPSF	12mm	3/4NPSF

 Metric Male Elbow - Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPLMH 6-M12	6mm	M12	DPLMH 04-1/8NPT	4mm	1/8NPT
DPLMH 6-M16	6mm	M16	DPLMH 04-1/4NPT	4mm	1/4NPT
DPLMH 8-M16	8mm	M16	DPLMH 06-1/8NPT	6mm	1/8NPT
DPLMH 10-M16	10mm	M16	DPLMH 06-1/4NPT	6mm	1/4NPT
DPLMH 12-M16	12mm	M16	DPLMH 06-3/8NPT	6mm	3/8NPT
DPLMH 10-M22	10mm	M22	DPLMH 08-1/8NPT	8mm	1/8NPT
DPLMH 12-M22	12mm	M22	DPLMH 08-1/4NPT	8mm	1/4NPT
DPLMH 15-M22	15mm	M22	DPLMH 08-3/8NPT	8mm	3/8NPT
DPLMH 16-M22	16mm	M22	DPLMH 08-1/2NPT	8mm	1/2NPT
			DPLMH 10-1/4NPT	10mm	1/4NPT
			DPLMH 10-3/8NPT	10mm	3/8NPT
			DPLMH 10-1/2NPT	10mm	1/2NPT
			DPLMH 12-1/4NPT	12mm	1/4NPT
			DPLMH 12-3/8NPT	12mm	3/8NPT
			DPLMH 12-1/2NPT	12mm	1/2NPT
			DPLMH 12-3/4NPT	12mm	3/4NPT

 Metric Female Branch Tee - Hose Barb Fittings					
MODEL	Hose Size	Thread Size	MODEL	Hose Size	Thread Size
DPBFH 6-M12	6mm	M12	DPBFH 04-1/8NPSF	4mm	1/8NPSF
DPBFH 6-M16	6mm	M16	DPBFH 04-1/4NPSF	4mm	1/4NPSF
DPBFH 8-M16	8mm	M16	DPBFH 06-1/8NPSF	6mm	1/8NPSF
DPBFH 10-M16	10mm	M16	DPBFH 06-1/4NPSF	6mm	1/4NPSF
DPBFH 12-M16	12mm	M16	DPBFH 06-3/8NPSF	6mm	3/8NPSF
DPBFH 10-M22	10mm	M22	DPBFH 08-1/8NPSF	8mm	1/8NPSF
DPBFH 12-M22	12mm	M22	DPBFH 08-1/4NPSF	8mm	1/4NPSF
DPBFH 15-M22	15mm	M22	DPBFH 08-3/8NPSF	8mm	3/8NPSF
DPBFH 16-M22	16mm	M22	DPBFH 08-1/2NPSF	8mm	1/2NPSF
			DPBFH 10-1/4NPSF	10mm	1/4NPSF
			DPBFH 10-3/8NPSF	10mm	3/8NPSF
			DPBFH 10-1/2NPSF	10mm	1/2NPSF
			DPBFH 12-1/4NPSF	12mm	1/4NPSF
			DPBFH 12-3/8NPSF	12mm	3/8NPSF
			DPBFH 12-1/2NPSF	12mm	1/2NPSF


 Metric Male Run Tee - Hose Barb Fittings		
MODEL	Hose Size	Thread Size
DPDH 6-M12	6mm	M12
DPDH 6-M16	6mm	M16
DPDH 8-M16	8mm	M16
DPDH 10-M16	10mm	M16
DPDH 12-M16	12mm	M16
DPDH 10-M22	10mm	M22
DPDH 12-M22	12mm	M22
DPDH 15-M22	15mm	M22
DPDH 16-M22	16mm	M22

Brass Compression Fittings
 黄铜卡套接头

Product Description
 描述

- Typical Application**
 Use with copper, aluminum and thermoplastic tubing. Not recommended for steel tubing. Manufactured for low and medium pressure tubing connection work where excessive vibration or tube movement is not involved. Not recommended for application using gaseous media.
- Pressure**
 See table above for working pressures at 73°F.
- Vibration**
 Fair resistance - use long nut when greater vibration resistance is needed.
- Temperature Range**
 -65°F to +250°F (-53°C to +121°C) range at maximum operating pressures. (Refer to tubing temperature range.)
- Used With**
 Aluminum, copper, brass and plastic tubing. Plastic tubing requires insert. Not recommended for steel tubing.
- Tolerance**
 +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.
- Conformance**
 Meets specifications and standards of ASA, ASME and SAE.

- Assembly Instructions**
 1- Cut tubing to desired length.
 2- Slide nut and then sleeve on tube. Threaded end “A” of nut must face toward fitting.
 3- Insert tubing into fitting body. Be sure tubing is bottomed on fitting shoulder.
 4- Lubricate threads and assemble nut to fitting body.
 5- Tighten nut hand tight. From that point, tighten with a wrench the number of turns indicated in the chart below.





Male Adapter - Brass Compression Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPC 04-01	4mm	R1/8	QPC 5/32-1/8NPT	5/32	1/8 NPT
QPC 04-02	4mm	R1/4	QPC 5/32-1/4NPT	5/32	1/4 NPT
QPC 06-01	6mm	R1/8	QPC 1/4-1/16NPT	1/4	1/16 NPT
QPC 06-02	6mm	R1/4	QPC 1/4-1/8NPT	1/4	1/8 NPT
QPC 06-03	6mm	R3/8	QPC 1/4-1/4NPT	1/4	1/4 NPT
QPC 08-01	8mm	R1/8	QPC 1/4-3/8NPT	1/4	3/8 NPT
QPC 08-02	8mm	R1/4	QPC 5/16-1/8NPT	5/16	1/8 NPT
QPC 08-03	8mm	R3/8	QPC 5/16-1/4NPT	5/16	1/4 NPT
QPC 08-04	8mm	R1/2	QPC 5/16-3/8NPT	5/16	3/8 NPT
QPC 10-02	10mm	R1/4	QPC 5/16-1/2NPT	5/16	1/2 NPT
QPC 10-03	10mm	R3/8	QPC 3/8-1/8NPT	3/8	1/8 NPT
QPC 10-04	10mm	R1/2	QPC 3/8-1/4NPT	3/8	1/4 NPT
QPC 12-02	12mm	R1/4	QPC 3/8-3/8NPT	3/8	3/8 NPT
QPC 12-03	12mm	R3/8	QPC 3/8-1/2NPT	3/8	1/2 NPT
QPC 12-04	12mm	R1/2	QPC 1/2-1/4NPT	1/2	1/4 NPT
			QPC 1/2-3/8NPT	1/2	3/8 NPT
			QPC 1/2-1/2NPT	1/2	1/2 NPT
			QPC 1/2-3/4NPT	1/2	3/4 NPT
			QPC 5/8-3/8NPT	5/8	3/8 NPT
			QPC 5/8-1/2NPT	5/8	1/2 NPT
			QPC 5/8-3/4NPT	5/8	3/4 NPT
			QPC 3/4-1/2NPT	3/4	1/2 NPT
			QPC 3/4-3/4NPT	3/4	3/4 NPT



Female Adapter - Brass Compression Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPCF 04-01	4mm	R1/8	QPCF 5/32-1/8NPT	5/32	1/8 NPT
QPCF 04-02	4mm	R1/4	QPCF 5/32-1/4NPT	5/32	1/4 NPT
QPCF 06-01	6mm	R1/8	QPCF 1/4-1/16NPT	1/4	1/16 NPT
QPCF 06-02	6mm	R1/4	QPCF 1/4-1/8NPT	1/4	1/8 NPT
QPCF 06-03	6mm	R3/8	QPCF 1/4-1/4NPT	1/4	1/4 NPT
QPCF 08-01	8mm	R1/8	QPCF 1/4-3/8NPT	1/4	3/8 NPT
QPCF 08-02	8mm	R1/4	QPCF 5/16-1/8NPT	5/16	1/8 NPT
QPCF 08-03	8mm	R3/8	QPCF 5/16-1/4NPT	5/16	1/4 NPT
QPCF 08-04	8mm	R1/2	QPCF 5/16-3/8NPT	5/16	3/8 NPT
QPCF 10-02	10mm	R1/4	QPCF 5/16-1/2NPT	5/16	1/2 NPT
QPCF 10-03	10mm	R3/8	QPCF 3/8-1/8NPT	3/8	1/8 NPT
QPCF 10-04	10mm	R1/2	QPCF 3/8-1/4NPT	3/8	1/4 NPT
QPCF 12-02	12mm	R1/4	QPCF 3/8-3/8NPT	3/8	3/8 NPT
QPCF 12-03	12mm	R3/8	QPCF 3/8-1/2NPT	3/8	1/2 NPT
QPCF 12-04	12mm	R1/2	QPCF 1/2-1/4NPT	1/2	1/4 NPT
			QPCF 1/2-3/8NPT	1/2	3/8 NPT
			QPCF 1/2-1/2NPT	1/2	1/2 NPT
			QPCF 1/2-3/4NPT	1/2	3/4 NPT
			QPCF 5/8-3/8NPT	5/8	3/8 NPT
			QPCF 5/8-1/2NPT	5/8	1/2 NPT
			QPCF 5/8-3/4NPT	5/8	3/4 NPT
			QPCF 3/4-1/2NPT	3/4	1/2 NPT
			QPCF 3/4-3/4NPT	3/4	3/4 NPT



Male Elbow - Brass Compression Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPL 04-01	4mm	R1/8	QPL 5/32-1/8NPT	5/32	1/8 NPT
QPL 04-02	4mm	R1/4	QPL 5/32-1/4NPT	5/32	1/4 NPT
QPL 06-01	6mm	R1/8	QPL 1/4-1/16NPT	1/4	1/16 NPT
QPL 06-02	6mm	R1/4	QPL 1/4-1/8NPT	1/4	1/8 NPT
QPL 06-03	6mm	R3/8	QPL 1/4-1/4NPT	1/4	1/4 NPT
QPL 08-01	8mm	R1/8	QPL 1/4-3/8NPT	1/4	3/8 NPT
QPL 08-02	8mm	R1/4	QPL 5/16-1/8NPT	5/16	1/8 NPT
QPL 08-03	8mm	R3/8	QPL 5/16-1/4NPT	5/16	1/4 NPT
QPL 08-04	8mm	R1/2	QPL 5/16-3/8NPT	5/16	3/8 NPT
QPL 10-02	10mm	R1/4	QPL 5/16-1/2NPT	5/16	1/2 NPT
QPL 10-03	10mm	R3/8	QPL 3/8-1/8NPT	3/8	1/8 NPT
QPL 10-04	10mm	R1/2	QPL 3/8-1/4NPT	3/8	1/4 NPT
QPL 12-02	12mm	R1/4	QPL 3/8-3/8NPT	3/8	3/8 NPT
QPL 12-03	12mm	R3/8	QPL 3/8-1/2NPT	3/8	1/2 NPT
QPL 12-04	12mm	R1/2	QPL 1/2-1/4NPT	1/2	1/4 NPT
			QPL 1/2-3/8NPT	1/2	3/8 NPT
			QPL 1/2-1/2NPT	1/2	1/2 NPT
			QPL 1/2-3/4NPT	1/2	3/4 NPT
			QPL 5/8-3/8NPT	5/8	3/8 NPT
			QPL 5/8-1/2NPT	5/8	1/2 NPT
			QPL 5/8-3/4NPT	5/8	3/4 NPT
			QPL 3/4-1/2NPT	3/4	1/2 NPT
			QPL 3/4-3/4NPT	3/4	3/4 NPT



45° Male Elbow - Brass Compression Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPL45 04-01	4mm	R1/8	QPL45 5/32-1/8NPT	5/32	1/8 NPT
QPL45 04-02	4mm	R1/4	QPL45 5/32-1/4NPT	5/32	1/4 NPT
QPL45 06-01	6mm	R1/8	QPL45 1/4-1/16NPT	1/4	1/16 NPT
QPL45 06-02	6mm	R1/4	QPL45 1/4-1/8NPT	1/4	1/8 NPT
QPL45 06-03	6mm	R3/8	QPL45 1/4-1/4NPT	1/4	1/4 NPT
QPL45 08-01	8mm	R1/8	QPL45 1/4-3/8NPT	1/4	3/8 NPT
QPL45 08-02	8mm	R1/4	QPL45 5/16-1/8NPT	5/16	1/8 NPT
QPL45 08-03	8mm	R3/8	QPL45 5/16-1/4NPT	5/16	1/4 NPT
QPL45 08-04	8mm	R1/2	QPL45 5/16-3/8NPT	5/16	3/8 NPT
QPL45 10-02	10mm	R1/4	QPL45 5/16-1/2NPT	5/16	1/2 NPT
QPL45 10-03	10mm	R3/8	QPL45 3/8-1/8NPT	3/8	1/8 NPT
QPL45 10-04	10mm	R1/2	QPL45 3/8-1/4NPT	3/8	1/4 NPT
QPL45 12-02	12mm	R1/4	QPL45 3/8-3/8NPT	3/8	3/8 NPT
QPL45 12-03	12mm	R3/8	QPL45 3/8-1/2NPT	3/8	1/2 NPT
QPL45 12-04	12mm	R1/2	QPL45 1/2-1/4NPT	1/2	1/4 NPT
			QPL45 1/2-3/8NPT	1/2	3/8 NPT
			QPL45 1/2-1/2NPT	1/2	1/2 NPT
			QPL45 1/2-3/4NPT	1/2	3/4 NPT
			QPL45 5/8-3/8NPT	5/8	3/8 NPT
			QPL45 5/8-1/2NPT	5/8	1/2 NPT
			QPL45 5/8-3/4NPT	5/8	3/4 NPT
			QPL45 3/4-1/2NPT	3/4	1/2 NPT
			QPL45 3/4-3/4NPT	3/4	3/4 NPT

 Female Elbow - Brass Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPLF 04-01	4mm	R1/8	QPLF 5/32-1/8NPT	5/32	1/8 NPT
QPLF 04-02	4mm	R1/4	QPLF 5/32-1/4NPT	5/32	1/4 NPT
QPLF 06-01	6mm	R1/8	QPLF 1/4-1/16NPT	1/4	1/16 NPT
QPLF 06-02	6mm	R1/4	QPLF 1/4-1/8NPT	1/4	1/8 NPT
QPLF 06-03	6mm	R3/8	QPLF 1/4-1/4NPT	1/4	1/4 NPT
QPLF 08-01	8mm	R1/8	QPLF 1/4-3/8NPT	1/4	3/8 NPT
QPLF 08-02	8mm	R1/4	QPLF 5/16-1/8NPT	5/16	1/8 NPT
QPLF 08-03	8mm	R3/8	QPLF 5/16-1/4NPT	5/16	1/4 NPT
QPLF 08-04	8mm	R1/2	QPLF 5/16-3/8NPT	5/16	3/8 NPT
QPLF 10-02	10mm	R1/4	QPLF 5/16-1/2NPT	5/16	1/2 NPT
QPLF 10-03	10mm	R3/8	QPLF 3/8-1/8NPT	3/8	1/8 NPT
QPLF 10-04	10mm	R1/2	QPLF 3/8-1/4NPT	3/8	1/4 NPT
QPLF 12-02	12mm	R1/4	QPLF 3/8-3/8NPT	3/8	3/8 NPT
QPLF 12-03	12mm	R3/8	QPLF 3/8-1/2NPT	3/8	1/2 NPT
QPLF 12-04	12mm	R1/2	QPLF 1/2-1/4NPT	1/2	1/4 NPT
			QPLF 1/2-3/8NPT	1/2	3/8 NPT
			QPLF 1/2-1/2NPT	1/2	1/2 NPT
			QPLF 1/2-3/4NPT	1/2	3/4 NPT
			QPLF 5/8-3/8NPT	5/8	3/8 NPT
			QPLF 5/8-1/2NPT	5/8	1/2 NPT
			QPLF 5/8-3/4NPT	5/8	3/4 NPT
			QPLF 3/4-1/2NPT	3/4	1/2 NPT
			QPLF 3/4-3/4NPT	3/4	3/4 NPT

 Male Branch Tee - Brass Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPB 04-01	4mm	R1/8	QPB 5/32-1/8NPT	5/32	1/8 NPT
QPB 04-02	4mm	R1/4	QPB 5/32-1/4NPT	5/32	1/4 NPT
QPB 06-01	6mm	R1/8	QPB 1/4-1/16NPT	1/4	1/16 NPT
QPB 06-02	6mm	R1/4	QPB 1/4-1/8NPT	1/4	1/8 NPT
QPB 06-03	6mm	R3/8	QPB 1/4-1/4NPT	1/4	1/4 NPT
QPB 08-01	8mm	R1/8	QPB 1/4-3/8NPT	1/4	3/8 NPT
QPB 08-02	8mm	R1/4	QPB 5/16-1/8NPT	5/16	1/8 NPT
QPB 08-03	8mm	R3/8	QPB 5/16-1/4NPT	5/16	1/4 NPT
QPB 08-04	8mm	R1/2	QPB 5/16-3/8NPT	5/16	3/8 NPT
QPB 10-02	10mm	R1/4	QPB 5/16-1/2NPT	5/16	1/2 NPT
QPB 10-03	10mm	R3/8	QPB 3/8-1/8NPT	3/8	1/8 NPT
QPB 10-04	10mm	R1/2	QPB 3/8-1/4NPT	3/8	1/4 NPT
QPB 12-02	12mm	R1/4	QPB 3/8-3/8NPT	3/8	3/8 NPT
QPB 12-03	12mm	R3/8	QPB 3/8-1/2NPT	3/8	1/2 NPT
QPB 12-04	12mm	R1/2	QPB 1/2-1/4NPT	1/2	1/4 NPT
			QPB 1/2-3/8NPT	1/2	3/8 NPT
			QPB 1/2-1/2NPT	1/2	1/2 NPT
			QPB 1/2-3/4NPT	1/2	3/4 NPT
			QPB 5/8-3/8NPT	5/8	3/8 NPT
			QPB 5/8-1/2NPT	5/8	1/2 NPT
			QPB 5/8-3/4NPT	5/8	3/4 NPT
			QPB 3/4-1/2NPT	3/4	1/2 NPT
			QPB 3/4-3/4NPT	3/4	3/4 NPT

 Male Run Tee - Brass Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
QPD 04-01	4mm	R1/8	QPD 5/32-1/8NPT	5/32	1/8 NPT
QPD 04-02	4mm	R1/4	QPD 5/32-1/4NPT	5/32	1/4 NPT
QPD 06-01	6mm	R1/8	QPD 1/4-1/16NPT	1/4	1/16 NPT
QPD 06-02	6mm	R1/4	QPD 1/4-1/8NPT	1/4	1/8 NPT
QPD 06-03	6mm	R3/8	QPD 1/4-1/4NPT	1/4	1/4 NPT
QPD 08-01	8mm	R1/8	QPD 1/4-3/8NPT	1/4	3/8 NPT
QPD 08-02	8mm	R1/4	QPD 5/16-1/8NPT	5/16	1/8 NPT
QPD 08-03	8mm	R3/8	QPD 5/16-1/4NPT	5/16	1/4 NPT
QPD 08-04	8mm	R1/2	QPD 5/16-3/8NPT	5/16	3/8 NPT
QPD 10-02	10mm	R1/4	QPD 5/16-1/2NPT	5/16	1/2 NPT
QPD 10-03	10mm	R3/8	QPD 3/8-1/8NPT	3/8	1/8 NPT
QPD 10-04	10mm	R1/2	QPD 3/8-1/4NPT	3/8	1/4 NPT
QPD 12-02	12mm	R1/4	QPD 3/8-3/8NPT	3/8	3/8 NPT
QPD 12-03	12mm	R3/8	QPD 3/8-1/2NPT	3/8	1/2 NPT
QPD 12-04	12mm	R1/2	QPD 1/2-1/4NPT	1/2	1/4 NPT
			QPD 1/2-3/8NPT	1/2	3/8 NPT
			QPD 1/2-1/2NPT	1/2	1/2 NPT
			QPD 1/2-3/4NPT	1/2	3/4 NPT
			QPD 5/8-3/8NPT	5/8	3/8 NPT
			QPD 5/8-1/2NPT	5/8	1/2 NPT
			QPD 5/8-3/4NPT	5/8	3/4 NPT
			QPD 3/4-1/2NPT	3/4	1/2 NPT
			QPD 3/4-3/4NPT	3/4	3/4 NPT

 Elbow - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPV 04	4mm	QPV 1/8	1/8
QPV 06	6mm	QPV 3/16	3/16
QPV 08	8mm	QPV 1/4	1/4
QPV 10	10mm	QPV 5/16	5/16
QPV 12	12mm	QPV 3/8	3/8
		QPV 1/2	1/2
		QPV 5/8	5/8
		QPV 3/4	3/4

 Tee - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPE 04	4mm	QPE 1/8	1/8
QPE 06	6mm	QPE 3/16	3/16
QPE 08	8mm	QPE 1/4	1/4
QPE 10	10mm	QPE 5/16	5/16
QPE 12	12mm	QPE 3/8	3/8
		QPE 1/2	1/2
		QPE 5/8	5/8
		QPE 3/4	3/4

 Union - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPU 04	4mm	QPU 1/8	1/8
QPU 06	6mm	QPU 3/16	3/16
QPU 08	8mm	QPU 1/4	1/4
QPU 10	10mm	QPU 5/16	5/16
QPU 12	12mm	QPU 3/8	3/8
		QPU 1/2	1/2
		QPU 5/8	5/8
		QPU 3/4	3/4

 Bulkhead - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPM 04	4mm	QPM 1/8	1/8
QPM 06	6mm	QPM 3/16	3/16
QPM 08	8mm	QPM 1/4	1/4
QPM 10	10mm	QPM 5/16	5/16
QPM 12	12mm	QPM 3/8	3/8
		QPM 1/2	1/2
		QPM 5/8	5/8
		QPM 3/4	3/4

 Nut - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPN 04	4mm	QPN 1/8	1/8
QPN 06	6mm	QPN 3/16	3/16
QPN 08	8mm	QPN 1/4	1/4
QPN 10	10mm	QPN 5/16	5/16
QPN 12	12mm	QPN 3/8	3/8
		QPN 1/2	1/2
		QPN 5/8	5/8
		QPN 3/4	3/4

 Sleeve - Brass Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
QPS 04	4mm	QPS 1/8	1/8
QPS 06	6mm	QPS 3/16	3/16
QPS 08	8mm	QPS 1/4	1/4
QPS 10	10mm	QPS 5/16	5/16
QPS 12	12mm	QPS 3/8	3/8
		QPS 1/2	1/2
		QPS 5/8	5/8
		QPS 3/4	3/4

Hi Duty Flareless Tube Fittings (Internal Compression Fittings)

Hi-Duty Fittings are preassembled with the sleeve machined onto the nut. During assembly the sleeve breaks away from the nut and creates a seal on the tubing. Rated to a much higher pressure rating than compression fittings, Hi-Duty will work with seamless steel tubing as well as copper, brass and thermoplastic tubing.

Product Features:

- All brass construction
- Two piece fitting
- Higher pressure rating
- Easy assembly

Marekts:

- Mobile
- Industrial
- Compressors
- Lubrication

Applications:

- Lubrication Lines
- Coolant Lines
- Oil Lines
- Engines


Compatible Tubing:

- Copper
- Brass
- Seamless Steel
- Thermoplastic Tubing

Specifications:

Pressure:
 Medium pressure ratings around 3500kpa/500psi decreasing as tube sizes increase and depending on the medium.

Temperature: 0°C to 120°C



Male Connector - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPT Thread	MODEL	Tube Size	BSPT Thread
FQPC 04-01	4mm	R1/8	FQPC 1/8-R1/8	1/8	R1/8
FQPC 04-02	4mm	R1/4	FQPC 1/8-R1/4	1/8	R1/4
FQPC 06-01	6mm	R1/8	FQPC 1/8-R1/8	3/16	R1/8
FQPC 06-02	6mm	R1/4	FQPC 1/8-R1/4	3/16	R1/4
FQPC 06-03	6mm	R3/8	FQPC 5/32-1/8R	5/32	R1/8
FQPC 08-01	8mm	R1/8	FQPC 5/32-1/4R	5/32	R1/4
FQPC 08-02	8mm	R1/4	FQPC 1/4-R1/8	1/4	R1/8
FQPC 08-03	8mm	R3/8	FQPC 1/4-R1/4	1/4	R1/4
FQPC 08-04	8mm	R1/2	FQPC 1/4-R3/8	1/4	R3/8
FQPC 10-02	10mm	R1/4	FQPC 1/4-R1/2	1/4	R1/2
FQPC 10-03	10mm	R3/8	FQPC 5/16-R1/8	5/16	R1/8
FQPC 10-04	10mm	R1/2	FQPC 5/16-R1/4	5/16	R1/4
FQPC 12-02	12mm	R1/4	FQPC 5/16-R3/8	5/16	R3/8
FQPC 12-03	12mm	R3/8	FQPC 5/16-R1/2	5/16	R1/2
FQPC 12-04	12mm	R1/2	FQPC 3/8-R1/8	3/8	R1/8
			FQPC 3/8-R1/4	3/8	R1/4
			FQPC 3/8-R3/8	3/8	R3/8
			FQPC 3/8-R1/2	3/8	R1/2
			FQPC 1/2-R1/4	1/2	R1/4
			FQPC 1/2-R3/8	1/2	R3/8
			FQPC 1/2-R1/2	1/2	R1/2
			FQPC 1/2-R3/4	1/2	R3/4
			FQPC 5/8-R3/8	5/8	R3/8
			FQPC 5/8-R1/2	5/8	R1/2
			FQPC 5/8-R3/4	5/8	R3/4
			FQPC 3/4-R1/2	3/4	R1/2
			FQPC 3/4-R3/4	3/4	R3/4



Female Connector - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPP Thread	MODEL	Tube Size	BSPP Thread
FQPCF 04-G01	4mm	G1/8	FQPCF 1/8-G1/8	1/8	G1/8
FQPCF 04-G02	4mm	G1/4	FQPCF 1/8-G1/4	1/8	G1/4
FQPCF 06-G01	6mm	G1/8	FQPCF 1/8-G1/8	3/16	G1/8
FQPCF 06-G02	6mm	G1/4	FQPCF 1/8-G1/4	3/16	G1/4
FQPCF 06-G03	6mm	G3/8	FQPCF 5/32-G1/8	5/32	G1/8
FQPCF 08-G01	8mm	G1/8	FQPCF 5/32-G1/4	5/32	G1/4
FQPCF 08-G02	8mm	G1/4	FQPCF 1/4-G1/8	1/4	G1/8
FQPCF 08-G03	8mm	G3/8	FQPCF 1/4-G1/4	1/4	G1/4
FQPCF 08-G04	8mm	G1/2	FQPCF 1/4-G3/8	1/4	G3/8
FQPCF 10-G02	10mm	G1/4	FQPCF 1/4-G1/2	1/4	G1/2
FQPCF 10-G03	10mm	G3/8	FQPCF 5/16-G1/8	5/16	G1/8
FQPCF 10-G04	10mm	G1/2	FQPCF 5/16-G1/4	5/16	G1/4
FQPCF 12-G02	12mm	G1/4	FQPCF 5/16-G3/8	5/16	G3/8
FQPCF 12-G03	12mm	G3/8	FQPCF 5/16-G1/2	5/16	G1/2
FQPCF 12-G04	12mm	G1/2	FQPCF 3/8-G1/8	3/8	G1/8
			FQPCF 3/8-G1/4	3/8	G1/4
			FQPCF 3/8-G3/8	3/8	G3/8
			FQPCF 3/8-G1/2	3/8	G1/2
			FQPCF 1/2-G1/4	1/2	G1/4
			FQPCF 1/2-G3/8	1/2	G3/8
			FQPCF 1/2-G1/2	1/2	G1/2
			FQPCF 1/2-G3/4	1/2	G3/4
			FQPCF 5/8-G3/8	5/8	G3/8
			FQPCF 5/8-G1/2	5/8	G1/2
			FQPCF 5/8-G3/4	5/8	G3/4
			FQPCF 3/4-G1/2	3/4	G1/2
			FQPCF 3/4-G3/4	3/4	G3/4



Male Elbow Connector - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPT Thread	MODEL	Tube Size	BSPT Thread
FQPL 04-01	4mm	R1/8	FQPL 1/8-R1/8	1/8	R1/8
FQPL 04-02	4mm	R1/4	FQPL 1/8-R1/4	1/8	R1/4
FQPL 06-01	6mm	R1/8	FQPL 1/8-R1/8	3/16	R1/8
FQPL 06-02	6mm	R1/4	FQPL 1/8-R1/4	3/16	R1/4
FQPL 06-03	6mm	R3/8	FQPL 5/32-1/8R	5/32	R1/8
FQPL 08-01	8mm	R1/8	FQPL 5/32-1/4R	5/32	R1/4
FQPL 08-02	8mm	R1/4	FQPL 1/4-R1/8	1/4	R1/8
FQPL 08-03	8mm	R3/8	FQPL 1/4-R1/4	1/4	R1/4
FQPL 08-04	8mm	R1/2	FQPL 1/4-R3/8	1/4	R3/8
FQPL 10-02	10mm	R1/4	FQPL 1/4-R1/2	1/4	R1/2
FQPL 10-03	10mm	R3/8	FQPL 5/16-R1/8	5/16	R1/8
FQPL 10-04	10mm	R1/2	FQPL 5/16-R1/4	5/16	R1/4
FQPL 12-02	12mm	R1/4	FQPL 5/16-R3/8	5/16	R3/8
FQPL 12-03	12mm	R3/8	FQPL 5/16-R1/2	5/16	R1/2
FQPL 12-04	12mm	R1/2	FQPL 3/8-R1/8	3/8	R1/8
			FQPL 3/8-R1/4	3/8	R1/4
			FQPL 3/8-R3/8	3/8	R3/8
			FQPL 3/8-R1/2	3/8	R1/2
			FQPL 1/2-R1/4	1/2	R1/4
			FQPL 1/2-R3/8	1/2	R3/8
			FQPL 1/2-R1/2	1/2	R1/2
			FQPL 1/2-R3/4	1/2	R3/4
			FQPL 5/8-R3/8	5/8	R3/8
			FQPL 5/8-R1/2	5/8	R1/2
			FQPL 5/8-R3/4	5/8	R3/4
			FQPL 3/4-R1/2	3/4	R1/2
			FQPL 3/4-R3/4	3/4	R3/4



45 Deg. Male Elbow Connector - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPT Thread	MODEL	Tube Size	BSPT Thread
FQPL45 04-01	4mm	R1/8	FQPL45 1/8-R1/8	1/8	R1/8
FQPL45 04-02	4mm	R1/4	FQPL45 1/8-R1/4	1/8	R1/4
FQPL45 06-01	6mm	R1/8	FQPL45 1/8-R1/8	3/16	R1/8
FQPL45 06-02	6mm	R1/4	FQPL45 1/8-R1/4	3/16	R1/4
FQPL45 06-03	6mm	R3/8	FQPL45 5/32-1/8R	5/32	R1/8
FQPL45 08-01	8mm	R1/8	FQPL45 5/32-1/4R	5/32	R1/4
FQPL45 08-02	8mm	R1/4	FQPL45 1/4-R1/8	1/4	R1/8
FQPL45 08-03	8mm	R3/8	FQPL45 1/4-R1/4	1/4	R1/4
FQPL45 08-04	8mm	R1/2	FQPL45 1/4-R3/8	1/4	R3/8
FQPL45 10-02	10mm	R1/4	FQPL45 1/4-R1/2	1/4	R1/2
FQPL45 10-03	10mm	R3/8	FQPL45 5/16-R1/8	5/16	R1/8
FQPL45 10-04	10mm	R1/2	FQPL45 5/16-R1/4	5/16	R1/4
FQPL45 12-02	12mm	R1/4	FQPL45 5/16-R3/8	5/16	R3/8
FQPL45 12-03	12mm	R3/8	FQPL45 5/16-R1/2	5/16	R1/2
FQPL45 12-04	12mm	R1/2	FQPL45 3/8-R1/8	3/8	R1/8
			FQPL45 3/8-R1/4	3/8	R1/4
			FQPL45 3/8-R3/8	3/8	R3/8
			FQPL45 3/8-R1/2	3/8	R1/2
			FQPL45 1/2-R1/4	1/2	R1/4
			FQPL45 1/2-R3/8	1/2	R3/8
			FQPL45 1/2-R1/2	1/2	R1/2
			FQPL45 1/2-R3/4	1/2	R3/4
			FQPL45 5/8-R3/8	5/8	R3/8
			FQPL45 5/8-R1/2	5/8	R1/2
			FQPL45 5/8-R3/4	5/8	R3/4
			FQPL45 3/4-R1/2	3/4	R1/2
			FQPL45 3/4-R3/4	3/4	R3/4

Brass Flareless Compression Fittings



Female Elbow - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPP Thread	MODEL	Tube Size	BSPP Thread
FQPLF 04-G01	4mm	G1/8	FQPLF 1/8-G1/8	1/8	G1/8
FQPLF 04-G02	4mm	G1/4	FQPLF 1/8-G1/4	1/8	G1/4
FQPLF 06-G01	6mm	G1/8	FQPLF 1/8-G1/8	3/16	G1/8
FQPLF 06-G02	6mm	G1/4	FQPLF 1/8-G1/4	3/16	G1/4
FQPLF 06-G03	6mm	G3/8	FQPLF 5/32-G1/8	5/32	G1/8
FQPLF 08-G01	8mm	G1/8	FQPLF 5/32-G1/4	5/32	G1/4
FQPLF 08-G02	8mm	G1/4	FQPLF 1/4-G1/8	1/4	G1/8
FQPLF 08-G03	8mm	G3/8	FQPLF 1/4-G1/4	1/4	G1/4
FQPLF 08-G04	8mm	G1/2	FQPLF 1/4-G3/8	1/4	G3/8
FQPLF 10-G02	10mm	G1/4	FQPLF 1/4-G1/2	1/4	G1/2
FQPLF 10-G03	10mm	G3/8	FQPLF 5/16-G1/8	5/16	G1/8
FQPLF 10-G04	10mm	G1/2	FQPLF 5/16-G1/4	5/16	G1/4
FQPLF 12-G02	12mm	G1/4	FQPLF 5/16-G3/8	5/16	G3/8
FQPLF 12-G03	12mm	G3/8	FQPLF 5/16-G1/2	5/16	G1/2
FQPLF 12-G04	12mm	G1/2	FQPLF 3/8-G1/8	3/8	G1/8
			FQPLF 3/8-G1/4	3/8	G1/4
			FQPLF 3/8-G3/8	3/8	G3/8
			FQPLF 3/8-G1/2	3/8	G1/2
			FQPLF 1/2-G1/4	1/2	G1/4
			FQPLF 1/2-G3/8	1/2	G3/8
			FQPLF 1/2-G1/2	1/2	G1/2
			FQPLF 1/2-G3/4	1/2	G3/4
			FQPLF 5/8-G3/8	5/8	G3/8
			FQPLF 5/8-G1/2	5/8	G1/2
			FQPLF 5/8-G3/4	5/8	G3/4
			FQPLF 3/4-G1/2	3/4	G1/2
			FQPLF 3/4-G3/4	3/4	G3/4



Male Run Tee - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPT Thread	MODEL	Tube Size	BSPT Thread
FQPB 04-01	4mm	R1/8	FQPB 1/8-R1/8	1/8	R1/8
FQPB 04-02	4mm	R1/4	FQPB 1/8-R1/4	1/8	R1/4
FQPB 06-01	6mm	R1/8	FQPB 1/8-R1/8	3/16	R1/8
FQPB 06-02	6mm	R1/4	FQPB 1/8-R1/4	3/16	R1/4
FQPB 06-03	6mm	R3/8	FQPB 5/32-1/8R	5/32	R1/8
FQPB 08-01	8mm	R1/8	FQPB 5/32-1/4R	5/32	R1/4
FQPB 08-02	8mm	R1/4	FQPB 1/4-R1/8	1/4	R1/8
FQPB 08-03	8mm	R3/8	FQPB 1/4-R1/4	1/4	R1/4
FQPB 08-04	8mm	R1/2	FQPB 1/4-R3/8	1/4	R3/8
FQPB 10-02	10mm	R1/4	FQPB 1/4-R1/2	1/4	R1/2
FQPB 10-03	10mm	R3/8	FQPB 5/16-R1/8	5/16	R1/8
FQPB 10-04	10mm	R1/2	FQPB 5/16-R1/4	5/16	R1/4
FQPB 12-02	12mm	R1/4	FQPB 5/16-R3/8	5/16	R3/8
FQPB 12-03	12mm	R3/8	FQPB 5/16-R1/2	5/16	R1/2
FQPB 12-04	12mm	R1/2	FQPB 3/8-R1/8	3/8	R1/8
			FQPB 3/8-R1/4	3/8	R1/4
			FQPB 3/8-R3/8	3/8	R3/8
			FQPB 3/8-R1/2	3/8	R1/2
			FQPB 1/2-R1/4	1/2	R1/4
			FQPB 1/2-R3/8	1/2	R3/8
			FQPB 1/2-R1/2	1/2	R1/2
			FQPB 1/2-R3/4	1/2	R3/4
			FQPB 5/8-R3/8	5/8	R3/8
			FQPB 5/8-R1/2	5/8	R1/2
			FQPB 5/8-R3/4	5/8	R3/4
			FQPB 3/4-R1/2	3/4	R1/2
			FQPB 3/4-R3/4	3/4	R3/4



Male Run Tee - Brass Flareless Compression Fittings

MODEL	Tube Size	BSPT Thread	MODEL	Tube Size	BSPT Thread
FQPD 04-01	4mm	R1/8	FQPD 1/8-R1/8	1/8	R1/8
FQPD 04-02	4mm	R1/4	FQPD 1/8-R1/4	1/8	R1/4
FQPD 06-01	6mm	R1/8	FQPD 1/8-R1/8	3/16	R1/8
FQPD 06-02	6mm	R1/4	FQPD 1/8-R1/4	3/16	R1/4
FQPD 06-03	6mm	R3/8	FQPD 5/32-1/8R	5/32	R1/8
FQPD 08-01	8mm	R1/8	FQPD 5/32-1/4R	5/32	R1/4
FQPD 08-02	8mm	R1/4	FQPD 1/4-R1/8	1/4	R1/8
FQPD 08-03	8mm	R3/8	FQPD 1/4-R1/4	1/4	R1/4
FQPD 08-04	8mm	R1/2	FQPD 1/4-R3/8	1/4	R3/8
FQPD 10-02	10mm	R1/4	FQPD 1/4-R1/2	1/4	R1/2
FQPD 10-03	10mm	R3/8	FQPD 5/16-R1/8	5/16	R1/8
FQPD 10-04	10mm	R1/2	FQPD 5/16-R1/4	5/16	R1/4
FQPD 12-02	12mm	R1/4	FQPD 5/16-R3/8	5/16	R3/8
FQPD 12-03	12mm	R3/8	FQPD 5/16-R1/2	5/16	R1/2
FQPD 12-04	12mm	R1/2	FQPD 3/8-R1/8	3/8	R1/8
			FQPD 3/8-R1/4	3/8	R1/4
			FQPD 3/8-R3/8	3/8	R3/8
			FQPD 3/8-R1/2	3/8	R1/2
			FQPD 1/2-R1/4	1/2	R1/4
			FQPD 1/2-R3/8	1/2	R3/8
			FQPD 1/2-R1/2	1/2	R1/2
			FQPD 1/2-R3/4	1/2	R3/4
			FQPD 5/8-R3/8	5/8	R3/8
			FQPD 5/8-R1/2	5/8	R1/2
			FQPD 5/8-R3/4	5/8	R3/4
			FQPD 3/4-R1/2	3/4	R1/2
			FQPD 3/4-R3/4	3/4	R3/4



Union Elbow - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPV 04	4mm	FQPV 1/8	1/8
FQPV 06	6mm	FQPV 3/16	3/16
FQPV 08	8mm	FQPV 1/4	1/4
FQPV 10	10mm	FQPV 5/16	5/16
FQPV 12	12mm	FQPV 3/8	3/8
		FQPV 1/2	1/2
		FQPV 5/8	5/8
		FQPV 3/4	3/4



Union - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPU 04	4mm	FQPU 1/8	1/8
FQPU 06	6mm	FQPU 3/16	3/16
FQPU 08	8mm	FQPU 1/4	1/4
FQPU 10	10mm	FQPU 5/16	5/16
FQPU 12	12mm	FQPU 3/8	3/8
		FQPU 1/2	1/2
		FQPU 5/8	5/8
		FQPU 3/4	3/4

Brass Flareless Compression Fittings



Male Branch Tee - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPE 04	4mm	FQPE 1/8	1/8
FQPE 06	6mm	FQPE 3/16	3/16
FQPE 08	8mm	FQPE 1/4	1/4
FQPE 10	10mm	FQPE 5/16	5/16
FQPE 12	12mm	FQPE 3/8	3/8
		FQPE 1/2	1/2
		FQPE 5/8	5/8
		FQPE 3/4	3/4



Bulkhead Union - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPM 04	4mm	FQPM 1/8	1/8
FQPM 06	6mm	FQPM 3/16	3/16
FQPM 08	8mm	FQPM 1/4	1/4
FQPM 10	10mm	FQPM 5/16	5/16
FQPM 12	12mm	FQPM 3/8	3/8
		FQPM 1/2	1/2
		FQPM 5/8	5/8
		FQPM 3/4	3/4



Nut - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPN 04	4mm	FQPN 1/8	1/8
FQPN 06	6mm	FQPN 3/16	3/16
FQPN 08	8mm	FQPN 1/4	1/4
FQPN 10	10mm	FQPN 5/16	5/16
FQPN 12	12mm	FQPN 3/8	3/8
		FQPN 1/2	1/2
		FQPN 5/8	5/8
		FQPN 3/4	3/4



Sleeve - Brass Flareless Compression Fittings

MODEL	Tube Size	MODEL	Tube Size
FQPS 04	4mm	FQPS 1/8	1/8
FQPS 06	6mm	FQPS 3/16	3/16
FQPS 08	8mm	FQPS 1/4	1/4
FQPS 10	10mm	FQPS 5/16	5/16
FQPS 12	12mm	FQPS 3/8	3/8
		FQPS 1/2	1/2
		FQPS 5/8	5/8
		FQPS 3/4	3/4

Push On Hose Barb Fittings
 塑料挡圈宝塔接头

Product Description
 描述

Typical Application: Low Pressure Air, Fuel, Lube, and Oil Lines

- Pressure determined by tube material and hardness.

Advantages: Easy assembly. No clamps needed!!

Assembly Instructions

- 1- Lubricate insert.
- 2- Hold hose at angle as shown & push on and up over first barb.
- 3- Continue to push straight on until hose is seated under protective plastic cap. Keep hands back from hose end area so that hose can expand.

Disassembling Instructions

- 1- Split hose. Do not cut completely through hose. Sealing edge of barb could be damaged.
- 2- Bend hose and remove with a quick pull.

Stainless Steel Material is also available

Actual Profile of Push On Barbs



	Swivel Female Adapter - Push On Barb			
MODEL	Hose Size	Dual Seat	UNFThread	
PHTFDSO 1/4-7/16UNF	1/4	1/4	7/16-20 UNF	
PHTFDSO 1/4-1/2UNF	1/4	5/16	1/2-20 UNF	
PHTFDSO 5/16-1/2UNF	5/16	5/16	1/2-20 UNF	
PHTFDSO 3/8-1/2UNF	3/8	5/16	1/2-20 UNF	
PHTFDSO 3/8-3/4UNF	3/8	1/2	3/4-16 UNF	
PHTFDSO 1/2-3/4UNF	1/2	1/2	3/4-16 UNF	
PHTFDSO 1/2-7/8UNF	1/2	5/8	7/8-14 UNF	
PHTFDSO 5/8-3/4UNF	5/8	1/2	3/4-16 UNF	
PHTFDSO 5/8-7/8UNF	5/8	5/8	7/8-14 UNF	
PHTFDSO 3/4-7/8UNF	3/4	5/8	7/8-14 UNF	

	37° JIC Flare Swivel Female Adapter - Push On Barb			
MODEL	Hose Size	37° JIC Flare	UNFThread	
PHTF37SO 1/4-7/16UNF	1/4	1/4	7/16-20 UNF	
PHTF37SO 1/4-9/16UNF	1/4	3/8	9/16-18 UNF	
PHTF37SO 5/16-9/16UNF	5/16	3/8	9/16-18 UNF	
PHTF37SO 3/8-9/16UNF	3/8	3/8	9/16-18 UNF	
PHTF37SO 1/2-3/4UNF	1/2	1/2	3/4-16 UNF	
PHTF37SO 5/8-7/8UNF	5/8	5/8	7/8-14 UNF	
PHTF37SO 3/4-7/8UNF	3/4	3/4	1-1/16-12 UNF	
PHTF37SO 1-1-1/16-12 UNF	1	1	1-1/16-12 UNF	



MODEL	Hose Size	Thread Size
PHTMO 1/4-1/8NPT	1/4	1/8 NPT
PHTMO 1/4-1/4NPT	1/4	1/4 NPT
PHTMO 1/4-3/8NPT	1/4	3/8 NPT
PHTMO 5/16-1/8NPT	5/16	1/8 NPT
PHTMO 5/16-1/4NPT	5/16	1/4 NPT
PHTMO 3/8-1/8NPT	3/8	1/8 NPT
PHTMO 3/8-1/4NPT	3/8	1/4 NPT
PHTMO 3/8-3/8NPT	3/8	3/8 NPT
PHTMO 3/8-1/2NPT	3/8	1/2 NPT
PHTMO 3/8-3/4NPT	3/8	3/4 NPT
PHTMO 1/2-1/4NPT	1/2	1/4 NPT
PHTMO 1/2-3/8NPT	1/2	3/8 NPT
PHTMO 1/2-1/2NPT	1/2	1/2 NPT
PHTMO 1/2-3/4NPT	1/2	3/4 NPT
PHTMO 5/8-3/8NPT	5/8	3/8 NPT
PHTMO 5/8-1/2NPT	5/8	1/2 NPT
PHTMO 5/8-3/4NPT	5/8	3/4 NPT
PHTMO 3/4-1/2NPT	3/4	1/2 NPT
PHTMO 3/4-3/4NPT	3/4	3/4 NPT
PHTMO 1-3/4NPT	1	3/4 NPT
PHTMO 1-1NPT	1	1 NPT



MODEL	Hose Size	Thread Size
PHTFO 1/4-1/8NPT	1/4	1/8 NPT
PHTFO 1/4-1/4NPT	1/4	1/4 NPT
PHTFO 1/4-3/8NPT	1/4	3/8 NPT
PHTFO 5/16-1/8NPT	5/16	1/8 NPT
PHTFO 5/16-1/4NPT	5/16	1/4 NPT
PHTFO 3/8-1/8NPT	3/8	1/8 NPT
PHTFO 3/8-1/4NPT	3/8	1/4 NPT
PHTFO 3/8-3/8NPT	3/8	3/8 NPT
PHTFO 3/8-1/2NPT	3/8	1/2 NPT
PHTFO 3/8-3/4NPT	3/8	3/4 NPT
PHTFO 1/2-1/4NPT	1/2	1/4 NPT
PHTFO 1/2-3/8NPT	1/2	3/8 NPT
PHTFO 1/2-1/2NPT	1/2	1/2 NPT
PHTFO 1/2-3/4NPT	1/2	3/4 NPT
PHTFO 5/8-3/8NPT	5/8	3/8 NPT
PHTFO 5/8-1/2NPT	5/8	1/2 NPT
PHTFO 3/4-1/2NPT	3/4	1/2 NPT
PHTFO 3/4-3/4NPT	3/4	3/4 NPT
PHTFO 1-3/4NPT	1	3/4 NPT
PHTFO 1-1NPT	1	1 NPT



MODEL	Hose Size	Inverted Flare
PHTFISO 1/4-3/16	1/4	3/16
PHTFISO 1/4-7/16	1/4	1/4
PHTFISO 1/4-5/16	1/4	5/16
PHTFISO 5/16-5/16	5/16	5/16
PHTFISO 3/8-5/16	3/8	5/16
PHTFISO 3/8-3/8	3/8	3/8
PHTFISO 1/2-1/2	1/2	1/2



MODEL	Hose Size	Thread Size
PHTMOS 1/4-1/8NPT	1/4	1/8 NPT
PHTMOS 1/4-1/4NPT	1/4	1/4 NPT
PHTMOS 3/8-1/8NPT	3/8	1/8 NPT
PHTMOS 3/8-1/4NPT	3/8	1/4 NPT
PHTMOS 3/8-3/8NPT	3/8	3/8 NPT
PHTMOS 1/2-3/8NPT	1/2	3/8 NPT
PHTMOS 1/2-1/2NPT	1/2	1/2 NPT
PHTMOS 5/8-1/2NPT	5/8	1/2 NPT
PHTMOS 3/4-3/4NPT	3/4	3/4 NPT



MODEL	I.D Hose Size
PHSO 1/4	1/4
PHSO 5/16	5/16
PHSO 3/8	3/8
PHSO 1/2	1/2
PHSO 5/8	5/8
PHSO 3/4	3/4
PHSO 1	1



MODEL	I.D Hose Size	O.D. Tube
PRTA 1/4-3/16	1/4	3/16
PRTA 1/4-1/4	1/4	1/4
PRTA 1/4-5/16	1/4	5/16
PRTA 5/16-5/16	5/16	5/16
PRTA 3/8-3/8	3/8	3/8
PRTA 3/8-1/2	3/8	1/2
PRTA 1/2-1/2	1/2	1/2
PRTA 5/8-5/8	5/8	5/8
PRTA 3/4-3/4	3/4	3/4




MODEL	Hose Size	Thread Size
PLMHO 1/4-1/8NPT	1/4	1/8 NPT
PLMHO 1/4-1/4NPT	1/4	1/4 NPT
PLMHO 5/16-1/8NPT	5/16	1/8 NPT
PLMHO 5/16-1/4NPT	5/16	1/4 NPT
PLMHO 3/8-1/8NPT	3/8	1/8 NPT
PLMHO 3/8-1/4NPT	3/8	1/4 NPT
PLMHO 3/8-3/8NPT	3/8	3/8 NPT
PLMHO 3/8-1/2NPT	3/8	1/2 NPT
PLMHO 1/2-3/8NPT	1/2	3/8 NPT
PLMHO 1/2-1/2NPT	1/2	1/2 NPT
PLMHO 5/8-1/2NPT	5/8	1/2 NPT
PLMHO 3/4-1/2NPT	3/4	1/2 NPT
PLMHO 3/4-3/4NPT	3/4	3/4 NPT



MODEL	Hose Size	45° Male Flare	UNFThread
PHTMO45 1/4-7/16UNF	1/4	1/4	7/16-20 UNF
PHTMO45 1/4-1/2UNF	1/4	5/16	1/2-20 UNF
PHTMO45 5/16-1/2UNF	5/16	5/16	1/2-20 UNF
PHTMO45 3/8-7/16UNF	3/8	5/16	7/16-20 UNF
PHTMO45 3/8-5/8UNF	3/8	3/8	5/8-18 UNF
PHTMO45 1/2-3/4UNF	1/2	1/2	3/4-16 UNF
PHTMO45 5/8-7/8UNF	5/8	5/8	7/8-14 UNF
PHTMO45 3/4-1-1/16UNF	3/4	3/4	1-1/16-12 UNF



MODEL	Hose Size	Inverted Flare	UNF Thread
PHTMSOI 1/4-3/8UNF	1/4	3/16	3/8-24 UNF
PHTMSOI 1/4-7/16UNF	1/4	1/4	7/16-24 UNF
PHTMSOI 1/4-1/2UNF	1/4	5/16	1/2-20 UNF
PHTMSOI 5/16-7/16UNF	5/16	1/4	7/16-24 UNF
PHTMSOI 5/16-1/2UNF	5/16	5/16	1/2-20 UNF
PHTMSOI 5/16-5/8UNF	5/16	3/8	5/8-18 UNF
PHTMSOI 3/8-1/2UNF	3/8	5/16	1/2-20 UNF
PHTMSOI 3/8-5/8UNF	3/8	3/8	5/8-18 UNF
PHTMSOI 1/2-3/4UNF	1/2	1/2	3/4-18 UNF
PHTMSOI 5/8-7/8UNF	5/8	5/8	7/8-18 UNF



MODEL	Hose Size	45° Female Flare	UNF Thread
PHTF45SO 3/16-5/8UNF	3/16	3/8	5/8-18 UNF
PHTF45SO 1/4-7/16UNF	1/4	1/4	7/16-20 UNF
PHTF45SO 1/4-1/2UNF	1/4	5/16	1/2-20 UNF
PHTF45SO 1/4-5/8UNF	1/4	3/8	5/8-18 UNF
PHTF45SO 5/16-1/2UNF	5/16	5/16	1/2-20 UNF
PHTF45SO 5/16-5/8UNF	5/16	3/8	5/8-18 UNF
PHTF45SO 3/8-5/8UNF	3/8	3/8	5/8-18 UNF
PHTF45SO 3/8-3/4UNF	3/8	1/2	3/4-16 UNF
PHTF45SO 1/2-5/8UNF	1/2	3/8	5/8-18 UNF
PHTF45SO 1/2-3/4UNF	1/2	1/2	3/4-16 UNF
PHTF45SO 5/8-7/8UNF	5/8	5/8	7/8-14 UNF
PHTF45SO 3/4-7/8UNF	3/4	3/4	7/8-14 UNF

SAE 45° Flare Fittings SAE45度铜接头

Product Description 描述

Typical Application: LP and natural gas, flammable liquids, instrumentation, refrigeration, power steering, hydraulic and pneumatic systems

•Working Pressure Ranges

Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection

•Vibration

Good resistance - use long nut when greater vibration resistance is required.

•Temperature Range

-650F to +2500F (-530C to +1210C) range at maximum operating pressures.

•Used With

Copper, brass, aluminum and steel hydraulic tubing that can be flared.

•Tolerance

+/- .03 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

•Conformance

Meets specifications and standards of ASA, ASME, SAE and MS (Military standards).

Assembly Instructions

1- Cut tubing to desired length. Make sure all burrs are removed and ends are cut square.

2- Slide nut on tube. Threaded end "A" of nut must face out.

3- Flare end of tube with a 450 flaring tool.

a- Measure flare diameter.

b- Examine flare for excessive thin out.

4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.

5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.

Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.



Short Rod Nut SAE 45 Degree Flare Fittings

MODEL	UNF Thread
SRN 1/8UNF	1/8 UNF
SRN 3/16UNF	3/16 UNF
SRN 1/4UNF	1/4 UNF
SRNS 1/4UNF	1/4 UNF
SRN 5/16UNF	5/16 UNF
SRNS 3/8UNF	3/8 UNF
SRN 3/8UNF	3/8 UNF
SRN 7/16UNF	7/16 UNF
SRNS 1/2UNF	1/2 UNF
SRN 1/2UNF	1/2 UNF
SRNS 5/8UNF	5/8 UNF
SRN 5/8UNF	5/8 UNF
SRN 3/4UNF	3/4 UNF
SRN 7/8UNF	7/8 UNF
SRN 1UNF	1 UNF



Long Forged Nut SAE 45 Degree Flare Fittings

MODEL	UNF Thread
LFN 1/4UNF	1/4 UNF
LFN 3/8UNF	3/8 UNF
LFN 1/2UNF	1/2 UNF
LFN 5/8UNF	5/8 UNF
LFN 3/4UNF	3/4 UNF



Forged Flare Elbow SAE 45 Degree Flare Fittings

MODEL	UNF Thread
FT 1/8UNF	1/8 UNF
FT 3/16UNF	3/16 UNF
FT 1/4UNF	1/4 UNF
FT 5/16UNF	5/16 UNF
FT 3/8UNF	3/8 UNF
FT 1/2UNF	1/2 UNF
FT 5/8UNF	5/8 UNF
FT 3/4UNF	3/4 UNF
FT 7/8 UNF	7/8 UNF



Flare Reducer SAE 45 Degree Flare Fittings

MODEL	Male Flare	Female Flare
MFFF 1/4-3/8	1/4	3/8
MFFF 1/4-1/2	1/4	1/2
MFFF 3/8-1/4	3/8	1/4
MFFF 3/8-1/2	3/8	1/2
MFFF 3/8-5/8	3/8	5/8
MFFF 1/2-3/8	1/2	3/8
MFFF 1/2-5/8	1/2	5/8
MFFF 5/8-1/2	5/8	1/2
MFFF 5/8-3/4	5/8	3/4
MFFF 3/4-5/8	3/4	5/8



Long Rod Nut SAE 45 Degree Flare Fittings

MODEL	UNF Thread
LRN 1/8UNF	1/8 UNF
LRN 3/16UNF	3/16 UNF
LRN 1/4UNF	1/4 UNF
LRN 5/16UNF	5/16 UNF
LRN 3/8UNF	3/8 UNF
LRN 1/2UNF	1/2 UNF
LRN 5/8UNF	5/8 UNF
LRN 3/4UNF	3/4 UNF



Short Forged Nut SAE 45 Degree Flare Fittings

MODEL	UNF Thread
SFN 3/16UNF	3/16 UNF
SFN 1/4UNF	1/4 UNF
SFN 5/16UNF	5/16 UNF
SFN 3/8UNF	3/8 UNF
SFN 1/2UNF	1/2 UNF
SFN 5/8UNF	5/8 UNF
SFN 3/4UNF	3/4 UNF
SFN 7/8UNF	7/8 UNF



Forged Flare Elbow SAE 45 Degree Flare Fittings

MODEL	UNF Thread
FE 1/8UNF	1/8 UNF
FE 3/16UNF	3/16 UNF
FE 1/4UNF	1/4 UNF
FE 5/16UNF	5/16 UNF
FE 3/8UNF	3/8 UNF
FE 1/2UNF	1/2 UNF
FE 5/8UNF	5/8 UNF
FE 3/4UNF	3/4 UNF
FE 7/8 UNF	7/8 UNF



Forged Swivel SAE 45 Degree Flare Fittings

MODEL	Female Flare
FS 1/4UNF	1/4 UNF
FS 5/16UNF	5/16 UNF
FS 3/8UNF	3/8 UNF
FS 1/2UNF	1/2 UNF
FS 5/8UNF	5/8 UNF
FS 3/4UNF	3/4 UNF



Copper Gasket SAE 45 Degree Flare Fittings

MODEL	Female Flare
CG 3/16UNF	3/16 UNF
CG 1/4UNF	1/4 UNF
CG 5/16UNF	5/16 UNF
CG 3/8UNF	3/8 UNF
CG 1/2UNF	1/2 UNF
CG 5/8UNF	5/8 UNF
CG 3/4UNF	3/4 UNF



Copper Bonnet SAE 45 Degree Flare Fittings

MODEL	Female Flare
CB 3/16UNF	3/16 UNF
CB 1/4UNF	1/4 UNF
CB 5/16UNF	5/16 UNF
CB 3/8UNF	3/8 UNF
CB 1/2UNF	1/2 UNF
CB 5/8UNF	5/8 UNF
CB 3/4UNF	3/4 UNF



Flared Plug SAE 45 Degree Flare Fittings

MODEL	UNF Thread
FP 3/16UNF	3/16 UNF
FP 1/4UNF	1/4 UNF
FP 5/16UNF	5/16 UNF
FP 3/8UNF	3/8 UNF
FP 1/2UNF	1/2 UNF
FP 5/8UNF	5/8 UNF
FP 3/4UNF	3/4 UNF



Female Flare Adapter SAE 45 Degree Flare Fittings

MODEL	Female Flare	NPT Thread
SMFF 1/4-1/8NPT	1/4	1/8NPT
SMFF 1/4-1/4NPT	1/4	1/4NPT
SMFF 3/8-1/4NPT	3/8	1/4NPT
SMFF 1/2-3/8NPT	1/2	3/8NPT
SMFF 1/2-1/2NPT	1/2	1/2NPT



Male Adapter SAE 45 Degree Flare Fittings

MODEL	Male Flare	NPT Thread
CF 1/8-1/8NPT	1/8	1/8NPT
CF 3/16-1/8NPT	3/16	1/8NPT
CFS 1/4-1/8NPT	1/4	1/8NPT
CF 1/4-1/8NPT	1/4	1/2NPT
CFS 1/4-1/4NPT	1/4	1/4NPT
CF 1/4-1/4NPT	1/4	1/4NPT
CF 1/4-3/8NPT	1/4	3/8NPT
CF 1/4-1/2NPT	1/4	1/2NPT
CFS 5/16-1/8NPT	5/16	1/8NPT
CF 5/16-1/8NPT	5/16	1/4NPT
CF 5/16-1/4NPT	5/16	1/4NPT
CF 5/16-3/8NPT	5/16	3/8NPT
CF 3/8-1/8NPT	3/8	1/8NPT
CFS 3/8-1/4NPT	3/8	1/4NPT
CF 3/8-1/4NPT	3/8	1/4NPT
CFS 3/8-3/8NPT	3/8	3/8NPT
CF 3/8-3/8NPT	3/8	3/8NPT
CFS 3/8-1/2NPT	3/8	1/2NPT
CF 3/8-1/2NPT	3/8	1/2NPT
CF 3/8-3/4NPT	3/8	3/4NPT
CF 1/2-1/4NPT	1/2	1/4NPT
CFS 1/2-3/8NPT	1/2	3/8NPT
CF 1/2-3/8NPT	1/2	3/8NPT
CFS 1/2-1/2NPT	1/2	1/2NPT
CF 1/2-1/2NPT	1/2	1/2NPT
CF 1/2-3/4NPT	1/2	3/4NPT
CF 5/8-1/4NPT	5/8	1/4NPT
CFS 5/8-3/8NPT	5/8	3/8NPT
CF 5/8-3/8NPT	5/8	3/8NPT
CFS 5/8-1/2NPT	5/8	1/2NPT
CF 5/8-1/2NPT	5/8	1/2NPT
CF 3/4-1/2NPT	3/4	1/2NPT
CF 3/4-3/4NPT	3/4	3/4NPT
CF 7/8-1/2NPT	7/8	1/2NPT
CF 7/8-3/4NPT	7/8	3/4NPT
CF 1-3/4NPT	1	3/4NPT
CF 1-1NPT	1	1NPT



Forged 45 Degree Male Elbow SAE 45 Degree Flare Fittings

MODEL	Male Flare	NPT Thread
LMMF45 1/4-1/8NPT	1/4	1/8NPT
LMMF45 1/4-1/4NPT	1/4	1/4NPT
LMMF45 1/4-1/2NPT	1/4	1/2NPT
LMMF45 5/16-1/8NPT	5/16	1/8NPT
LMMF45 5/16-1/4NPT	5/16	1/4NPT
LMMF45 3/8-1/4NPT	3/8	1/4NPT
LMMF45 3/8-3/8NPT	3/8	3/8NPT
LMMF45 3/8-1/2NPT	3/8	1/2NPT
LMMF45 1/2-3/8NPT	1/2	3/8NPT
LMMF45 1/2-1/2NPT	1/2	1/2NPT
LMMF45 5/8-3/8NPT	5/8	3/8NPT
LMMF45 5/8-1/2NPT	5/8	1/2NPT
LMMF45 3/4-1/2NPT	3/4	1/2NPT
LMMF45 3/4-3/4NPT	3/4	3/4NPT

SAE 45° Flare Fittings 45度喇叭口铜接头

 Female Adapter SAE 45 Degree Flare Fittings		
MODEL	Male Flare	NPT Thread
CFMF 3/16-1/8NPT	3/16	1/8NPT
CFMFS 1/4-1/8NPT	1/4	1/8NPT
CFMF 1/4-1/8NPT	1/4	1/8NPT
CFMFS 1/4-1/4NPT	1/4	1/4NPT
CFMF 1/4-1/4NPT	1/4	1/4NPT
CFMF 1/4-3/8NPT	1/4	3/8NPT
CFMF 1/4-1/2NPT	1/4	1/2NPT
CFMF 5/16-1/8NPT	5/16	1/8NPT
CFMF 5/16-1/4NPT	5/16	1/4NPT
CFMF 3/8-1/8NPT	3/8	1/8NPT
CFMFS 3/8-1/4NPT	3/8	1/4NPT
CFMF 3/8-1/4NPT	3/8	1/4NPT
CFMFS 3/8-3/8NPT	3/8	3/8NPT
CFMF 3/8-3/8NPT	3/8	3/8NPT
CFMFS 3/8-1/2NPT	3/8	1/2NPT
CFMF 3/8-1/2NPT	3/8	1/2NPT
CFMF 3/8-3/4NPT	3/8	3/4NPT
CFMF 1/2-1/4NPT	1/2	1/4NPT
CFMFS 1/2-3/8NPT	1/2	3/8NPT
CFMF 1/2-3/8NPT	1/2	3/8NPT
CFMFS 1/2-1/2NPT	1/2	1/2NPT
CFMF 1/2-1/2NPT	1/2	1/2NPT
CFMF 1/2-3/4NPT	1/2	3/4NPT
CFMF 5/8-3/8NPT	5/8	3/8NPT
CFMF 5/8-1/2NPT	5/8	1/2NPT
CFMF 5/8-3/4NPT	5/8	3/4NPT
CFMF 3/4-1/2NPT	3/4	1/2NPT
CFMF 3/4-3/4NPT	3/4	3/4NPT
CFMF 7/8-3/4NPT	7/8	3/4NPT

 Forged Male Branch Tee SAE 45 Degree Flare Fittings		
MODEL	Male Flare	NPT Thread
BFF 1/8-1/8NPT	1/8	1/8NPT
BFF 3/16-1/8NPT	3/16	1/8NPT
BFF 1/4-1/8NPT	1/4	1/8NPT
BFF 1/4-1/4NPT	1/4	1/4NPT
BFF 1/4-3/8NPT	1/4	3/8NPT
BFF 1/4-1/2NPT	1/4	1/2NPT
BFF 5/16-1/8NPT	5/16	1/8NPT
BFF 5/16-1/4NPT	5/16	1/4NPT
BFF 5/16-3/8NPT	5/16	3/8NPT
BFF 3/8-1/8NPT	3/8	1/8NPT
BFF 3/8-1/4NPT	3/8	1/4NPT
BFF 3/8-3/8NPT	3/8	3/8NPT
BFF 3/8-1/2NPT	3/8	1/2NPT
BFF 3/8-3/4NPT	3/8	3/4NPT
BFF 1/2-1/4NPT	1/2	1/4NPT
BFF 1/2-3/8NPT	1/2	3/8NPT
BFF 1/2-1/2NPT	1/2	1/2NPT
BFF 1/2-3/4NPT	1/2	3/4NPT
BFF 5/8-1/4NPT	5/8	1/4NPT
BFF 5/8-3/8NPT	5/8	3/8NPT
BFF 5/8-1/2NPT	5/8	1/2NPT
BFF 5/8-3/4NPT	5/8	3/4NPT
BFF 3/4-1/2NPT	3/4	1/2NPT
BFF 3/4-3/4NPT	3/4	3/4NPT
BFF 7/8-1/2NPT	7/8	1/2NPT
BFF 7/8-3/4NPT	7/8	3/4NPT
BFF 1-3/4NPT	1	3/4NPT
BFF 1-1NPT	1	1NPT

 Forged 90 Degree Male Elbow SAE 45 Degree Flare Fittings		
MODEL	Male Flare	NPT Thread
LMMF 1/8-1/8NPT	1/8	1/8NPT
LMMF 3/16-1/8NPT	3/16	1/8NPT
LMMFS 1/4-1/8NPT	1/4	1/8NPT
LMMF 1/4-1/8NPT	1/4	1/8NPT
LMMFS 1/4-1/4NPT	1/4	1/4NPT
LMMF 1/4-1/4NPT	1/4	1/4NPT
LMMF 1/4-3/8NPT	1/4	3/8NPT
LMMF 1/4-1/2NPT	1/4	1/2NPT
LMMFS 5/16-1/8NPT	5/16	1/8NPT
LMMF 5/16-1/8NPT	5/16	1/8NPT
LMMFS 5/16-1/4NPT	5/16	1/4NPT
LMMF 5/16-1/4NPT	5/16	1/4NPT
LMMF 5/16-3/8NPT	5/16	3/8NPT
LMMFS 3/8-1/4NPT	3/8	1/4NPT
LMMF 3/8-1/4NPT	3/8	1/4NPT
LMMFS 3/8-3/8NPT	3/8	3/8NPT
LMMF 3/8-3/8NPT	3/8	3/8NPT
LMMFS 3/8-1/2NPT	3/8	1/2NPT
LMMF 3/8-1/2NPT	3/8	1/2NPT
LMMF 3/8-3/4NPT	3/8	3/4NPT
LMMF 1/2-1/4NPT	1/2	1/4NPT
LMMFS 1/2-3/8NPT	1/2	3/8NPT
LMMF 1/2-3/8NPT	1/2	3/8NPT
LMMFS 1/2-1/2NPT	1/2	1/2NPT
LMMF 1/2-1/2NPT	1/2	1/2NPT
LMMF 1/2-3/4NPT	1/2	3/4NPT
LMMF 5/8-1/4NPT	5/8	1/4NPT
LMMFS 5/8-3/8NPT	5/8	3/8NPT
LMMF 5/8-3/8NPT	5/8	3/8NPT
LMMFS 5/8-1/2NPT	5/8	1/2NPT
LMMF 5/8-1/2NPT	5/8	1/2NPT
LMMF 5/8-3/4NPT	5/8	3/4NPT
LMMF 3/4-1/2NPT	3/4	1/2NPT
LMMF 3/4-3/4NPT	3/4	3/4NPT
LMMF 7/8-1/2NPT	7/8	1/2NPT
LMMF 7/8-3/4NPT	7/8	3/4NPT
LMMF 1-3/4NPT	1	3/4NPT
LMMF 1-1NPT	1	1NPT

 Forged Male Run Tee SAE 45 Degree Flare Fittings		
MODEL	Male Flare	NPT Thread
DFF 1/8-1/8NPT	1/8	1/8NPT
DFF 3/16-1/8NPT	3/16	1/8NPT
DFF 1/4-1/8NPT	1/4	1/8NPT
DFF 1/4-1/4NPT	1/4	1/4NPT
DFF 1/4-3/8NPT	1/4	3/8NPT
DFF 1/4-1/2NPT	1/4	1/2NPT
DFF 5/16-1/8NPT	5/16	1/8NPT
DFF 5/16-1/4NPT	5/16	1/4NPT
DFF 5/16-3/8NPT	5/16	3/8NPT
DFF 3/8-1/8NPT	3/8	1/8NPT
DFF 3/8-1/4NPT	3/8	1/4NPT
DFF 3/8-3/8NPT	3/8	3/8NPT
DFF 3/8-1/2NPT	3/8	1/2NPT
DFF 3/8-3/4NPT	3/8	3/4NPT
DFF 7/8-3/4NPT	3/8	3/4NPT
DFF 1-1NPT	1	1NPT
MODEL	Male Flare	NPT Thread
DFF 1/2-1/4NPT	1/2	1/4NPT
DFF 1/2-3/8NPT	1/2	3/8NPT
DFF 1/2-1/2NPT	1/2	1/2NPT
DFF 1/2-3/4NPT	1/2	3/4NPT
DFF 5/8-1/4NPT	5/8	1/4NPT
DFF 5/8-3/8NPT	5/8	3/8NPT
DFF 5/8-1/2NPT	5/8	1/2NPT
DFF 5/8-3/4NPT	5/8	3/4NPT
DFF 3/4-1/2NPT	3/4	1/2NPT
DFF 3/4-3/4NPT	3/4	3/4NPT
DFF 7/8-1/2NPT	7/8	1/2NPT
DFF 7/8-3/4NPT	7/8	3/4NPT
DFF 1-3/4NPT	1	3/4NPT
DFF 1-1NPT	1	1NPT

 Forged 90 Degree Female Elbow SAE 45 Degree Flare Fittings		
MODEL	Male Flare	NPT Thread
LMFF 1/8-1/8NPT	1/8	1/8NPT
LMFF 3/16-1/8NPT	3/16	1/8NPT
LMFFS 1/4-1/8NPT	1/4	1/8NPT
LMFF 1/4-1/8NPT	1/4	1/8NPT
LMFFS 1/4-1/4NPT	1/4	1/4NPT
LMFF 1/4-1/4NPT	1/4	1/4NPT
LMFF 1/4-3/8NPT	1/4	3/8NPT
LMFF 1/4-1/2NPT	1/4	1/2NPT
LMFFS 5/16-1/8NPT	5/16	1/8NPT
LMFF 5/16-1/8NPT	5/16	1/8NPT
LMFFS 5/16-1/4NPT	5/16	1/4NPT
LMFF 5/16-1/4NPT	5/16	1/4NPT
LMFF 5/16-3/8NPT	5/16	3/8NPT
LMFF 3/8-1/8NPT	3/8	1/8NPT
LMFFS 3/8-1/4NPT	3/8	1/4NPT
LMFF 3/8-1/4NPT	3/8	1/4NPT
LMFFS 3/8-3/8NPT	3/8	3/8NPT
LMFF 3/8-3/8NPT	3/8	3/8NPT
LMFFS 3/8-1/2NPT	3/8	1/2NPT
LMFF 3/8-1/2NPT	3/8	1/2NPT
LMFF 3/8-3/4NPT	3/8	3/4NPT
LMFF 1/2-1/4NPT	1/2	1/4NPT
LMFFS 1/2-3/8NPT	1/2	3/8NPT
LMFF 1/2-3/8NPT	1/2	3/8NPT
LMFFS 1/2-1/2NPT	1/2	1/2NPT
LMFF 1/2-1/2NPT	1/2	1/2NPT
LMFF 1/2-3/4NPT	1/2	3/4NPT
LMFF 5/8-1/4NPT	5/8	1/4NPT
LMFFS 5/8-3/8NPT	5/8	3/8NPT
LMFF 5/8-3/8NPT	5/8	3/8NPT
LMFFS 5/8-1/2NPT	5/8	1/2NPT
LMFF 5/8-1/2NPT	5/8	1/2NPT
LMFF 5/8-3/4NPT	5/8	3/4NPT
LMFF 3/4-1/2NPT	3/4	1/2NPT
LMFF 3/4-3/4NPT	3/4	3/4NPT
LMFF 7/8-1/2NPT	7/8	1/2NPT
LMFF 7/8-3/4NPT	7/8	3/4NPT
LMFF 1-3/4NPT	1	3/4NPT
LMFF 1-1NPT	1	1NPT

SAE Inverted Flare Fittings

SAE Inverted Flare Fittings

Typical Application

LP and natural gas, flammable liquids, hydraulic brake, power steering, fuel lines and transmission cooler lines, refrigeration, hydraulic and pneumatic systems. Used on low, medium and high pressure lines under the most adverse conditions, compatible with copper, brass, aluminum and steel hydraulic tubing that can be flared.


Features

Construction - Short nut affords very close tube bends. Steel or brass tube nut, straight barstock & forged fittings.
 Good Vibration resistance - Use long nut when greater vibration resistance is required.
 Conformance - Heavy duty flare fittings are manufactured to SAE specifications, Meets specifications and standards of ASA, ASME, SAE, and MS (Military standards).
 Reusability - Can be assembled and re-assembled repeatedly & Resists mechanical pull

Specification

Temperature Range: -65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.
 Working Pressure: up to 2000 psi depending on tube size. Will withstand burst pressure of standard tubing - up to 5000 psi with Bundy-weld (double flared) and 3500 psi with copper tubing, depending on size. Obviously, Temperature and type of tubing used are important factors.

Installation Instructions




Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
 Slide nut on tube. Threaded end “A” of nut must face out.
 Flare end of tube with a 45° flaring tool. See page 20 for flare data.
 a. Measure flare diameter.
 b. Examine flare for excessive thin out.
 c. On thin wall, welded or brazed tubing, use double flare to prevent pinch-off and cracked flares.
 Lubricate threads and assemble to connector body. Nut should be turned hand tight.
 Tighten assembly with a wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.

SAE Inverted Flare Fittings

 Nut - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	
IFN 1/8	1/8	
IFN 3/16	3/16	
IFN 1/4	1/4	
IFN 5/16	5/16	
IFN 3/8	3/8	
IFN 1/2	1/2	

 Union - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Inverted Flare
IFU 1/8	1/8	1/8
IFU 3/16	3/16	3/16
IFU 1/4	1/4	1/4
IFU 5/16	5/16	5/16
IFU 3/8	3/8	3/8
IFU 1/2	1/2	1/2

 Female Adapter - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Female NPT
IFFA 3/16-1/8NPT	3/16	1/8NPT
IFFA 1/4-1/8NPT	1/4	1/8NPT
IFFA 5/16-1/8NPT	5/16	1/8NPT
IFFA 3/8-1/4NPT	3/8	1/4NPT
IFFA 1/2-3/8NPT	1/2	3/8NPT

 45 Male Ebow - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Male NPT
IFML45 3/16-1/8NPT	3/16	1/8NPT
IFML45 1/4-1/8NPT	1/4	1/8NPT
IFML45 5/16-1/8NPT	5/16	1/8NPT
IFML45 5/16-1/4NPT	5/16	1/4NPT
IFML45 3/8-1/4NPT	3/8	1/4NPT
IFML45 1/2-3/8NPT	1/2	3/8NPT
IFML45 5/8-1/2NPT	5/8	1/2NPT

 Male Run Tee - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Male NPT
IFMRT 3/16-1/8NPT	3/16	1/8NPT
IFMRT 1/4-1/8NPT	1/4	1/8NPT
IFMRT 5/16-1/8NPT	5/16	1/8NPT
IFMRT 3/8-1/4NPT	3/8	1/4NPT

 Male Adapter - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Male NPT
IFMA 1/8-1/8NPT	1/8	1/8NPT
IFMA 3/16-1/8NPT	3/16	1/8NPT
IFMA 1/4-1/8NPT	1/4	1/8NPT
IFMA 1/4-1/4NPT	1/4	1/4NPT
IFMA 5/16-1/8NPT	5/16	1/8NPT
IFMA 5/16-1/4NPT	5/16	1/4NPT
IFMA 3/8-1/8NPT	3/8	1/8NPT
IFMA 3/8-1/4NPT	3/8	1/4NPT
IFMA 3/8-3/8NPT	3/8	3/8NPT
IFMA 1/2-1/4NPT	1/2	1/4NPT
IFMA 1/2-3/8NPT	1/2	3/8NPT
IFMA 1/2-1/2NPT	1/2	1/2NPT
IFMA 5/8-1/2NPT	5/8	1/2NPT
IFMA 3/4-3/4NPT	3/4	3/4NPT

 Male Elbow - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Male NPT
IFML 1/8-1/8NPT	1/8	1/8NPT
IFML 3/16-1/8NPT	3/16	1/8NPT
IFML 1/4-1/8NPT	1/4	1/8NPT
IFML 1/4-1/4NPT	1/4	1/4NPT
IFML 5/16-1/8NPT	5/16	1/8NPT
IFML 5/16-1/4NPT	3/8	1/4NPT
IFML 3/8-1/8NPT	3/8	1/8NPT
IFML 3/8-1/4NPT	3/8	1/4NPT
IFML 3/8-3/8NPT	3/8	3/8NPT
IFML 1/2-3/8NPT	1/2	3/8NPT
IFML 1/2-1/2NPT	1/2	1/2NPT
IFML 5/8-3/8NPT	5/8	3/8NPT
IFML 5/8-1/2NPT	5/8	1/2NPT
IFML 3/4-1/2NPT	3/4	1/2NPT
IFML 7/8-3/4NPT	7/8	3/4NPT
IFML 1-1NPT	1	1NPT

 Union Tee - SAE Inverted Flare Fittings			
MODEL	Inverted Flare	Inverted Flare	Inverted Flare
IFUT 1/8	1/8	1/8	1/8
IFUT 3/16	3/16	3/16	3/16
IFUT 1/4	1/4	1/4	1/4
IFUT 5/16	5/16	5/16	5/16
IFUT 3/8	3/8	3/8	3/8
IFUT 1/2	1/2	1/2	1/2

 Male Branch Tee - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Male NPT
IFMBT 3/16-1/8NPT	3/16	1/8NPT
IFMBT 1/4-1/8NPT	1/4	1/8NPT
IFMBT 5/16-1/8NPT	5/16	1/8NPT
IFMBT 3/8-1/4NPT	3/8	1/4NPT

 Female Elbow - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Female NPT
IFFL 1/4-1/8NPT	1/4	1/8NPT
IFFL 5/16-1/8NPT	5/16	1/8NPT
IFFL 3/8-1/4NPT	3/8	1/4NPT


 Female Branch Tee - SAE Inverted Flare		
MODEL	Inverted Flare	Female NPT
IFFBT 3/16-1/8NPT	3/16	1/8NPT
IFFBT 5/16-1/8NPT	5/16	1/8NPT
IFFBT 3/8-1/4NPT	3/8	1/4NPT

 Union Elbow - SAE Inverted Flare Fittings		
MODEL	Inverted Flare	Inverted Flare
IFUL 1/8	1/8	1/8
IFUL 3/16	3/16	3/16
IFUL 1/4	1/4	1/4
IFUL 5/16	5/16	5/16
IFUL 3/8	3/8	3/8
IFUL 1/2	1/2	1/2

Push In Brass Fittings (Non DOT) 全铜快速接头 (非DOT)

Brass Push-In Fittings (Non DOT)

- **QUICK CONNECT**, simply push tubing in, no tools. Saves up to 75% of assembly time of standard compression fittings.
- **QUICK DISCONNECT**, hold two fingers on insert and pull tubing out, no tools required.
- **REUSEABLE**, connect and disconnect numerous times.
- **FULL FLOW DESIGN**, provides up to 60% more flow area than conventional fittings with internal tube supports.
- **POSITIVE SEAL**, no leaks. After tubing is inserted, seal is made.
- **VERSATILE**, BunaN “O” rings standard. Other materials of “O” rings available.
- **SECURE TUBE RETENTION**, pulling on tubing only serves to tighten the connection.
- **SELF CONTAINED ASSEMBLY**, no loose parts, brass body and insert.
- **BRASS CONSTRUCTION**, elbows and tees are forged brass.
- **CHOICE** of convenient swivel of economical stationary elbows and tees.
- **STRAIGHT CONNECTORS** have interior hex for Allen key tightening where space is limited...no need to use a wrench.
- **PRE-APPLIED TEFLON ®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **METRIC SIZES AVAILABLE**: Metric tube sizes from 2mm through 12mm in both standard NPT and metric pipe sizes are available on a special order basis.
- **WORKING PRESSURE**: The fitting is suitable for use up to the maximum working pressure of the plastic tubing used.
- **WORKING TEMPERATURE**: -10°F to 200°F (other ranges available on request).
- **PIPE THREAD**: NPTF with Teflon ® based sealant pre-applied.



Working Principle and Procedure

When tubing (1) is inserted into the fitting, it first passes through the gripping teeth (2). Just beyond the gripping teeth is the o-ring (3) which provides the leak proof seal against the OD of the tube. The gripping teeth grab the tube, which expands the insert. Pulling back on the tube only tightens the grip as the insert moves onto the camming surface (4). Pressure through the tube also serves to tighten the grip. The tube bottoms against a positive tube stop (5) in a cavity providing tube support to prevent leakage.

 Male Adapter - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPC 5/32-1/8NPT	5/32	1/8NPT	
MPC 5/32-1/4NPT	5/32	1/4NPT	
MPC 1/4-1/8NPT	1/4	1/8NPT	
MPC 1/4-1/4NPT	1/4	1/4NPT	
MPC 1/4-3/8NPT	1/4	3/8NPT	
MPC 1/4-1/2NPT	1/4	1/2NPT	
MPC 5/16-1/8NPT	5/16	1/8NPT	
MPC 5/16-1/4NPT	5/16	1/4NPT	
MPC 5/16-3/8NPT	5/16	3/8NPT	
MPC 5/16-1/2NPT	5/16	1/2NPT	
MPC 3/8-1/8NPT	3/8	1/8NPT	
MPC 3/8-1/4NPT	3/8	1/4NPT	
MPC 3/8-3/8NPT	3/8	3/8NPT	
MPC 3/8-1/2NPT	3/8	1/2NPT	
MPC 1/2-1/8NPT	1/2	1/8NPT	
MPC 1/2-1/4NPT	1/2	1/4NPT	
MPC 1/2-3/8NPT	1/2	3/8NPT	
MPC 1/2-1/2NPT	1/2	1/2NPT	
MPC 5/8-1/4NPT	5/8	1/4NPT	
MPC 5/8-3/8NPT	5/8	3/8NPT	
MPC 5/8-1/2NPT	5/8	1/2NPT	

 Female Adapter - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPCF 5/32-1/8NPT	5/32	1/8NPT	
MPCF 5/32-1/4NPT	5/32	1/4NPT	
MPCF 1/4-1/8NPT	1/4	1/8NPT	
MPCF 1/4-1/4NPT	1/4	1/4NPT	
MPCF 1/4-3/8NPT	1/4	3/8NPT	
MPCF 1/4-1/2NPT	1/4	1/2NPT	
MPCF 5/16-1/8NPT	5/16	1/8NPT	
MPCF 5/16-1/4NPT	5/16	1/4NPT	
MPCF 5/16-3/8NPT	5/16	3/8NPT	
MPCF 5/16-1/2NPT	5/16	1/2NPT	
MPCF 3/8-1/8NPT	3/8	1/8NPT	
MPCF 3/8-1/4NPT	3/8	1/4NPT	
MPCF 3/8-3/8NPT	3/8	3/8NPT	
MPCF 3/8-1/2NPT	3/8	1/2NPT	
MPCF 1/2-1/8NPT	1/2	1/8NPT	
MPCF 1/2-1/4NPT	1/2	1/4NPT	
MPCF 1/2-3/8NPT	1/2	3/8NPT	
MPCF 1/2-1/2NPT	1/2	1/2NPT	
MPCF 5/8-1/4NPT	5/8	1/4NPT	
MPCF 5/8-3/8NPT	5/8	3/8NPT	
MPCF 5/8-1/2NPT	5/8	1/2NPT	

 No Swivel 90 Deg. Male Elbow - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPL 5/32-1/8NPT	5/32	1/8NPT	
MPL 5/32-1/4NPT	5/32	1/4NPT	
MPL 1/4-1/8NPT	1/4	1/8NPT	
MPL 1/4-1/4NPT	1/4	1/4NPT	
MPL 1/4-3/8NPT	1/4	3/8NPT	
MPL 1/4-1/2NPT	1/4	1/2NPT	
MPL 5/16-1/8NPT	5/16	1/8NPT	
MPL 5/16-1/4NPT	5/16	1/4NPT	
MPL 5/16-3/8NPT	5/16	3/8NPT	
MPL 5/16-1/2NPT	5/16	1/2NPT	
MPL 3/8-1/8NPT	3/8	1/8NPT	
MPL 3/8-1/4NPT	3/8	1/4NPT	
MPL 3/8-3/8NPT	3/8	3/8NPT	
MPL 3/8-1/2NPT	3/8	1/2NPT	
MPL 1/2-1/8NPT	1/2	1/8NPT	
MPL 1/2-1/4NPT	1/2	1/4NPT	
MPL 1/2-3/8NPT	1/2	3/8NPT	
MPL 1/2-1/2NPT	1/2	1/2NPT	
MPL 5/8-1/4NPT	5/8	1/4NPT	
MPL 5/8-3/8NPT	5/8	3/8NPT	
MPL 5/8-1/2NPT	5/8	1/2NPT	

 Swivel 90 Deg. Male Elbow - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPLS 5/32-1/8NPT	5/32	1/8NPT	
MPLS 5/32-1/4NPT	5/32	1/4NPT	
MPLS 1/4-1/8NPT	1/4	1/8NPT	
MPLS 1/4-1/4NPT	1/4	1/4NPT	
MPLS 1/4-3/8NPT	1/4	3/8NPT	
MPLS 1/4-1/2NPT	1/4	1/2NPT	
MPLS 5/16-1/8NPT	5/16	1/8NPT	
MPLS 5/16-1/4NPT	5/16	1/4NPT	
MPLS 5/16-3/8NPT	5/16	3/8NPT	
MPLS 5/16-1/2NPT	5/16	1/2NPT	
MPLS 3/8-1/8NPT	3/8	1/8NPT	
MPLS 3/8-1/4NPT	3/8	1/4NPT	
MPLS 3/8-3/8NPT	3/8	3/8NPT	
MPLS 3/8-1/2NPT	3/8	1/2NPT	
MPLS 1/2-1/8NPT	1/2	1/8NPT	
MPLS 1/2-1/4NPT	1/2	1/4NPT	
MPLS 1/2-3/8NPT	1/2	3/8NPT	
MPLS 1/2-1/2NPT	1/2	1/2NPT	
MPLS 5/8-1/4NPT	5/8	1/4NPT	
MPLS 5/8-3/8NPT	5/8	3/8NPT	
MPLS 5/8-1/2NPT	5/8	1/2NPT	

 No Swivel Male Branch Tee - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPB 5/32-1/8NPT	5/32	1/8NPT	
MPB 5/32-1/4NPT	5/32	1/4NPT	
MPB 1/4-1/8NPT	1/4	1/8NPT	
MPB 1/4-1/4NPT	1/4	1/4NPT	
MPB 1/4-3/8NPT	1/4	3/8NPT	
MPB 1/4-1/2NPT	1/4	1/2NPT	
MPB 5/16-1/8NPT	5/16	1/8NPT	
MPB 5/16-1/4NPT	5/16	1/4NPT	
MPB 5/16-3/8NPT	5/16	3/8NPT	
MPB 5/16-1/2NPT	5/16	1/2NPT	
MPB 3/8-1/8NPT	3/8	1/8NPT	
MPB 3/8-1/4NPT	3/8	1/4NPT	
MPB 3/8-3/8NPT	3/8	3/8NPT	
MPB 3/8-1/2NPT	3/8	1/2NPT	
MPB 1/2-1/8NPT	1/2	1/8NPT	
MPB 1/2-1/4NPT	1/2	1/4NPT	
MPB 1/2-3/8NPT	1/2	3/8NPT	
MPB 1/2-1/2NPT	1/2	1/2NPT	
MPB 5/8-1/4NPT	5/8	1/4NPT	
MPB 5/8-3/8NPT	5/8	3/8NPT	
MPB 5/8-1/2NPT	5/8	1/2NPT	

 Swivel Male Branch Tee - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPBS 5/32-1/8NPT	5/32	1/8NPT	
MPBS 5/32-1/4NPT	5/32	1/4NPT	
MPBS 1/4-1/8NPT	1/4	1/8NPT	
MPBS 1/4-1/4NPT	1/4	1/4NPT	
MPBS 1/4-3/8NPT	1/4	3/8NPT	
MPBS 1/4-1/2NPT	1/4	1/2NPT	
MPBS 5/16-1/8NPT	5/16	1/8NPT	
MPBS 5/16-1/4NPT	5/16	1/4NPT	
MPBS 5/16-3/8NPT	5/16	3/8NPT	
MPBS 5/16-1/2NPT	5/16	1/2NPT	
MPBS 3/8-1/8NPT	3/8	1/8NPT	
MPBS 3/8-1/4NPT	3/8	1/4NPT	
MPBS 3/8-3/8NPT	3/8	3/8NPT	
MPBS 3/8-1/2NPT	3/8	1/2NPT	
MPBS 1/2-1/8NPT	1/2	1/8NPT	
MPBS 1/2-1/4NPT	1/2	1/4NPT	
MPBS 1/2-3/8NPT	1/2	3/8NPT	
MPBS 1/2-1/2NPT	1/2	1/2NPT	
MPBS 5/8-1/4NPT	5/8	1/4NPT	
MPBS 5/8-3/8NPT	5/8	3/8NPT	
MPBS 5/8-1/2NPT	5/8	1/2NPT	

 Union Straight - Push In Brass Fittings (Non DOT)	
MODEL	Tube Size
MPU 5/32	5/32
MPU 1/4	1/4
MPU 5/16	5/16
MPU 3/8	3/8
MPU 1/2	1/2
MPU 5/8	5/8

 Union Elbow - Push In Brass Fittings (Non DOT)	
MODEL	Tube Size
MPV 5/32	5/32
MPV 1/4	1/4
MPV 5/16	5/16
MPV 3/8	3/8
MPV 1/2	1/2
MPV 5/8	5/8

 Union Tee - Push In Brass Fittings (Non DOT)	
MODEL	Tube Size
MPE 5/32	5/32
MPE 1/4	1/4
MPE 5/16	5/16
MPE 3/8	3/8
MPE 1/2	1/2
MPE 5/8	5/8

 Female Branch Tee No Swivel - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPBF 5/32-1/8NPT	5/32	1/8NPT	
MPBF 5/32-1/4NPT	5/32	1/4NPT	
MPBF 1/4-1/8NPT	1/4	1/8NPT	
MPBF 1/4-1/4NPT	1/4	1/4NPT	
MPBF 1/4-3/8NPT	1/4	3/8NPT	
MPBF 1/4-1/2NPT	1/4	1/2NPT	
MPBF 5/16-1/8NPT	5/16	1/8NPT	
MPBF 5/16-1/4NPT	5/16	1/4NPT	
MPBF 5/16-3/8NPT	5/16	3/8NPT	
MPBF 5/16-1/2NPT	5/16	1/2NPT	
MPBF 3/8-1/8NPT	3/8	1/8NPT	
MPBF 3/8-1/4NPT	3/8	1/4NPT	
MPBF 3/8-3/8NPT	3/8	3/8NPT	
MPBF 3/8-1/2NPT	3/8	1/2NPT	
MPBF 1/2-1/8NPT	1/2	1/8NPT	
MPBF 1/2-1/4NPT	1/2	1/4NPT	
MPBF 1/2-3/8NPT	1/2	3/8NPT	
MPBF 1/2-1/2NPT	1/2	1/2NPT	
MPBF 5/8-1/4NPT	5/8	1/4NPT	
MPBF 5/8-3/8NPT	5/8	3/8NPT	
MPBF 5/8-1/2NPT	5/8	1/2NPT	

 Male Run Tee No Swivel - Push In Brass Fittings (Non DOT)			
MODEL	Tube Size	NPT Thread	
MPD 5/32-1/8NPT	5/32	1/8NPT	
MPD 5/32-1/4NPT	5/32	1/4NPT	
MPD 1/4-1/8NPT	1/4	1/8NPT	
MPD 1/4-1/4NPT	1/4	1/4NPT	
MPD 1/4-3/8NPT	1/4	3/8NPT	
MPD 1/4-1/2NPT	1/4	1/2NPT	
MPD 5/16-1/8NPT	5/16	1/8NPT	
MPD 5/16-1/4NPT	5/16	1/4NPT	
MPD 5/16-3/8NPT	5/16	3/8NPT	
MPD 5/16-1/2NPT	5/16	1/2NPT	
MPD 3/8-1/8NPT	3/8	1/8NPT	
MPD 3/8-1/4NPT	3/8	1/4NPT	
MPD 3/8-3/8NPT	3/8	3/8NPT	
MPD 3/8-1/2NPT	3/8	1/2NPT	
MPD 1/2-1/8NPT	1/2	1/8NPT	
MPD 1/2-1/4NPT	1/2	1/4NPT	
MPD 1/2-3/8NPT	1/2	3/8NPT	
MPD 1/2-1/2NPT	1/2	1/2NPT	
MPD 5/8-1/4NPT	5/8	1/4NPT	
MPD 5/8-3/8NPT	5/8	3/8NPT	
MPD 5/8-1/2NPT	5/8	1/2NPT	

316 / 304 Stainless Steel Push In Fittings 316/304不锈钢快速接头


Features: 性能

1. high temperature and washdown applications ... use with air, water, oil
2. stainless steel pneumatic push-to-connect fittings are made with 316 stainless steel bodies and 303 stainless steel gripping collets with internal Viton o-ring. Threaded components are 316 stainless steel.
- 3.The rugged construction of the fittings allows for use in high temperature applications.
4. The bodies of elbow and tee fittings with threaded connections can be rotated after installation to allow for variations in piping direction.
5. flexible pneumatic tubing is easily connected by simply inserting the tubing end into the fitting. To release the tubing, press the circular releasing sleeve and the tubing can be easily pulled out
6. stainless steel fittings can be used with polyurethane, nylon and PTFE tubing among others.
7. Large selection of fitting configurations Full flow without pressure drop metric sizes available BSPP and BSPT (R) threads available 316 stainless steel bodies and 303 stainless steel gripping collets, 316 stainless steel threads, internal Viton O-ring Threaded elbow and tee bodies can be rotated after installation For use with air, water, oil, etc... (check chemical compatibility for other media) Working pressure: ~29.5" Hg to 290 psi Working temperature 32 to 390°F (0 to 200°C) Electro polished to ensure a corrosion-resistant surface layer of chromium oxide All models are quick connect fittings and quick release air fittings due to the push-to-connect feature (no tools required for connection and dis-connection of tubing) Automatic tube sealing with O-ring and locking with gripping collet, stainless steel fittings are compatible with: - Nylon tubing - Polyurethane tubing - PTFE tubing - Also compatible with other types of tubing: (LLDPE Polyethylene tubing, FEP tubing, stainless steel tubing, copper tubing) A variety of other pneumatic fitting styles are also available, such as: plugs, plug reducers, male/female straight, male/female elbow, branch tees and more. Other air fitting bodies are composed of either nickel-plated brass or thermoplastic with stainless steel tube gripping claws. The air pneumatics line also includes flexible pneumatic tubing in polyurethane and nylon, and flow control valves (speed controllers).

Data Sheet: 参数表

使用流体/Fluid	空气,真空/Aia,Vacuum
使用压力范围/Operating Pressure	-14 ~150 PSI (-0.99~ 10 Bar)
负压/Negative Pressure	To 750mmHg
耐压/Max Pressure	1.5MPa
用环境及流体温度/Operating Temperature	5 °F ~ 428°F (-15°C~220°C)
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon
主体材质/Base Material	316 / 304 Stainless Steel
O型圈材质/O-ring Material	Viton (FKM) / EPDM / NBR
顺从/Compliance	FDA / Europe Food Grade

Stainless Steel (SS) Gripper-Style (W) Fitting
 Materials of Construction





Male Straight - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPC 04-M5	4mm	M5	SSPC 1/8-U10	1/8	UNF 10-32
SSPC 04-M6	4mm	M6	SSPC 1/8-N01	1/8	1/8 NPT
SSPC 04-01	4mm	R1/8	SSPC 1/8-N02	1/8	1/4 NPT
SSPC 04-02	4mm	R1/4	SSPC 5/32-U10	5/32	UNF 10-32
SSPC 06-M5	6mm	M5	SSPC 5/32-N01	5/32	1/8 NPT
SSPC 06-M6	6mm	M6	SSPC 5/32-N02	5/32	1/4 NPT
SSPC 06-01	6mm	R1/8	SSPC 1/4-U10	1/4	UNF 10-32
SSPC 06-02	6mm	R1/4	SSPC 1/4-N01	1/4	1/8 NPT
SSPC 06-03	6mm	R3/8	SSPC 1/4-N02	1/4	1/4 NPT
SSPC 06-04	6mm	R1/2	SSPC 1/4-N03	1/4	3/8 NPT
SSPC 08-01	8mm	R1/8	SSPC 1/4-N04	1/4	1/2 NPT
SSPC 08-02	8mm	R1/4	SSPC 5/16-N01	5/16	1/8 NPT
SSPC 08-03	8mm	R3/8	SSPC 5/16-N02	5/16	1/4 NPT
SSPC 08-04	8mm	R1/2	SSPC 5/16-N03	5/16	3/8 NPT
SSPC 10-01	10mm	R1/8	SSPC 5/16-N04	5/16	1/2 NPT
SSPC 10-02	10mm	R1/4	SSPC 3/8-N01	3/8	1/8 NPT
SSPC 10-03	10mm	R3/8	SSPC 3/8-N02	3/8	1/4 NPT
SSPC 10-04	10mm	R1/2	SSPC 3/8-N03	3/8	3/8 NPT
SSPC 12-01	12mm	R1/8	SSPC 3/8-N04	3/8	1/2 NPT
SSPC 12-02	12mm	R1/4	SSPC 1/2-N01	1/2	1/8 NPT
SSPC 12-03	12mm	R3/8	SSPC 1/2-N02	1/2	1/4 NPT
SSPC 12-04	12mm	R1/2	SSPC 1/2-N03	1/2	3/8 NPT
			SSPC 1/2-N04	1/2	1/2 NPT



G Thread Male Straight - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPC 04-G01	4mm	G1/8	SSPC 1/8-G01	1/8	G1/8
SSPC 04-G02	4mm	G1/4	SSPC 1/8-G02	1/8	G1/4
SSPC 06-G01	6mm	G1/8	SSPC 5/32-G01	5/32	G1/8
SSPC 06-G02	6mm	G1/4	SSPC 5/32-G02	5/32	G1/4
SSPC 06-G03	6mm	G3/8	SSPC 1/4-G01	1/4	G1/8
SSPC 06-G04	6mm	G1/2	SSPC 1/4-G02	1/4	G1/4
SSPC 08-G01	8mm	G1/8	SSPC 1/4-G03	1/4	G3/8
SSPC 08-G02	8mm	G1/4	SSPC 1/4-G04	1/4	G1/2
SSPC 08-G03	8mm	G3/8	SSPC 5/16-G01	5/16	G1/8
SSPC 08-G04	8mm	G1/2	SSPC 5/16-G02	5/16	G1/4
SSPC 10-G01	10mm	G1/8	SSPC 5/16-G03	5/16	G3/8
SSPC 10-G02	10mm	G1/4	SSPC 5/16-G04	5/16	G1/2
SSPC 10-G03	10mm	G3/8	SSPC 3/8-G01	3/8	G1/8
SSPC 10-G04	10mm	G1/2	SSPC 3/8-G02	3/8	G1/4
SSPC 12-G01	12mm	G1/8	SSPC 3/8-G03	3/8	G3/8
SSPC 12-G02	12mm	G1/4	SSPC 3/8-G04	3/8	G1/2
SSPC 12-G03	12mm	G3/8	SSPC 1/2-G01	1/2	G1/8
SSPC 12-G04	12mm	G1/2	SSPC 1/2-G02	1/2	G1/4
			SSPC 1/2-G03	1/2	G3/8
			SSPC 1/2-G04	1/2	G1/2



Union Straight - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	MODEL	Tube Size
SSPU 04	4mm	SSPU 1/8	1/8
SSPU 06	6mm	SSPU 5/32	5/32
SSPU 08	8mm	SSPU 1/4	1/4
SSPU 10	10mm	SSPU 5/16	5/16
SSPU 12	12mm	SSPU 3/8	3/8
		SSPU 1/2	1/2



Male Elbow - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPL 04-M5	4mm	M5	SSPL 1/8-U10	1/8	UNF 10-32
SSPL 04-M6	4mm	M6	SSPL 1/8-N01	1/8	1/8 NPT
SSPL 04-01	4mm	R1/8	SSPL 1/8-N02	1/8	1/4 NPT
SSPL 04-02	4mm	R1/4	SSPL 5/32-U10	5/32	UNF 10-32
SSPL 06-M5	6mm	M5	SSPL 5/32-N01	5/32	1/8 NPT
SSPL 06-M6	6mm	M6	SSPL 5/32-N02	5/32	1/4 NPT
SSPL 06-01	6mm	R1/8	SSPL 1/4-U10	1/4	UNF 10-32
SSPL 06-02	6mm	R1/4	SSPL 1/4-N01	1/4	1/8 NPT
SSPL 06-03	6mm	R3/8	SSPL 1/4-N02	1/4	1/4 NPT
SSPL 06-04	6mm	R1/2	SSPL 1/4-N03	1/4	3/8 NPT
SSPL 08-01	8mm	R1/8	SSPL 1/4-N04	1/4	1/2 NPT
SSPL 08-02	8mm	R1/4	SSPL 5/16-N01	5/16	1/8 NPT
SSPL 08-03	8mm	R3/8	SSPL 5/16-N02	5/16	1/4 NPT
SSPL 08-04	8mm	R1/2	SSPL 5/16-N03	5/16	3/8 NPT
SSPL 10-01	10mm	R1/8	SSPL 5/16-N04	5/16	1/2 NPT
SSPL 10-02	10mm	R1/4	SSPL 3/8-N01	3/8	1/8 NPT
SSPL 10-03	10mm	R3/8	SSPL 3/8-N02	3/8	1/4 NPT
SSPL 10-04	10mm	R1/2	SSPL 3/8-N03	3/8	3/8 NPT
SSPL 12-01	12mm	R1/8	SSPL 3/8-N04	3/8	1/2 NPT
SSPL 12-02	12mm	R1/4	SSPL 1/2-N01	1/2	1/8 NPT
SSPL 12-03	12mm	R3/8	SSPL 1/2-N02	1/2	1/4 NPT
SSPL 12-04	12mm	R1/2	SSPL 1/2-N03	1/2	3/8 NPT
			SSPL 1/2-N04	1/2	1/2 NPT



G Thread Male Elbow - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPL 04-G01	4mm	G1/8	SSPL 1/8-G01	1/8	G1/8
SSPL 04-G02	4mm	G1/4	SSPL 1/8-G02	1/8	G1/4
SSPL 06-G01	6mm	G1/8	SSPL 5/32-G01	5/32	G1/8
SSPL 06-G02	6mm	G1/4	SSPL 5/32-G02	5/32	G1/4
SSPL 06-G03	6mm	G3/8	SSPL 1/4-G01	1/4	G1/8
SSPL 06-G04	6mm	G1/2	SSPL 1/4-G02	1/4	G1/4
SSPL 08-G01	8mm	G1/8	SSPL 1/4-G03	1/4	G3/8
SSPL 08-G02	8mm	G1/4	SSPL 1/4-G04	1/4	G1/2
SSPL 08-G03	8mm	G3/8	SSPL 5/16-G01	5/16	G1/8
SSPL 08-G04	8mm	G1/2	SSPL 5/16-G02	5/16	G1/4
SSPL 10-G01	10mm	G1/8	SSPL 5/16-G03	5/16	G3/8
SSPL 10-G02	10mm	G1/4	SSPL 5/16-G04	5/16	G1/2
SSPL 10-G03	10mm	G3/8	SSPL 3/8-G01	3/8	G1/8
SSPL 10-G04	10mm	G1/2	SSPL 3/8-G02	3/8	G1/4
SSPL 12-G01	12mm	G1/8	SSPL 3/8-G03	3/8	G3/8
SSPL 12-G02	12mm	G1/4	SSPL 3/8-G04	3/8	G1/2
SSPL 12-G03	12mm	G3/8	SSPL 1/2-G01	1/2	G1/8
SSPL 12-G04	12mm	G1/2	SSPL 1/2-G02	1/2	G1/4
			SSPL 1/2-G03	1/2	G3/8
			SSPL 1/2-G04	1/2	G1/2



Union Elbow - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	MODEL	Tube Size
SSPV 04	4mm	SSPV 1/8	1/8
SSPV 06	6mm	SSPV 5/32	5/32
SSPV 08	8mm	SSPV 1/4	1/4
SSPV 10	10mm	SSPV 5/16	5/16
SSPV 12	12mm	SSPV 3/8	3/8
		SSPV 1/2	1/2

316 / 304 Stainless Steel Push-In Fittings 不锈钢快速接头

 Male Branch Tee - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPB 04-M5	4mm	M5	SSPB 1/8-U10	1/8	UNF 10-32
SSPB 04-M6	4mm	M6	SSPB 1/8-N01	1/8	1/8 NPT
SSPB 04-01	4mm	R1/8	SSPB 1/8-N02	1/8	1/4 NPT
SSPB 04-02	4mm	R1/4	SSPB 5/32-U10	5/32	UNF 10-32
SSPB 06-M5	6mm	M5	SSPB 5/32-N01	5/32	1/8 NPT
SSPB 06-M6	6mm	M6	SSPB 5/32-N02	5/32	1/4 NPT
SSPB 06-01	6mm	R1/8	SSPB 1/4-U10	1/4	UNF 10-32
SSPB 06-02	6mm	R1/4	SSPB 1/4-N01	1/4	1/8 NPT
SSPB 06-03	6mm	R3/8	SSPB 1/4-N02	1/4	1/4 NPT
SSPB 06-04	6mm	R1/2	SSPB 1/4-N03	1/4	3/8 NPT
SSPB 08-01	8mm	R1/8	SSPB 1/4-N04	1/4	1/2 NPT
SSPB 08-02	8mm	R1/4	SSPB 5/16-N01	5/16	1/8 NPT
SSPB 08-03	8mm	R3/8	SSPB 5/16-N02	5/16	1/4 NPT
SSPB 08-04	8mm	R1/2	SSPB 5/16-N03	5/16	3/8 NPT
SSPB 10-01	10mm	R1/8	SSPB 5/16-N04	5/16	1/2 NPT
SSPB 10-02	10mm	R1/4	SSPB 3/8-N01	3/8	1/8 NPT
SSPB 10-03	10mm	R3/8	SSPB 3/8-N02	3/8	1/4 NPT
SSPB 10-04	10mm	R1/2	SSPB 3/8-N03	3/8	3/8 NPT
SSPB 12-01	12mm	R1/8	SSPB 3/8-N04	3/8	1/2 NPT
SSPB 12-02	12mm	R1/4	SSPB 1/2-N01	1/2	1/8 NPT
SSPB 12-03	12mm	R3/8	SSPB 1/2-N02	1/2	1/4 NPT
SSPB 12-04	12mm	R1/2	SSPB 1/2-N03	1/2	3/8 NPT
			SSPB 1/2-N04	1/2	1/2 NPT

 G Thread Male Branch Tee - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPB 04-G01	4mm	G1/8	SSPB 1/8-G01	1/8	G1/8
SSPB 04-G02	4mm	G1/4	SSPB 1/8-G02	1/8	G1/4
SSPB 06-G01	6mm	G1/8	SSPB 5/32-G01	5/32	G1/8
SSPB 06-G02	6mm	G1/4	SSPB 5/32-G02	5/32	G1/4
SSPB 06-G03	6mm	G3/8	SSPB 1/4-G01	1/4	G1/8
SSPB 06-G04	6mm	G1/2	SSPB 1/4-G02	1/4	G1/4
SSPB 08-G01	8mm	G1/8	SSPB 1/4-G03	1/4	G3/8
SSPB 08-G02	8mm	G1/4	SSPB 1/4-G04	1/4	G1/2
SSPB 08-G03	8mm	G3/8	SSPB 5/16-G01	5/16	G1/8
SSPB 08-G04	8mm	G1/2	SSPB 5/16-G02	5/16	G1/4
SSPB 10-G01	10mm	G1/8	SSPB 5/16-G03	5/16	G3/8
SSPB 10-G02	10mm	G1/4	SSPB 5/16-G04	5/16	G1/2
SSPB 10-G03	10mm	G3/8	SSPB 3/8-G01	3/8	G1/8
SSPB 10-G04	10mm	G1/2	SSPB 3/8-G02	3/8	G1/4
SSPB 12-G01	12mm	G1/8	SSPB 3/8-G03	3/8	G3/8
SSPB 12-G02	12mm	G1/4	SSPB 3/8-G04	3/8	G1/2
SSPB 12-G03	12mm	G3/8	SSPB 1/2-G01	1/2	G1/8
SSPB 12-G04	12mm	G1/2	SSPB 1/2-G02	1/2	G1/4
			SSPB 1/2-G03	1/2	G3/8
			SSPB 1/2-G04	1/2	G1/2



Union Tee - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	MODEL	Tube Size
SSPE 04	4mm	SSPE 1/8	1/8
SSPE 06	6mm	SSPE 5/32	5/32
SSPE 08	8mm	SSPE 1/4	1/4
SSPE 10	10mm	SSPE 5/16	5/16
SSPE 12	12mm	SSPE 3/8	3/8
		SSPE 1/2	1/2

 Male Run Tee - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPD 04-M5	4mm	M5	SSPD 1/8-U10	1/8	UNF 10-32
SSPD 04-M6	4mm	M6	SSPD 1/8-N01	1/8	1/8 NPT
SSPD 04-01	4mm	R1/8	SSPD 1/8-N02	1/8	1/4 NPT
SSPD 04-02	4mm	R1/4	SSPD 5/32-U10	5/32	UNF 10-32
SSPD 06-M5	6mm	M5	SSPD 5/32-N01	5/32	1/8 NPT
SSPD 06-M6	6mm	M6	SSPD 5/32-N02	5/32	1/4 NPT
SSPD 06-01	6mm	R1/8	SSPD 1/4-U10	1/4	UNF 10-32
SSPD 06-02	6mm	R1/4	SSPD 1/4-N01	1/4	1/8 NPT
SSPD 06-03	6mm	R3/8	SSPD 1/4-N02	1/4	1/4 NPT
SSPD 06-04	6mm	R1/2	SSPD 1/4-N03	1/4	3/8 NPT
SSPD 08-01	8mm	R1/8	SSPD 1/4-N04	1/4	1/2 NPT
SSPD 08-02	8mm	R1/4	SSPD 5/16-N01	5/16	1/8 NPT
SSPD 08-03	8mm	R3/8	SSPD 5/16-N02	5/16	1/4 NPT
SSPD 08-04	8mm	R1/2	SSPD 5/16-N03	5/16	3/8 NPT
SSPD 10-01	10mm	R1/8	SSPD 5/16-N04	5/16	1/2 NPT
SSPD 10-02	10mm	R1/4	SSPD 3/8-N01	3/8	1/8 NPT
SSPD 10-03	10mm	R3/8	SSPD 3/8-N02	3/8	1/4 NPT
SSPD 10-04	10mm	R1/2	SSPD 3/8-N03	3/8	3/8 NPT
SSPD 12-01	12mm	R1/8	SSPD 3/8-N04	3/8	1/2 NPT
SSPD 12-02	12mm	R1/4	SSPD 1/2-N01	1/2	1/8 NPT
SSPD 12-03	12mm	R3/8	SSPD 1/2-N02	1/2	1/4 NPT
SSPD 12-04	12mm	R1/2	SSPD 1/2-N03	1/2	3/8 NPT
			SSPD 1/2-N04	1/2	1/2 NPT

 G Thread Male Run Tee - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPD 04-G01	4mm	G1/8	SSPD 1/8-G01	1/8	G1/8
SSPD 04-G02	4mm	G1/4	SSPD 1/8-G02	1/8	G1/4
SSPD 06-G01	6mm	G1/8	SSPD 5/32-G01	5/32	G1/8
SSPD 06-G02	6mm	G1/4	SSPD 5/32-G02	5/32	G1/4
SSPD 06-G03	6mm	G3/8	SSPD 1/4-G01	1/4	G1/8
SSPD 06-G04	6mm	G1/2	SSPD 1/4-G02	1/4	G1/4
SSPD 08-G01	8mm	G1/8	SSPD 1/4-G03	1/4	G3/8
SSPD 08-G02	8mm	G1/4	SSPD 1/4-G04	1/4	G1/2
SSPD 08-G03	8mm	G3/8	SSPD 5/16-G01	5/16	G1/8
SSPD 08-G04	8mm	G1/2	SSPD 5/16-G02	5/16	G1/4
SSPD 10-G01	10mm	G1/8	SSPD 5/16-G03	5/16	G3/8
SSPD 10-G02	10mm	G1/4	SSPD 5/16-G04	5/16	G1/2
SSPD 10-G03	10mm	G3/8	SSPD 3/8-G01	3/8	G1/8
SSPD 10-G04	10mm	G1/2	SSPD 3/8-G02	3/8	G1/4
SSPD 12-G01	12mm	G1/8	SSPD 3/8-G03	3/8	G3/8
SSPD 12-G02	12mm	G1/4	SSPD 3/8-G04	3/8	G1/2
SSPD 12-G03	12mm	G3/8	SSPD 1/2-G01	1/2	G1/8
SSPD 12-G04	12mm	G1/2	SSPD 1/2-G02	1/2	G1/4
			SSPD 1/2-G03	1/2	G3/8
			SSPD 1/2-G04	1/2	G1/2



Union Air Flow Controller - 316
 /304 Stainless Steel Push To
 Connect Fittings

MODEL	Tube Size	MODEL	Tube Size
SSPSF 04	4mm	SSPSF 1/8	1/8
SSPSF 06	6mm	SSPSF 5/32	5/32
SSPSF 08	8mm	SSPSF 1/4	1/4
SSPSF 10	10mm	SSPSF 5/16	5/16
SSPSF 12	12mm	SSPSF 3/8	3/8
		SSPSF 1/2	1/2

316 / 304 Stainless Steel Push-In Fittings 不锈钢快速接头

 Air Flow Controller - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPSE 04-M5	4mm	M5	SSPSE 1/8-U10	1/8	UNF 10-32
SSPSE 04-M6	4mm	M6	SSPSE 1/8-N01	1/8	1/8 NPT
SSPSE 04-01	4mm	R1/8	SSPSE 1/8-N02	1/8	1/4 NPT
SSPSE 04-02	4mm	R1/4	SSPSE 5/32-U10	5/32	UNF 10-32
SSPSE 06-M5	6mm	M5	SSPSE 5/32-N01	5/32	1/8 NPT
SSPSE 06-M6	6mm	M6	SSPSE 5/32-N02	5/32	1/4 NPT
SSPSE 06-01	6mm	R1/8	SSPSE 1/4-U10	1/4	UNF 10-32
SSPSE 06-02	6mm	R1/4	SSPSE 1/4-N01	1/4	1/8 NPT
SSPSE 06-03	6mm	R3/8	SSPSE 1/4-N02	1/4	1/4 NPT
SSPSE 06-04	6mm	R1/2	SSPSE 1/4-N03	1/4	3/8 NPT
SSPSE 08-01	8mm	R1/8	SSPSE 1/4-N04	1/4	1/2 NPT
SSPSE 08-02	8mm	R1/4	SSPSE 5/16-N01	5/16	1/8 NPT
SSPSE 08-03	8mm	R3/8	SSPSE 5/16-N02	5/16	1/4 NPT
SSPSE 08-04	8mm	R1/2	SSPSE 5/16-N03	5/16	3/8 NPT
SSPSE 10-01	10mm	R1/8	SSPSE 5/16-N04	5/16	1/2 NPT
SSPSE 10-02	10mm	R1/4	SSPSE 3/8-N01	3/8	1/8 NPT
SSPSE 10-03	10mm	R3/8	SSPSE 3/8-N02	3/8	1/4 NPT
SSPSE 10-04	10mm	R1/2	SSPSE 3/8-N03	3/8	3/8 NPT
SSPSE 12-01	12mm	R1/8	SSPSE 3/8-N04	3/8	1/2 NPT
SSPSE 12-02	12mm	R1/4	SSPSE 1/2-N01	1/2	1/8 NPT
SSPSE 12-03	12mm	R3/8	SSPSE 1/2-N02	1/2	1/4 NPT
SSPSE 12-04	12mm	R1/2	SSPSE 1/2-N03	1/2	3/8 NPT
			SSPSE 1/2-N04	1/2	1/2 NPT

 G Thread Speed Controller - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPSE 04-G01	4mm	G1/8	SSPSE 1/8-G01	1/8	G1/8
SSPSE 04-G02	4mm	G1/4	SSPSE 1/8-G02	1/8	G1/4
SSPSE 06-G01	6mm	G1/8	SSPSE 5/32-G01	5/32	G1/8
SSPSE 06-G02	6mm	G1/4	SSPSE 5/32-G02	5/32	G1/4
SSPSE 06-G03	6mm	G3/8	SSPSE 1/4-G01	1/4	G1/8
SSPSE 06-G04	6mm	G1/2	SSPSE 1/4-G02	1/4	G1/4
SSPSE 08-G01	8mm	G1/8	SSPSE 1/4-G03	1/4	G3/8
SSPSE 08-G02	8mm	G1/4	SSPSE 1/4-G04	1/4	G1/2
SSPSE 08-G03	8mm	G3/8	SSPSE 5/16-G01	5/16	G1/8
SSPSE 08-G04	8mm	G1/2	SSPSE 5/16-G02	5/16	G1/4
SSPSE 10-G01	10mm	G1/8	SSPSE 5/16-G03	5/16	G3/8
SSPSE 10-G02	10mm	G1/4	SSPSE 5/16-G04	5/16	G1/2
SSPSE 10-G03	10mm	G3/8	SSPSE 3/8-G01	3/8	G1/8
SSPSE 10-G04	10mm	G1/2	SSPSE 3/8-G02	3/8	G1/4
SSPSE 12-G01	12mm	G1/8	SSPSE 3/8-G03	3/8	G3/8
SSPSE 12-G02	12mm	G1/4	SSPSE 3/8-G04	3/8	G1/2
SSPSE 12-G03	12mm	G3/8	SSPSE 1/2-G01	1/2	G1/8
SSPSE 12-G04	12mm	G1/2	SSPSE 1/2-G02	1/2	G1/4
			SSPSE 1/2-G03	1/2	G3/8
			SSPSE 1/2-G04	1/2	G1/2



Union Y - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	MODEL	Tube Size
SSPY 04	4mm	SSPY 1/8	1/8
SSPY 06	6mm	SSPY 5/32	5/32
SSPY 08	8mm	SSPY 1/4	1/4
SSPY 10	10mm	SSPY 5/16	5/16
SSPY 12	12mm	SSPY 3/8	3/8
		SSPY 1/2	1/2



Female Elbow - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPLF 04-M5	4mm	M5	SSPLF 1/8-U10	1/8	UNF 10-32
SSPLF 04-M6	4mm	M6	SSPLF 1/8-N01	1/8	1/8 NPT
SSPLF 04-01	4mm	R1/8	SSPLF 1/8-N02	1/8	1/4 NPT
SSPLF 04-02	4mm	R1/4	SSPLF 5/32-U10	5/32	UNF 10-32
SSPLF 06-M5	6mm	M5	SSPLF 5/32-N01	5/32	1/8 NPT
SSPLF 06-M6	6mm	M6	SSPLF 5/32-N02	5/32	1/4 NPT
SSPLF 06-01	6mm	R1/8	SSPLF 1/4-U10	1/4	UNF 10-32
SSPLF 06-02	6mm	R1/4	SSPLF 1/4-N01	1/4	1/8 NPT
SSPLF 06-03	6mm	R3/8	SSPLF 1/4-N02	1/4	1/4 NPT
SSPLF 06-04	6mm	R1/2	SSPLF 1/4-N03	1/4	3/8 NPT
SSPLF 08-01	8mm	R1/8	SSPLF 1/4-N04	1/4	1/2 NPT
SSPLF 08-02	8mm	R1/4	SSPLF 5/16-N01	5/16	1/8 NPT
SSPLF 08-03	8mm	R3/8	SSPLF 5/16-N02	5/16	1/4 NPT
SSPLF 08-04	8mm	R1/2	SSPLF 5/16-N03	5/16	3/8 NPT
SSPLF 10-01	10mm	R1/8	SSPLF 5/16-N04	5/16	1/2 NPT
SSPLF 10-02	10mm	R1/4	SSPLF 3/8-N01	3/8	1/8 NPT
SSPLF 10-03	10mm	R3/8	SSPLF 3/8-N02	3/8	1/4 NPT
SSPLF 10-04	10mm	R1/2	SSPLF 3/8-N03	3/8	3/8 NPT
SSPLF 12-01	12mm	R1/8	SSPLF 3/8-N04	3/8	1/2 NPT
SSPLF 12-02	12mm	R1/4	SSPLF 1/2-N01	1/2	1/8 NPT
SSPLF 12-03	12mm	R3/8	SSPLF 1/2-N02	1/2	1/4 NPT
SSPLF 12-04	12mm	R1/2	SSPLF 1/2-N03	1/2	3/8 NPT
			SSPLF 1/2-N04	1/2	1/2 NPT

316 / 304 Stainless Steel Push-In Fittings 不锈钢快速接头

 Male Straight - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPMF 04-M5	4mm	M5	SSPMF 1/8-U10	1/8	UNF 10-32
SSPMF 04-M6	4mm	M6	SSPMF 1/8-N01	1/8	1/8 NPT
SSPMF 04-01	4mm	R1/8	SSPMF 1/8-N02	1/8	1/4 NPT
SSPMF 04-02	4mm	R1/4	SSPMF 5/32-U10	5/32	UNF 10-32
SSPMF 06-M5	6mm	M5	SSPMF 5/32-N01	5/32	1/8 NPT
SSPMF 06-M6	6mm	M6	SSPMF 5/32-N02	5/32	1/4 NPT
SSPMF 06-01	6mm	R1/8	SSPMF 1/4-U10	1/4	UNF 10-32
SSPMF 06-02	6mm	R1/4	SSPMF 1/4-N01	1/4	1/8 NPT
SSPMF 06-03	6mm	R3/8	SSPMF 1/4-N02	1/4	1/4 NPT
SSPMF 06-04	6mm	R1/2	SSPMF 1/4-N03	1/4	3/8 NPT
SSPMF 08-01	8mm	R1/8	SSPMF 1/4-N04	1/4	1/2 NPT
SSPMF 08-02	8mm	R1/4	SSPMF 5/16-N01	5/16	1/8 NPT
SSPMF 08-03	8mm	R3/8	SSPMF 5/16-N02	5/16	1/4 NPT
SSPMF 08-04	8mm	R1/2	SSPMF 5/16-N03	5/16	3/8 NPT
SSPMF 10-01	10mm	R1/8	SSPMF 5/16-N04	5/16	1/2 NPT
SSPMF 10-02	10mm	R1/4	SSPMF 3/8-N01	3/8	1/8 NPT
SSPMF 10-03	10mm	R3/8	SSPMF 3/8-N02	3/8	1/4 NPT
SSPMF 10-04	10mm	R1/2	SSPMF 3/8-N03	3/8	3/8 NPT
SSPMF 12-01	12mm	R1/8	SSPMF 3/8-N04	3/8	1/2 NPT
SSPMF 12-02	12mm	R1/4	SSPMF 1/2-N01	1/2	1/8 NPT
SSPMF 12-03	12mm	R3/8	SSPMF 1/2-N02	1/2	1/4 NPT
SSPMF 12-04	12mm	R1/2	SSPMF 1/2-N03	1/2	3/8 NPT
			SSPMF 1/2-N04	1/2	1/2 NPT

 Push In Reducer Straight - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Plug Size	Tube Size	MODEL	Plug Size	Tube Size
SSPGJ 04-04	4mm	4mm	SSPGJ 5/32-5/32	5/32	5/32
SSPGJ 06-04	6mm	4mm	SSPGJ 1/4-5/32	1/4	5/32
SSPGJ 06-06	6mm	6mm	SSPGJ 1/4-1/4	1/4	1/4
SSPGJ 08-04	8mm	4mm	SSPGJ 5/16-5/32	5/16	5/32
SSPGJ 08-06	8mm	6mm	SSPGJ 5/16-1/4	5/16	1/4
SSPGJ 08-08	8mm	8mm	SSPGJ 5/16-5/16	5/16	5/16
SSPGJ 10-06	10mm	6mm	SSPGJ 3/8-1/4	3/8	1/4
SSPGJ 10-08	10mm	8mm	SSPGJ 3/8-5/16	3/8	5/16
SSPGJ 10-10	10mm	10mm	SSPGJ 3/8-3/8	3/8	3/8
SSPGJ 12-06	12mm	6mm	SSPGJ 1/2-1/4	1/2	1/4
SSPGJ 12-08	12mm	8mm	SSPGJ 1/2-5/16	1/2	5/16
SSPGJ 12-10	12mm	10mm	SSPGJ 1/2-3/8	1/2	3/8
SSPGJ 12-12	12mm	12mm	SSPGJ 1/2-1/2	1/2	1/2

 Push In Reducer Elbow - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Plug Size	Tube Size	MODEL	Plug Size	Tube Size
SSPLJ 04-04	4mm	4mm	SSPLJ 5/32-5/32	5/32	5/32
SSPLJ 06-04	6mm	4mm	SSPLJ 1/4-5/32	1/4	5/32
SSPLJ 06-06	6mm	6mm	SSPLJ 1/4-1/4	1/4	1/4
SSPLJ 08-04	8mm	4mm	SSPLJ 5/16-5/32	5/16	5/32
SSPLJ 08-06	8mm	6mm	SSPLJ 5/16-1/4	5/16	1/4
SSPLJ 08-08	8mm	8mm	SSPLJ 5/16-5/16	5/16	5/16
SSPLJ 10-06	10mm	6mm	SSPLJ 3/8-1/4	3/8	1/4
SSPLJ 10-08	10mm	8mm	SSPLJ 3/8-5/16	3/8	5/16
SSPLJ 10-10	10mm	10mm	SSPLJ 3/8-3/8	3/8	3/8
SSPLJ 12-06	12mm	6mm	SSPLJ 1/2-1/4	1/2	1/4
SSPLJ 12-08	12mm	8mm	SSPLJ 1/2-5/16	1/2	5/16
SSPLJ 12-10	12mm	10mm	SSPLJ 1/2-3/8	1/2	3/8
SSPLJ 12-12	12mm	12mm	SSPLJ 1/2-1/2	1/2	1/2

 Female Straight - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPCF 04-M5	4mm	M5	SSPCF 1/8-U10	1/8	UNF 10-32
SSPCF 04-M6	4mm	M6	SSPCF 1/8-N01	1/8	1/8 NPT
SSPCF 04-01	4mm	R1/8	SSPCF 1/8-N02	1/8	1/4 NPT
SSPCF 04-02	4mm	R1/4	SSPCF 5/32-U10	5/32	UNF 10-32
SSPCF 06-M5	6mm	M5	SSPCF 5/32-N01	5/32	1/8 NPT
SSPCF 06-M6	6mm	M6	SSPCF 5/32-N02	5/32	1/4 NPT
SSPCF 06-01	6mm	R1/8	SSPCF 1/4-U10	1/4	UNF 10-32
SSPCF 06-02	6mm	R1/4	SSPCF 1/4-N01	1/4	1/8 NPT
SSPCF 06-03	6mm	R3/8	SSPCF 1/4-N02	1/4	1/4 NPT
SSPCF 06-04	6mm	R1/2	SSPCF 1/4-N03	1/4	3/8 NPT
SSPCF 08-01	8mm	R1/8	SSPCF 1/4-N04	1/4	1/2 NPT
SSPCF 08-02	8mm	R1/4	SSPCF 5/16-N01	5/16	1/8 NPT
SSPCF 08-03	8mm	R3/8	SSPCF 5/16-N02	5/16	1/4 NPT
SSPCF 08-04	8mm	R1/2	SSPCF 5/16-N03	5/16	3/8 NPT
SSPCF 10-01	10mm	R1/8	SSPCF 5/16-N04	5/16	1/2 NPT
SSPCF 10-02	10mm	R1/4	SSPCF 3/8-N01	3/8	1/8 NPT
SSPCF 10-03	10mm	R3/8	SSPCF 3/8-N02	3/8	1/4 NPT
SSPCF 10-04	10mm	R1/2	SSPCF 3/8-N03	3/8	3/8 NPT
SSPCF 12-01	12mm	R1/8	SSPCF 3/8-N04	3/8	1/2 NPT
SSPCF 12-02	12mm	R1/4	SSPCF 1/2-N01	1/2	1/8 NPT
SSPCF 12-03	12mm	R3/8	SSPCF 1/2-N02	1/2	1/4 NPT
SSPCF 12-04	12mm	R1/2	SSPCF 1/2-N03	1/2	3/8 NPT
			SSPCF 1/2-N04	1/2	1/2 NPT

 Male Banjo Elbow - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPH 04-M5	4mm	M5	SSPH 1/8-U10	1/8	UNF 10-32
SSPH 04-M6	4mm	M6	SSPH 1/8-N01	1/8	1/8 NPT
SSPH 04-01	4mm	R1/8	SSPH 1/8-N02	1/8	1/4 NPT
SSPH 04-02	4mm	R1/4	SSPH 5/32-U10	5/32	UNF 10-32
SSPH 06-M5	6mm	M5	SSPH 5/32-N01	5/32	1/8 NPT
SSPH 06-M6	6mm	M6	SSPH 5/32-N02	5/32	1/4 NPT
SSPH 06-01	6mm	R1/8	SSPH 1/4-U10	1/4	UNF 10-32
SSPH 06-02	6mm	R1/4	SSPH 1/4-N01	1/4	1/8 NPT
SSPH 06-03	6mm	R3/8	SSPH 1/4-N02	1/4	1/4 NPT
SSPH 06-04	6mm	R1/2	SSPH 1/4-N03	1/4	3/8 NPT
SSPH 08-01	8mm	R1/8	SSPH 1/4-N04	1/4	1/2 NPT
SSPH 08-02	8mm	R1/4	SSPH 5/16-N01	5/16	1/8 NPT
SSPH 08-03	8mm	R3/8	SSPH 5/16-N02	5/16	1/4 NPT
SSPH 08-04	8mm	R1/2	SSPH 5/16-N03	5/16	3/8 NPT
SSPH 10-01	10mm	R1/8	SSPH 5/16-N04	5/16	1/2 NPT
SSPH 10-02	10mm	R1/4	SSPH 3/8-N01	3/8	1/8 NPT
SSPH 10-03	10mm	R3/8	SSPH 3/8-N02	3/8	1/4 NPT
SSPH 10-04	10mm	R1/2	SSPH 3/8-N03	3/8	3/8 NPT
SSPH 12-01	12mm	R1/8	SSPH 3/8-N04	3/8	1/2 NPT
SSPH 12-02	12mm	R1/4	SSPH 1/2-N01	1/2	1/8 NPT
SSPH 12-03	12mm	R3/8	SSPH 1/2-N02	1/2	1/4 NPT
SSPH 12-04	12mm	R1/2	SSPH 1/2-N03	1/2	3/8 NPT
			SSPH 1/2-N04	1/2	1/2 NPT

 Five Way Union - 316 /304 Stainless Steel Push To Connect Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSPK 04	4mm	SSPK 1/8	1/8
SSPK 06	6mm	SSPK 5/32	5/32
SSPK 08	8mm	SSPK 1/4	1/4
SSPK 10	10mm	SSPK 5/16	5/16
SSPK 12	12mm	SSPK 3/8	3/8
		SSPK 1/2	1/2

316 / 304 Stainless Steel Push-In Fittings 不锈钢快速接头

 Round Male Straight - 316 /304 Stainless Steel Push To Connect Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPOC 04-M5	4mm	M5	SSPOC 1/8-U10	1/8	UNF 10-32
SSPOC 04-M6	4mm	M6	SSPOC 1/8-N01	1/8	1/8 NPT
SSPOC 04-01	4mm	R1/8	SSPOC 1/8-N02	1/8	1/4 NPT
SSPOC 04-02	4mm	R1/4	SSPOC 5/32-U10	5/32	UNF 10-32
SSPOC 06-M5	6mm	M5	SSPOC 5/32-N01	5/32	1/8 NPT
SSPOC 06-M6	6mm	M6	SSPOC 5/32-N02	5/32	1/4 NPT
SSPOC 06-01	6mm	R1/8	SSPOC 1/4-U10	1/4	UNF 10-32
SSPOC 06-02	6mm	R1/4	SSPOC 1/4-N01	1/4	1/8 NPT
SSPOC 06-03	6mm	R3/8	SSPOC 1/4-N02	1/4	1/4 NPT
SSPOC 06-04	6mm	R1/2	SSPOC 1/4-N03	1/4	3/8 NPT
SSPOC 08-01	8mm	R1/8	SSPOC 1/4-N04	1/4	1/2 NPT
SSPOC 08-02	8mm	R1/4	SSPOC 5/16-N01	5/16	1/8 NPT
SSPOC 08-03	8mm	R3/8	SSPOC 5/16-N02	5/16	1/4 NPT
SSPOC 08-04	8mm	R1/2	SSPOC 5/16-N03	5/16	3/8 NPT
SSPOC 10-01	10mm	R1/8	SSPOC 5/16-N04	5/16	1/2 NPT
SSPOC 10-02	10mm	R1/4	SSPOC 3/8-N01	3/8	1/8 NPT
SSPOC 10-03	10mm	R3/8	SSPOC 3/8-N02	3/8	1/4 NPT
SSPOC 10-04	10mm	R1/2	SSPOC 3/8-N03	3/8	3/8 NPT
SSPOC 12-01	12mm	R1/8	SSPOC 3/8-N04	3/8	1/2 NPT
SSPOC 12-02	12mm	R1/4	SSPOC 1/2-N01	1/2	1/8 NPT
SSPOC 12-03	12mm	R3/8	SSPOC 1/2-N02	1/2	1/4 NPT
SSPOC 12-04	12mm	R1/2	SSPOC 1/2-N03	1/2	3/8 NPT
			SSPOC 1/2-N04	1/2	1/2 NPT

 Union Cross - 316 /304 Stainless Steel Push To Connect Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSPZA 04	4mm	SSPZA 1/8	1/8
SSPZA 06	6mm	SSPZA 5/32	5/32
SSPZA 08	8mm	SSPZA 1/4	1/4
SSPZA 10	10mm	SSPZA 5/16	5/16
SSPZA 12	12mm	SSPZA 3/8	3/8
		SSPZA 1/2	1/2

			
MODEL	Tube Size	MODEL	Tube Size
SSPP 04	4mm	SSPP 1/8	1/8
SSPP 06	6mm	SSPP 5/32	5/32
SSPP 08	8mm	SSPP 1/4	1/4
SSPP 10	10mm	SSPP 5/16	5/16
SSPP 12	12mm	SSPP 3/8	3/8
		SSPP 1/2	1/2

 Bulkhead Straight - 316 /304 Stainless Steel Push To Connect Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSPM 04	4mm	SSPM 1/8	1/8
SSPM 06	6mm	SSPM 5/32	5/32
SSPM 08	8mm	SSPM 1/4	1/4
SSPM 10	10mm	SSPM 5/16	5/16
SSPM 12	12mm	SSPM 3/8	3/8
		SSPM 1/2	1/2



G Thread Round Male Straight - 316 /304 Stainless Steel Push To Connect Fittings

MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSPOC 04-G01	4mm	G1/8	SSPOC 1/8-G01	1/8	G1/8
SSPOC 04-G02	4mm	G1/4	SSPOC 1/8-G02	1/8	G1/4
SSPOC 06-G01	6mm	G1/8	SSPOC 5/32-G01	5/32	G1/8
SSPOC 06-G02	6mm	G1/4	SSPOC 5/32-G02	5/32	G1/4
SSPOC 06-G03	6mm	G3/8	SSPOC 1/4-G01	1/4	G1/8
SSPOC 06-G04	6mm	G1/2	SSPOC 1/4-G02	1/4	G1/4
SSPOC 08-G01	8mm	G1/8	SSPOC 1/4-G03	1/4	G3/8
SSPOC 08-G02	8mm	G1/4	SSPOC 1/4-G04	1/4	G1/2
SSPOC 08-G03	8mm	G3/8	SSPOC 5/16-G01	5/16	G1/8
SSPOC 08-G04	8mm	G1/2	SSPOC 5/16-G02	5/16	G1/4
SSPOC 10-G01	10mm	G1/8	SSPOC 5/16-G03	5/16	G3/8
SSPOC 10-G02	10mm	G1/4	SSPOC 5/16-G04	5/16	G1/2
SSPOC 10-G03	10mm	G3/8	SSPOC 3/8-G01	3/8	G1/8
SSPOC 10-G04	10mm	G1/2	SSPOC 3/8-G02	3/8	G1/4
SSPOC 12-G01	12mm	G1/8	SSPOC 3/8-G03	3/8	G3/8
SSPOC 12-G02	12mm	G1/4	SSPOC 3/8-G04	3/8	G1/2
SSPOC 12-G03	12mm	G3/8	SSPOC 1/2-G01	1/2	G1/8
SSPOC 12-G04	12mm	G1/2	SSPOC 1/2-G02	1/2	G1/4
			SSPOC 1/2-G03	1/2	G3/8
			SSPOC 1/2-G04	1/2	G1/2

Stainless Steel Compression Fittings
 不锈钢卡套接头

Features: 性能

Stainless steel compression fittings line. Suitable for all those applications where brass nickel-plated and metal fittings are banned, the new AISI 316L fitting is conceived to withstand corrosive environments (substances), to channel aggressive fluids and to be used in the food and chemical industries. The materials ensure Anti-Corrosion highly, all of them are made from SUS316L except the seal ring, FKM is used as the seal ring, which can ensure Anti-Corrosion and acid resistant, also can be used in high temperature.

Specification : 详述

Recommended Tubings: Copper and alluminium tubes. Nylon, PTFE etc.

Working Pressure Range: 0 - 6.0 Mpa

Temperature Range: -40℃~140℃

Applications: Pneumatics, Food Industry, Chemical, Medical and Pharmaceutical Industry

Material: 316 or 304 stainless steel

Two Ferrule Stainless Steel Compression Fittings
 两片式高压不锈钢卡套接头

two ferrule compression fittings, Tube Fittings are designed for leak-free connections in process instrumentation and industrial applications. Available in a wide range of materials, they are compliant to NORSOK M-650 and EC79 certified.



 Male Connector - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPC 04-01	4mm	R1/8	SSQPC 5/32-1/8NPT	5/32	1/8 NPT
SSQPC 04-02	4mm	R1/4	SSQPC 5/32-1/4NPT	5/32	1/4 NPT
SSQPC 06-01	6mm	R1/8	SSQPC 1/4-1/16NPT	1/4	1/16 NPT
SSQPC 06-02	6mm	R1/4	SSQPC 1/4-1/8NPT	1/4	1/8 NPT
SSQPC 06-03	6mm	R3/8	SSQPC 1/4-1/4NPT	1/4	1/4 NPT
SSQPC 08-01	8mm	R1/8	SSQPC 1/4-3/8NPT	1/4	3/8 NPT
SSQPC 08-02	8mm	R1/4	SSQPC 5/16-1/8NPT	5/16	1/8 NPT
SSQPC 08-03	8mm	R3/8	SSQPC 5/16-1/4NPT	5/16	1/4 NPT
SSQPC 08-04	8mm	R1/2	SSQPC 5/16-3/8NPT	5/16	3/8 NPT
SSQPC 10-02	10mm	R1/4	SSQPC 5/16-1/2NPT	5/16	1/2 NPT
SSQPC 10-03	10mm	R3/8	SSQPC 3/8-1/8NPT	3/8	1/8 NPT
SSQPC 10-04	10mm	R1/2	SSQPC 3/8-1/4NPT	3/8	1/4 NPT
SSQPC 12-02	12mm	R1/4	SSQPC 3/8-3/8NPT	3/8	3/8 NPT
SSQPC 12-03	12mm	R3/8	SSQPC 3/8-1/2NPT	3/8	1/2 NPT
SSQPC 12-04	12mm	R1/2	SSQPC 1/2-1/4NPT	1/2	1/4 NPT
			SSQPC 1/2-3/8NPT	1/2	3/8 NPT
			SSQPC 1/2-1/2NPT	1/2	1/2 NPT
			SSQPC 1/2-3/4NPT	1/2	3/4 NPT
			SSQPC 5/8-3/8NPT	5/8	3/8 NPT
			SSQPC 5/8-1/2NPT	5/8	1/2 NPT
			SSQPC 5/8-3/4NPT	5/8	3/4 NPT
			SSQPC 3/4-1/2NPT	3/4	1/2 NPT
			SSQPC 3/4-3/4NPT	3/4	3/4 NPT

 Female Connector - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPCF 04-01	4mm	R1/8	SSQPCF 5/32-1/8NPT	5/32	1/8 NPT
SSQPCF 04-02	4mm	R1/4	SSQPCF 5/32-1/4NPT	5/32	1/4 NPT
SSQPCF 06-01	6mm	R1/8	SSQPCF 1/4-1/16NPT	1/4	1/16 NPT
SSQPCF 06-02	6mm	R1/4	SSQPCF 1/4-1/8NPT	1/4	1/8 NPT
SSQPCF 06-03	6mm	R3/8	SSQPCF 1/4-1/4NPT	1/4	1/4 NPT
SSQPCF 08-01	8mm	R1/8	SSQPCF 1/4-3/8NPT	1/4	3/8 NPT
SSQPCF 08-02	8mm	R1/4	SSQPCF 5/16-1/8NPT	5/16	1/8 NPT
SSQPCF 08-03	8mm	R3/8	SSQPCF 5/16-1/4NPT	5/16	1/4 NPT
SSQPCF 08-04	8mm	R1/2	SSQPCF 5/16-3/8NPT	5/16	3/8 NPT
SSQPCF 10-02	10mm	R1/4	SSQPCF 5/16-1/2NPT	5/16	1/2 NPT
SSQPCF 10-03	10mm	R3/8	SSQPCF 3/8-1/8NPT	3/8	1/8 NPT
SSQPCF 10-04	10mm	R1/2	SSQPCF 3/8-1/4NPT	3/8	1/4 NPT
SSQPCF 12-02	12mm	R1/4	SSQPCF 3/8-3/8NPT	3/8	3/8 NPT
SSQPCF 12-03	12mm	R3/8	SSQPCF 3/8-1/2NPT	3/8	1/2 NPT
SSQPCF 12-04	12mm	R1/2	SSQPCF 1/2-1/4NPT	1/2	1/4 NPT
			SSQPCF 1/2-3/8NPT	1/2	3/8 NPT
			SSQPCF 1/2-1/2NPT	1/2	1/2 NPT
			SSQPCF 1/2-3/4NPT	1/2	3/4 NPT
			SSQPCF 5/8-3/8NPT	5/8	3/8 NPT
			SSQPCF 5/8-1/2NPT	5/8	1/2 NPT
			SSQPCF 5/8-3/4NPT	5/8	3/4 NPT
			SSQPCF 3/4-1/2NPT	3/4	1/2 NPT
			SSQPCF 3/4-3/4NPT	3/4	3/4 NPT

 Male Elbow - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	
SSQPL 04-01	4mm	R1/8	SSQPL 5/32-1/8NPT	5/32	1/8 NPT
SSQPL 04-02	4mm	R1/4	SSQPL 5/32-1/4NPT	5/32	1/4 NPT
SSQPL 06-01	6mm	R1/8	SSQPL 1/4-1/16NPT	1/4	1/16 NPT
SSQPL 06-02	6mm	R1/4	SSQPL 1/4-1/8NPT	1/4	1/8 NPT
SSQPL 06-03	6mm	R3/8	SSQPL 1/4-1/4NPT	1/4	1/4 NPT
SSQPL 08-01	8mm	R1/8	SSQPL 1/4-3/8NPT	1/4	3/8 NPT
SSQPL 08-02	8mm	R1/4	SSQPL 5/16-1/8NPT	5/16	1/8 NPT
SSQPL 08-03	8mm	R3/8	SSQPL 5/16-1/4NPT	5/16	1/4 NPT
SSQPL 08-04	8mm	R1/2	SSQPL 5/16-3/8NPT	5/16	3/8 NPT
SSQPL 10-02	10mm	R1/4	SSQPL 5/16-1/2NPT	5/16	1/2 NPT
SSQPL 10-03	10mm	R3/8	SSQPL 3/8-1/8NPT	3/8	1/8 NPT
SSQPL 10-04	10mm	R1/2	SSQPL 3/8-1/4NPT	3/8	1/4 NPT
SSQPL 12-02	12mm	R1/4	SSQPL 3/8-3/8NPT	3/8	3/8 NPT
SSQPL 12-03	12mm	R3/8	SSQPL 3/8-1/2NPT	3/8	1/2 NPT
SSQPL 12-04	12mm	R1/2	SSQPL 1/2-1/4NPT	1/2	1/4 NPT
			SSQPL 1/2-3/8NPT	1/2	3/8 NPT
			SSQPL 1/2-1/2NPT	1/2	1/2 NPT
			SSQPL 1/2-3/4NPT	1/2	3/4 NPT
			SSQPL 5/8-3/8NPT	5/8	3/8 NPT
			SSQPL 5/8-1/2NPT	5/8	1/2 NPT
			SSQPL 5/8-3/4NPT	5/8	3/4 NPT
			SSQPL 3/4-1/2NPT	3/4	1/2 NPT
			SSQPL 3/4-3/4NPT	3/4	3/4 NPT

 Female Elbow - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPLF 04-01	4mm	R1/8	SSQPLF 5/32-1/8NPT	5/32	1/8 NPT
SSQPLF 04-02	4mm	R1/4	SSQPLF 5/32-1/4NPT	5/32	1/4 NPT
SSQPLF 06-01	6mm	R1/8	SSQPLF 1/4-1/16NPT	1/4	1/16 NPT
SSQPLF 06-02	6mm	R1/4	SSQPLF 1/4-1/8NPT	1/4	1/8 NPT
SSQPLF 06-03	6mm	R3/8	SSQPLF 1/4-1/4NPT	1/4	1/4 NPT
SSQPLF 08-01	8mm	R1/8	SSQPLF 1/4-3/8NPT	1/4	3/8 NPT
SSQPLF 08-02	8mm	R1/4	SSQPLF 5/16-1/8NPT	5/16	1/8 NPT
SSQPLF 08-03	8mm	R3/8	SSQPLF 5/16-1/4NPT	5/16	1/4 NPT
SSQPLF 08-04	8mm	R1/2	SSQPLF 5/16-3/8NPT	5/16	3/8 NPT
SSQPLF 10-02	10mm	R1/4	SSQPLF 5/16-1/2NPT	5/16	1/2 NPT
SSQPLF 10-03	10mm	R3/8	SSQPLF 3/8-1/8NPT	3/8	1/8 NPT
SSQPLF 10-04	10mm	R1/2	SSQPLF 3/8-1/4NPT	3/8	1/4 NPT
SSQPLF 12-02	12mm	R1/4	SSQPLF 3/8-3/8NPT	3/8	3/8 NPT
SSQPLF 12-03	12mm	R3/8	SSQPLF 3/8-1/2NPT	3/8	1/2 NPT
SSQPLF 12-04	12mm	R1/2	SSQPLF 1/2-1/4NPT	1/2	1/4 NPT
			SSQPLF 1/2-3/8NPT	1/2	3/8 NPT
			SSQPLF 1/2-1/2NPT	1/2	1/2 NPT
			SSQPLF 1/2-3/4NPT	1/2	3/4 NPT
			SSQPLF 5/8-3/8NPT	5/8	3/8 NPT
			SSQPLF 5/8-1/2NPT	5/8	1/2 NPT
			SSQPLF 5/8-3/4NPT	5/8	3/4 NPT
			SSQPLF 3/4-1/2NPT	3/4	1/2 NPT
			SSQPLF 3/4-3/4NPT	3/4	3/4 NPT

 Male Branch Tee - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPB 04-01	4mm	R1/8	SSQPB 5/32-1/8NPT	5/32	1/8 NPT
SSQPB 04-02	4mm	R1/4	SSQPB 5/32-1/4NPT	5/32	1/4 NPT
SSQPB 06-01	6mm	R1/8	SSQPB 1/4-1/16NPT	1/4	1/16 NPT
SSQPB 06-02	6mm	R1/4	SSQPB 1/4-1/8NPT	1/4	1/8 NPT
SSQPB 06-03	6mm	R3/8	SSQPB 1/4-1/4NPT	1/4	1/4 NPT
SSQPB 08-01	8mm	R1/8	SSQPB 1/4-3/8NPT	1/4	3/8 NPT
SSQPB 08-02	8mm	R1/4	SSQPB 5/16-1/8NPT	5/16	1/8 NPT
SSQPB 08-03	8mm	R3/8	SSQPB 5/16-1/4NPT	5/16	1/4 NPT
SSQPB 08-04	8mm	R1/2	SSQPB 5/16-3/8NPT	5/16	3/8 NPT
SSQPB 10-02	10mm	R1/4	SSQPB 5/16-1/2NPT	5/16	1/2 NPT
SSQPB 10-03	10mm	R3/8	SSQPB 3/8-1/8NPT	3/8	1/8 NPT
SSQPB 10-04	10mm	R1/2	SSQPB 3/8-1/4NPT	3/8	1/4 NPT
SSQPB 12-02	12mm	R1/4	SSQPB 3/8-3/8NPT	3/8	3/8 NPT
SSQPB 12-03	12mm	R3/8	SSQPB 3/8-1/2NPT	3/8	1/2 NPT
SSQPB 12-04	12mm	R1/2	SSQPB 1/2-1/4NPT	1/2	1/4 NPT
			SSQPB 1/2-3/8NPT	1/2	3/8 NPT
			SSQPB 1/2-1/2NPT	1/2	1/2 NPT
			SSQPB 1/2-3/4NPT	1/2	3/4 NPT
			SSQPB 5/8-3/8NPT	5/8	3/8 NPT
			SSQPB 5/8-1/2NPT	5/8	1/2 NPT
			SSQPB 5/8-3/4NPT	5/8	3/4 NPT
			SSQPB 3/4-1/2NPT	3/4	1/2 NPT
			SSQPB 3/4-3/4NPT	3/4	3/4 NPT

 Female Branch Tee - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPB 04-01	4mm	R1/8	SSQBF 5/32-1/8NPT	5/32	1/8 NPT
SSQPB 04-02	4mm	R1/4	SSQBF 5/32-1/4NPT	5/32	1/4 NPT
SSQPB 06-01	6mm	R1/8	SSQBF 1/4-1/16NPT	1/4	1/16 NPT
SSQPB 06-02	6mm	R1/4	SSQBF 1/4-1/8NPT	1/4	1/8 NPT
SSQPB 06-03	6mm	R3/8	SSQBF 1/4-1/4NPT	1/4	1/4 NPT
SSQPB 08-01	8mm	R1/8	SSQBF 1/4-3/8NPT	1/4	3/8 NPT
SSQPB 08-02	8mm	R1/4	SSQBF 5/16-1/8NPT	5/16	1/8 NPT
SSQPB 08-03	8mm	R3/8	SSQBF 5/16-1/4NPT	5/16	1/4 NPT
SSQPB 08-04	8mm	R1/2	SSQBF 5/16-3/8NPT	5/16	3/8 NPT
SSQPB 10-02	10mm	R1/4	SSQBF 5/16-1/2NPT	5/16	1/2 NPT
SSQPB 10-03	10mm	R3/8	SSQBF 3/8-1/8NPT	3/8	1/8 NPT
SSQPB 10-04	10mm	R1/2	SSQBF 3/8-1/4NPT	3/8	1/4 NPT
SSQPB 12-02	12mm	R1/4	SSQBF 3/8-3/8NPT	3/8	3/8 NPT
SSQPB 12-03	12mm	R3/8	SSQBF 3/8-1/2NPT	3/8	1/2 NPT
SSQPB 12-04	12mm	R1/2	SSQBF 1/2-1/4NPT	1/2	1/4 NPT
			SSQBF 1/2-3/8NPT	1/2	3/8 NPT
			SSQBF 1/2-1/2NPT	1/2	1/2 NPT
			SSQBF 1/2-3/4NPT	1/2	3/4 NPT
			SSQBF 5/8-3/8NPT	5/8	3/8 NPT
			SSQBF 5/8-1/2NPT	5/8	1/2 NPT
			SSQBF 5/8-3/4NPT	5/8	3/4 NPT
			SSQBF 3/4-1/2NPT	3/4	1/2 NPT
			SSQBF 3/4-3/4NPT	3/4	3/4 NPT

 Nut - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPN 04	4mm	SSQPN 1/8	1/8
SSQPN 06	6mm	SSQPN 3/16	3/16
SSQPN 08	8mm	SSQPN 1/4	1/4
SSQPN 10	10mm	SSQPN 5/16	5/16
SSQPN 12	12mm	SSQPN 3/8	3/8
		SSQPN 1/2	1/2
		SSQPN 5/8	5/8
		SSQPN 3/4	3/4

 Tee - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPE 04	4mm	SSQPE 1/8	1/8
SSQPE 06	6mm	SSQPE 3/16	3/16
SSQPE 08	8mm	SSQPE 1/4	1/4
SSQPE 10	10mm	SSQPE 5/16	5/16
SSQPE 12	12mm	SSQPE 3/8	3/8
		SSQPE 1/2	1/2
		SSQPE 5/8	5/8
		SSQPE 3/4	3/4

 Male Run Tee - Stainless Steel Compression Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSQPD 04-01	4mm	R1/8	SSQPD 5/32-1/8NPT	5/32	1/8 NPT
SSQPD 04-02	4mm	R1/4	SSQPD 5/32-1/4NPT	5/32	1/4 NPT
SSQPD 06-01	6mm	R1/8	SSQPD 1/4-1/16NPT	1/4	1/16 NPT
SSQPD 06-02	6mm	R1/4	SSQPD 1/4-1/8NPT	1/4	1/8 NPT
SSQPD 06-03	6mm	R3/8	SSQPD 1/4-1/4NPT	1/4	1/4 NPT
SSQPD 08-01	8mm	R1/8	SSQPD 1/4-3/8NPT	1/4	3/8 NPT
SSQPD 08-02	8mm	R1/4	SSQPD 5/16-1/8NPT	5/16	1/8 NPT
SSQPD 08-03	8mm	R3/8	SSQPD 5/16-1/4NPT	5/16	1/4 NPT
SSQPD 08-04	8mm	R1/2	SSQPD 5/16-3/8NPT	5/16	3/8 NPT
SSQPD 10-02	10mm	R1/4	SSQPD 5/16-1/2NPT	5/16	1/2 NPT
SSQPD 10-03	10mm	R3/8	SSQPD 3/8-1/8NPT	3/8	1/8 NPT
SSQPD 10-04	10mm	R1/2	SSQPD 3/8-1/4NPT	3/8	1/4 NPT
SSQPD 12-02	12mm	R1/4	SSQPD 3/8-3/8NPT	3/8	3/8 NPT
SSQPD 12-03	12mm	R3/8	SSQPD 3/8-1/2NPT	3/8	1/2 NPT
SSQPD 12-04	12mm	R1/2	SSQPD 1/2-1/4NPT	1/2	1/4 NPT
			SSQPD 1/2-3/8NPT	1/2	3/8 NPT
			SSQPD 1/2-1/2NPT	1/2	1/2 NPT
			SSQPD 1/2-3/4NPT	1/2	3/4 NPT
			SSQPD 5/8-3/8NPT	5/8	3/8 NPT
			SSQPD 5/8-1/2NPT	5/8	1/2 NPT
			SSQPD 5/8-3/4NPT	5/8	3/4 NPT
			SSQPD 3/4-1/2NPT	3/4	1/2 NPT
			SSQPD 3/4-3/4NPT	3/4	3/4 NPT

 Union - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPU 04	4mm	SSQPU 1/8	1/8
SSQPU 06	6mm	SSQPU 3/16	3/16
SSQPU 08	8mm	SSQPU 1/4	1/4
SSQPU 10	10mm	SSQPU 5/16	5/16
SSQPU 12	12mm	SSQPU 3/8	3/8
		SSQPU 1/2	1/2
		SSQPU 5/8	5/8
		SSQPU 3/4	3/4

 Elbow - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPV 04	4mm	SSQPV 1/8	1/8
SSQPV 06	6mm	SSQPV 3/16	3/16
SSQPV 08	8mm	SSQPV 1/4	1/4
SSQPV 10	10mm	SSQPV 5/16	5/16
SSQPV 12	12mm	SSQPV 3/8	3/8
		SSQPV 1/2	1/2
		SSQPV 5/8	5/8
		SSQPV 3/4	3/4

 Bulkhead - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPM 04	4mm	SSQPM 1/8	1/8
SSQPM 06	6mm	SSQPM 3/16	3/16
SSQPM 08	8mm	SSQPM 1/4	1/4
SSQPM 10	10mm	SSQPM 5/16	5/16
SSQPM 12	12mm	SSQPM 3/8	3/8
		SSQPM 1/2	1/2
		SSQPM 5/8	5/8
		SSQPM 3/4	3/4

 Cross - Stainless Steel Compression Fittings			
MODEL	Tube Size	MODEL	Tube Size
SSQPZA 04	4mm	SSQPZA 1/8	1/8
SSQPZA 06	6mm	SSQPZA 3/16	3/16
SSQPZA 08	8mm	SSQPZA 1/4	1/4
SSQPZA 10	10mm	SSQPZA 5/16	5/16
SSQPZA 12	12mm	SSQPZA 3/8	3/8
		SSQPZA 1/2	1/2
		SSQPZA 5/8	5/8
		SSQPZA 3/4	3/4

Stainless Steel Rapid Screw Fittings 不锈钢快拧接头

Features: 性能

- 1.Rapid Fittings can be used with rigid nylon tubing
- 2.316 Stainless Steel ensures anti-corrosion and anti-contamination
- 3.Thread: BSPT, NPT, BSPP, Metric threads
- 4.A locking nut is provided and can be tightened both manually and with a spanner.
- 5.The special shape of the guiding cone ensures that the tube can not be accidentally cut.

Product Description: 产品描述

1. Ideally use in vacuum systems & confined spaces where tight bend radii are required5. The special shape of the guiding cone avoid that the tube rupture accidentally.
2. Recommend Plastic Tube: PA polyethylene braided PVC rilsan polyurethane, also be used with rigid PA tubes.6. Corrosion resistant thanks to SUS.
3. For simple and quick connection of pneumatic circuits even without the use of a spanner.7. Tubing locking nuts included.
4. Unique barb shape ensures good grip on tube even if just tightened by hand.

Specification: 特性

1. Material: 316 Stainless steel or 304 SUS
2. Media: Compressed air low pressure fluids
3. Thread: BSPP & BSPP as standard, other styles available on request.
4. Operating pressure: Vacuum -15 bar (mainly depending on tube's endurance)
5. Temperature: -4°F (-20°C) to +302°F (150°C).



 Male Connector - Stainless Steel Rapid Screw Fittings						 Female Connector - Stainless Steel Rapid Screw Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSRPC 04-01	4mm	R1/8	SSRPC 5/32-1/8NPT	5/32	1/8 NPT	SSRPCF 04-01	4mm	R1/8	SSRPCF 5/32-1/8NPT	5/32	1/8 NPT
SSRPC 04-02	4mm	R1/4	SSRPC 5/32-1/4NPT	5/32	1/4 NPT	SSRPCF 04-02	4mm	R1/4	SSRPCF 5/32-1/4NPT	5/32	1/4 NPT
SSRPC 06-01	6mm	R1/8	SSRPC 1/4-1/16NPT	1/4	1/16 NPT	SSRPCF 06-01	6mm	R1/8	SSRPCF 1/4-1/16NPT	1/4	1/16 NPT
SSRPC 06-02	6mm	R1/4	SSRPC 1/4-1/8NPT	1/4	1/8 NPT	SSRPCF 06-02	6mm	R1/4	SSRPCF 1/4-1/8NPT	1/4	1/8 NPT
SSRPC 06-03	6mm	R3/8	SSRPC 1/4-1/4NPT	1/4	1/4 NPT	SSRPCF 06-03	6mm	R3/8	SSRPCF 1/4-1/4NPT	1/4	1/4 NPT
SSRPC 08-01	8mm	R1/8	SSRPC 1/4-3/8NPT	1/4	3/8 NPT	SSRPCF 08-01	8mm	R1/8	SSRPCF 1/4-3/8NPT	1/4	3/8 NPT
SSRPC 08-02	8mm	R1/4	SSRPC 5/16-1/8NPT	5/16	1/8 NPT	SSRPCF 08-02	8mm	R1/4	SSRPCF 5/16-1/8NPT	5/16	1/8 NPT
SSRPC 08-03	8mm	R3/8	SSRPC 5/16-1/4NPT	5/16	1/4 NPT	SSRPCF 08-03	8mm	R3/8	SSRPCF 5/16-1/4NPT	5/16	1/4 NPT
SSRPC 08-04	8mm	R1/2	SSRPC 5/16-3/8NPT	5/16	3/8 NPT	SSRPCF 08-04	8mm	R1/2	SSRPCF 5/16-3/8NPT	5/16	3/8 NPT
SSRPC 10-02	10mm	R1/4	SSRPC 5/16-1/2NPT	5/16	1/2 NPT	SSRPCF 10-02	10mm	R1/4	SSRPCF 5/16-1/2NPT	5/16	1/2 NPT
SSRPC 10-03	10mm	R3/8	SSRPC 3/8-1/8NPT	3/8	1/8 NPT	SSRPCF 10-03	10mm	R3/8	SSRPCF 3/8-1/8NPT	3/8	1/8 NPT
SSRPC 10-04	10mm	R1/2	SSRPC 3/8-1/4NPT	3/8	1/4 NPT	SSRPCF 10-04	10mm	R1/2	SSRPCF 3/8-1/4NPT	3/8	1/4 NPT
SSRPC 12-02	12mm	R1/4	SSRPC 3/8-3/8NPT	3/8	3/8 NPT	SSRPCF 12-02	12mm	R1/4	SSRPCF 3/8-3/8NPT	3/8	3/8 NPT
SSRPC 12-03	12mm	R3/8	SSRPC 3/8-1/2NPT	3/8	1/2 NPT	SSRPCF 12-03	12mm	R3/8	SSRPCF 3/8-1/2NPT	3/8	1/2 NPT
SSRPC 12-04	12mm	R1/2	SSRPC 1/2-1/4NPT	1/2	1/4 NPT	SSRPCF 12-04	12mm	R1/2	SSRPCF 1/2-1/4NPT	1/2	1/4 NPT
			SSRPC 1/2-3/8NPT	1/2	3/8 NPT				SSRPCF 1/2-3/8NPT	1/2	3/8 NPT
			SSRPC 1/2-1/2NPT	1/2	1/2 NPT				SSRPCF 1/2-1/2NPT	1/2	1/2 NPT
			SSRPC 1/2-3/4NPT	1/2	3/4 NPT				SSRPCF 1/2-3/4NPT	1/2	3/4 NPT
			SSRPC 5/8-3/8NPT	5/8	3/8 NPT				SSRPCF 5/8-3/8NPT	5/8	3/8 NPT
			SSRPC 5/8-1/2NPT	5/8	1/2 NPT				SSRPCF 5/8-1/2NPT	5/8	1/2 NPT
			SSRPC 5/8-3/4NPT	5/8	3/4 NPT				SSRPCF 5/8-3/4NPT	5/8	3/4 NPT
			SSRPC 3/4-1/2NPT	3/4	1/2 NPT				SSRPCF 3/4-1/2NPT	3/4	1/2 NPT
			SSRPC 3/4-3/4NPT	3/4	3/4 NPT				SSRPCF 3/4-3/4NPT	3/4	3/4 NPT

 Male Elbow - Stainless Steel Rapid Screw Fittings						 Male Branch Tee - Stainless Steel Rapid Screw Fittings					
MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size	MODEL	Tube Size	Thread Size
SSRPL 04-01	4mm	R1/8	SSRPL 5/32-1/8NPT	5/32	1/8 NPT	SSRPB 04-01	4mm	R1/8	SSRPB 5/32-1/8NPT	5/32	1/8 NPT
SSRPL 04-02	4mm	R1/4	SSRPL 5/32-1/4NPT	5/32	1/4 NPT	SSRPB 04-02	4mm	R1/4	SSRPB 5/32-1/4NPT	5/32	1/4 NPT
SSRPL 06-01	6mm	R1/8	SSRPL 1/4-1/16NPT	1/4	1/16 NPT	SSRPB 06-01	6mm	R1/8	SSRPB 1/4-1/16NPT	1/4	1/16 NPT
SSRPL 06-02	6mm	R1/4	SSRPL 1/4-1/8NPT	1/4	1/8 NPT	SSRPB 06-02	6mm	R1/4	SSRPB 1/4-1/8NPT	1/4	1/8 NPT
SSRPL 06-03	6mm	R3/8	SSRPL 1/4-1/4NPT	1/4	1/4 NPT	SSRPB 06-03	6mm	R3/8	SSRPB 1/4-1/4NPT	1/4	1/4 NPT
SSRPL 08-01	8mm	R1/8	SSRPL 1/4-3/8NPT	1/4	3/8 NPT	SSRPB 08-01	8mm	R1/8	SSRPB 1/4-3/8NPT	1/4	3/8 NPT
SSRPL 08-02	8mm	R1/4	SSRPL 5/16-1/8NPT	5/16	1/8 NPT	SSRPB 08-02	8mm	R1/4	SSRPB 5/16-1/8NPT	5/16	1/8 NPT
SSRPL 08-03	8mm	R3/8	SSRPL 5/16-1/4NPT	5/16	1/4 NPT	SSRPB 08-03	8mm	R3/8	SSRPB 5/16-1/4NPT	5/16	1/4 NPT
SSRPL 08-04	8mm	R1/2	SSRPL 5/16-3/8NPT	5/16	3/8 NPT	SSRPB 08-04	8mm	R1/2	SSRPB 5/16-3/8NPT	5/16	3/8 NPT
SSRPL 10-02	10mm	R1/4	SSRPL 5/16-1/2NPT	5/16	1/2 NPT	SSRPB 10-02	10mm	R1/4	SSRPB 5/16-1/2NPT	5/16	1/2 NPT
SSRPL 10-03	10mm	R3/8	SSRPL 3/8-1/8NPT	3/8	1/8 NPT	SSRPB 10-03	10mm	R3/8	SSRPB 3/8-1/8NPT	3/8	1/8 NPT
SSRPL 10-04	10mm	R1/2	SSRPL 3/8-1/4NPT	3/8	1/4 NPT	SSRPB 10-04	10mm	R1/2	SSRPB 3/8-1/4NPT	3/8	1/4 NPT
SSRPL 12-02	12mm	R1/4	SSRPL 3/8-3/8NPT	3/8	3/8 NPT	SSRPB 12-02	12mm	R1/4	SSRPB 3/8-3/8NPT	3/8	3/8 NPT
SSRPL 12-03	12mm	R3/8	SSRPL 3/8-1/2NPT	3/8	1/2 NPT	SSRPB 12-03	12mm	R3/8	SSRPB 3/8-1/2NPT	3/8	1/2 NPT
SSRPL 12-04	12mm	R1/2	SSRPL 1/2-1/4NPT	1/2	1/4 NPT	SSRPB 12-04	12mm	R1/2	SSRPB 1/2-1/4NPT	1/2	1/4 NPT
			SSRPL 1/2-3/8NPT	1/2	3/8 NPT				SSRPB 1/2-3/8NPT	1/2	3/8 NPT
			SSRPL 1/2-1/2NPT	1/2	1/2 NPT				SSRPB 1/2-1/2NPT	1/2	1/2 NPT
			SSRPL 1/2-3/4NPT	1/2	3/4 NPT				SSRPB 1/2-3/4NPT	1/2	3/4 NPT
			SSRPL 5/8-3/8NPT	5/8	3/8 NPT				SSRPB 5/8-3/8NPT	5/8	3/8 NPT
			SSRPL 5/8-1/2NPT	5/8	1/2 NPT				SSRPB 5/8-1/2NPT	5/8	1/2 NPT
			SSRPL 5/8-3/4NPT	5/8	3/4 NPT				SSRPB 5/8-3/4NPT	5/8	3/4 NPT
			SSRPL 3/4-1/2NPT	3/4	1/2 NPT				SSRPB 3/4-1/2NPT	3/4	1/2 NPT
			SSRPL 3/4-3/4NPT	3/4	3/4 NPT				SSRPB 3/4-3/4NPT	3/4	3/4 NPT



Union - Stainless Steel Rapid Screw Fittings

MODEL	Tube Size	MODEL	Tube Size
SSRPU 04	4mm	SSRPU 1/8	1/8
SSRPU 06	6mm	SSRPU 3/16	3/16
SSRPU 08	8mm	SSRPU 1/4	1/4
SSRPU 10	10mm	SSRPV 5/16	5/16
SSRPU 12	12mm	SSRPU 3/8	3/8
		SSRPU 1/2	1/2
		SSRPU 5/8	5/8
		SSRPU 3/4	3/4



Union Elbow - Stainless Steel Rapid Screw Fittings

MODEL	Tube Size	MODEL	Tube Size
SSRPV 04	4mm	SSRPV 1/8	1/8
SSRPV 06	6mm	SSRPV 3/16	3/16
SSRPV 08	8mm	SSRPV 1/4	1/4
SSRPV 10	10mm	SSRPV 5/16	5/16
SSRPV 12	12mm	SSRPV 3/8	3/8
		SSRPV 1/2	1/2
		SSRPV 5/8	5/8
		SSRPV 3/4	3/4



Union Tee - Stainless Steel Rapid Screw Fittings

MODEL	Tube Size	MODEL	Tube Size
SSRPE 04	4mm	SSRPE 1/8	1/8
SSRPE 06	6mm	SSRPE 3/16	3/16
SSRPE 08	8mm	SSRPE 1/4	1/4
SSRPE 10	10mm	SSRPE 5/16	5/16
SSRPE 12	12mm	SSRPE 3/8	3/8
		SSRPE 1/2	1/2
		SSRPE 5/8	5/8
		SSRPE 3/4	3/4



Bulkhead (Rapid To Compression) - Stainless Steel Rapid Screw Fittings

MODEL	Tube Size	MODEL	Tube Size
SSRQPM 04	4mm	SSRQPM 1/8	1/8
SSRQPM 06	6mm	SSRQPM 3/16	3/16
SSRQPM 08	8mm	SSRQPM 1/4	1/4
SSRQPM 10	10mm	SSRQPM 5/16	5/16
SSRQPM 12	12mm	SSRQPM 3/8	3/8
		SSRQPM 1/2	1/2
		SSRQPM 5/8	5/8
		SSRQPM 3/4	3/4

Stainless Steel Threaded Fittings And Hose Barbed
 不锈钢过渡接头

Features: 性能

Stainless steel pipe fittings are made of stainless steel bar or forging stainless steel, Pipe fittings are components used for connecting, terminating, controlling flow, and changing the direction of piping in many different industries. are useful in installations where a heat source, such as a soldering torch, is prohibited. When purchasing pipe fittings, consider the application, as this will affect material type, shape, size, and required durability. Fittings are available threaded or unthreaded, in many shapes, styles, sizes, and schedules (pipe wall thickness).

Material: 316 stainless steel, 304 stainless steel



Hex Nipple - Stainless Steel Pipe Threaded Fittings

MODEL	Male Thread	Male Thread	MODEL	Male Thread	Male Thread	MODEL	Male Thread	Male Thread
SPSM 01-01	R1/8	R1/8	SPSM G02-G02	G1/4	G1/4	SPSM N01-N01	1/8NPT	1/8NPT
SPSM 02-02	R1/4	R1/4	SPSM G02-G01	G1/4	G1/8	SPSM N02-N02	1/4NPT	1/4NPT
SPSM 02-01	R1/4	R1/8	SPSM G03-G03	G3/8	G3/8	SPSM N02-N01	1/4NPT	1/8NPT
SPSM 03-03	R3/8	R3/8	SPSM G03-G02	G3/8	G1/4	SPSM N03-N03	3/8NPT	3/8NPT
SPSM 03-02	R3/8	R1/4	SPSM G03-G01	G3/8	G1/8	SPSM N03-N02	3/8NPT	1/4NPT
SPSM 03-01	R3/8	R1/8	SPSM G04-G04	G1/2	G1/2	SPSM N03-N01	3/8NPT	1/8NPT
SPSM 04-04	R1/2	R1/2	SPSM G04-G03	G1/2	G3/8	SPSM N04-N04	1/2NPT	1/2NPT
SPSM 04-03	R1/2	R3/8	SPSM G04-G02	G1/2	G1/4	SPSM N04-N03	1/2NPT	3/8NPT
SPSM 04-02	R1/2	R1/4	SPSM G04-G01	G1/2	G1/8	SPSM N04-N02	1/2NPT	1/4NPT
SPSM 04-01	R1/2	R1/8	SPSM G06-G06	G3/4	G3/4	SPSM N04-N01	1/2NPT	1/8NPT
SPSM 06-06	R3/4	R3/4	SPSM G06-G04	G3/4	G1/2	SPSM N06-N06	3/4NPT	3/4NPT
SPSM 06-04	R3/4	R1/2	SPSM G06-G03	G3/4	G3/8	SPSM N06-N04	3/4NPT	1/2NPT
SPSM 06-03	R3/4	R3/8	SPSM G06-G02	G3/4	G1/4	SPSM N06-N03	3/4NPT	3/8NPT
SPSM 06-02	R3/4	R1/4	SPSM G08-G08	G1	G1	SPSM N06-N02	3/4NPT	1/4NPT
SPSM 08-08	R1	R1	SPSM G08-G06	G1	G3/4	SPSM N08-N08	1NPT	1NPT
SPSM 08-06	R1	R3/4	SPSM G08-G04	G1	G1/2	SPSM N08-N06	1NPT	3/4NPT
SPSM 08-04	R1	R1/2	SPSM G08-G03	G1	G3/8	SPSM N08-N04	1NPT	1/2NPT
SPSM 08-03	R1	R3/8				SPSM N08-N03	1NPT	3/8NPT



Hex Coupling - Stainless Steel Pipe Threaded Fittings

MODEL	Female	Female	MODEL	Female	Female	MODEL	Female	Female
SPSF 01-01	R1/8	R1/8	SPSF G01-G01	G1/8	G1/8	SPSF N01-N01	1/8NPT	1/8NPT
SPSF 02-02	R1/4	R1/4	SPSF G02-G02	G1/4	G1/4	SPSF N02-N02	1/4NPT	1/4NPT
SPSF 02-01	R1/4	R1/8	SPSF G02-G01	G1/4	G1/8	SPSF N02-N01	1/4NPT	1/8NPT
SPSF 03-03	R3/8	R3/8	SPSF G03-G03	G3/8	G3/8	SPSF N03-N03	3/8NPT	3/8NPT
SPSF 03-02	R3/8	R1/4	SPSF G03-G02	G3/8	G1/4	SPSF N03-N02	3/8NPT	1/4NPT
SPSF 03-01	R3/8	R1/8	SPSF G03-G01	G3/8	G1/8	SPSF N03-N01	3/8NPT	1/8NPT
SPSF 04-04	R1/2	R1/2	SPSF G04-G04	G1/2	G1/2	SPSF N04-N04	1/2NPT	1/2NPT
SPSF 04-03	R1/2	R3/8	SPSF G04-G03	G1/2	G3/8	SPSF N04-N03	1/2NPT	3/8NPT
SPSF 04-02	R1/2	R1/4	SPSF G04-G02	G1/2	G1/4	SPSF N04-N02	1/2NPT	1/4NPT
SPSF 04-01	R1/2	R1/8	SPSF G04-G01	G1/2	G1/8	SPSF N04-N01	1/2NPT	1/8NPT
SPSF 06-06	R3/4	R3/4	SPSF G06-G06	G3/4	G3/4	SPSF N06-N06	3/4NPT	3/4NPT
SPSF 06-04	R3/4	R1/2	SPSF G06-G04	G3/4	G1/2	SPSF N06-N04	3/4NPT	1/2NPT
SPSF 06-03	R3/4	R3/8	SPSF G06-G03	G3/4	G3/8	SPSF N06-N03	3/4NPT	3/8NPT
SPSF 06-02	R3/4	R1/4	SPSF G06-G02	G3/4	G1/4	SPSF N06-N02	3/4NPT	1/4NPT
SPSF 08-08	R1	R1	SPSF G08-G08	G1	G1	SPSF N08-N08	1NPT	1NPT
SPSF 08-06	R1	R3/4	SPSF G08-G06	G1	G3/4	SPSF N08-N06	1NPT	3/4NPT
SPSF 08-04	R1	R1/2	SPSF G08-G04	G1	G1/2	SPSF N08-N04	1NPT	1/2NPT
SPSF 08-03	R1	R3/8	SPSF G08-G03	G1	G3/8	SPSF N08-N03	1NPT	3/8NPT



Adapter - Stainless Steel Pipe Threaded Fittings

MODEL	Female	Male	MODEL	Female	Male	MODEL	Female	Male
SPSMF 02-01	R1/4	R1/8	SPSMF G02-G01	G1/4	G1/8	SPSMF 02-01	R1/4	R1/8
SPSMF 03-02	R3/8	R1/4	SPSMF G03-G02	G3/8	G1/4	SPSMF 03-02	R3/8	R1/4
SPSMF 03-01	R3/8	R1/8	SPSMF G03-G01	G3/8	G1/8	SPSMF 03-01	R3/8	R1/8
SPSMF 04-03	R1/2	R3/8	SPSMF G04-G03	G1/2	G3/8	SPSMF 04-03	R1/2	R3/8
SPSMF 04-02	R1/2	R1/4	SPSMF G04-G02	G1/2	G1/4	SPSMF 04-02	R1/2	R1/4
SPSMF 04-01	R1/2	R1/8	SPSMF G04-G01	G1/2	G1/8	SPSMF 04-01	R1/2	R1/8
SPSMF 06-04	R3/4	R1/2	SPSMF G06-G04	G3/4	G1/2	SPSMF 06-04	R3/4	R1/2
SPSMF 06-03	R3/4	R3/8	SPSMF G06-G03	G3/4	G3/8	SPSMF 06-03	R3/4	R3/8
SPSMF 06-02	R3/4	R1/4	SPSMF G06-G02	G3/4	G1/4	SPSMF 06-02	R3/4	R1/4
SPSMF 08-06	R1	R3/4	SPSMF G08-G06	G1	G3/4	SPSMF 08-06	R1	R3/4
SPSMF 08-04	R1	R1/2	SPSMF G08-G04	G1	G1/2	SPSMF 08-04	R1	R1/2
SPSMF 08-03	R1	R3/8	SPSMF G08G-03	G1	G3/8	SPSMF 08-03	R1	R3/8



Hex Bushing - Stainless Steel Pipe Threaded Fittings

MODEL	Male	Female	MODEL	Male	Female	MODEL	Male	Female
SPRMF 01-M5	R1/8	M5	SPRMF G01-M5	G1/8	M5	SPRMF N01-M5	1/8NPT	M5
SPRMF 02-G01	R1/4	G1/8	SPRMF G02-G01	G1/4	G1/8	SPRMF N02-G01	1/4NPT	G1/8
SPRMF 03-G01	R3/8	G1/8	SPRMF G03-G01	G3/8	G1/8	SPRMF N03-G01	3/8NPT	G1/8
SPRMF 03-G02	R3/8	G1/4	SPRMF G03-G02	G3/8	G1/4	SPRMF N03-G02	3/8NPT	G1/4
SPRMF 04-G01	R1/2	G1/8	SPRMF G04-G01	G1/2	G1/8	SPRMF N04-G01	1/2NPT	G1/8
SPRMF 04-G02	R1/2	G1/4	SPRMF G04-G02	G1/2	G1/4	SPRMF N04-G02	1/2NPT	G1/4
SPRMF 04-G03	R1/2	G3/8	SPRMF G04-G03	G1/2	G3/8	SPRMF N04-G03	1/2NPT	G3/8
SPRMF 06-G03	R3/4	G3/8	SPRMF G06-G03	G3/4	G3/8	SPRMF N06-G03	3/4NPT	G3/8
SPRMF 06-G04	R3/4	G1/2	SPRMF G06-G04	G3/4	G1/2	SPRMF N06-G04	3/4NPT	G1/2



Hex Drive Countersunk Plug - Stainless Steel Pipe Threaded Fittings

MODEL	Male Thread	MODEL	Male Thread	
SPOH M5	M5	SPOH N01	1/8NPT	
SPOH 01	R1/8	SPOH N02	1/4NPT	
SPOH 02	R1/4	SPOH N03	3/8NPT	
SPOH 03	R3/8	SPOH N04	1/2NPT	
SPOH 04	R1/2			



Hex Head Plug - Stainless Steel Pipe Threaded Fittings

MODEL	Male Thread	MODEL	Male Thread	
SPO M5	M5	SPO N01	1/8NPT	
SPO 01	R1/8	SPO N02	1/4NPT	
SPO 02	R1/4	SPO N03	3/8NPT	
SPO 03	R3/8	SPO N04	1/2NPT	
SPO 04	R1/2			



Female Hexagonal Plug - Stainless Steel Pipe Threaded Fittings

MODEL	Male Thread	MODEL	Male Thread	
SPOHF M5	M5	SPOHF N01	1/8NPT	
SPOHF 01	R1/8	SPOHF N02	1/4NPT	
SPOHF 02	R1/4	SPOHF N03	3/8NPT	
SPOHF 03	R3/8	SPOHF N04	1/2NPT	
SPOHF 04	R1/2			



Male Elbow - Stainless Steel Pipe Threaded Fittings

MODEL	Male	MODEL	Male	
SPLMM M5	M5	SPLMM M5	M5	
SPLMM 01	R1/8	SPLMM 01	R1/8	
SPLMM 02	R1/4	SPLMM 02	R1/4	
SPLMM 03	R3/8	SPLMM 03	R3/8	
SPLMM 04	R1/2	SPLMM 04	R1/2	
SPLMM 06	R3/4	SPLMM 06	R3/4	
SPLMM 08	R1	SPLMM 08	R1	



Male To Female Elbow - Stainless Steel Pipe Threaded Fittings

MODEL	Male	Female	MODEL	Male	Female	
SPLMF M5-M5	M5	M5	SPLMF N01-G01	1/8NPT	1/8NPT	
SPLMF 01-G01	R1/8	G1/8	SPLMF N02-G02	1/4NPT	1/4NPT	
SPLMF 02-G02	R1/4	G1/4	SPLMF N03-G03	3/8NPT	3/8NPT	
SPLMF 03-G03	R3/8	G3/8	SPLMF N04-G04	1/2NPT	1/2NPT	
SPLMF 04-G04	R1/2	G1/2	SPLMF N06-G06	3/4NPT	3/4NPT	
SPLMF 06-G06	R3/4	G3/4	SPLMF N08-G08	1NPT	1NPT	
SPLMF 08-G08	R1	G1				



Female Elbow - Stainless Steel Pipe Threaded Fittings

MODEL	Female	MODEL	Female	
SPLFF M5	M5	SPLFF N01	1/8NPT	
SPLFF G01	G1/8	SPLFF N02	1/4NPT	
SPLFF G02	G1/4	SPLFF N03	3/8NPT	
SPLFF G03	G3/8	SPLFF N04	1/2NPT	
SPLFF G04	G1/2	SPLFF N06	3/4NPT	
SPLFF G06	G3/4	SPLFF N08	1NPT	
SPLFF G08	G1			



Female Tee - Stainless Steel Pipe Threaded Fittings- Stainless Steel Pipe

MODEL	Female	MODEL	Female	
SPFT M5	M5	SPFT N01	1/8NPT	
SPFT G01	G1/8	SPFT N02	1/4NPT	
SPFT G02	G1/4	SPFT N03	3/8NPT	
SPFT G03	G3/8	SPFT N04	1/2NPT	
SPFT G04	G1/2	SPFT N06	3/4NPT	
SPFT G06	G3/4	SPFT N08	1NPT	
SPFT G08	G1			



Male Branch Tee - Stainless Steel Pipe Threaded Fittings- Stainless Steel

MODEL	Female	Male	MODEL	Female	Male	
SPMT M5-M5	M5	M5	SPMT N01-G01	1/8 NPT	1/8 NPT	
SPMT 01-G01	R1/8	G1/8	SPMT N02-G02	1/4 NPT	1/4 NPT	
SPMT 02-G02	R1/4	G1/4	SPMT N03-G03	3/8 NPT	3/8 NPT	
SPMT 03-G03	R3/8	G3/8	SPMT N04-G04	1/2 NPT	1/2 NPT	
SPMT 04-G04	R1/2	G1/2	SPMT N06-G06	3/4 NPT	3/4 NPT	
SPMT 06-G06	R3/4	G3/4	SPMT N08-G08	1 NPT	1 NPT	
SPMT 08-G08	R1	G1				

 Male Run Tee - Stainless Steel Pipe Threaded Fittings						
MODEL	Female	Male	MODEL	Female	Male	
SPMST M5-M5	M5	M5	SPMST N01-G01	1/8 NPT	1/8 NPT	
SPMST 01-G01	R1/8	G1/8	SPMST N02-G02	1/4 NPT	1/4 NPT	
SPMST 02-G02	R1/4	G1/4	SPMST N03-G03	3/8 NPT	3/8 NPT	
SPMST 03-G03	R3/8	G3/8	SPMST N04-G04	1/2 NPT	1/2 NPT	
SPMST 04-G04	R1/2	G1/2	SPMST N06-G06	3/4 NPT	3/4 NPT	
SPMST 06-G06	R3/4	G3/4	SPMST N08-G08	1 NPT	1 NPT	
SPMST 08-G08	R1	G1				

 Female Run Tee - Stainless Steel Pipe Threaded Fittings						
MODEL	Female	Male	MODEL	Female	Male	
SPFST M5-M5	M5	M5	SPFST N01-G01	1/8 NPT	1/8 NPT	
SPFST 01-G01	R1/8	G1/8	SPFST N02-G02	1/4 NPT	1/4 NPT	
SPFST 02-G02	R1/4	G1/4	SPFST N03-G03	3/8 NPT	3/8 NPT	
SPFST 03-G03	R3/8	G3/8	SPFST N04-G04	1/2 NPT	1/2 NPT	
SPFST 04-G04	R1/2	G1/2	SPFST N06-G06	3/4 NPT	3/4 NPT	
SPFST 06-G06	R3/4	G3/4	SPFST N08-G08	1 NPT	1 NPT	
SPFST 08-G08	R1	G1				

 Male Tee - Stainless Steel Pipe Threaded Fittings						
MODEL	Male		MODEL	Male		
SPSMT M5-M5	M5		SPSMT N01-G01	1/8 NPT		
SPSMT 01-G01	R1/8		SPSMT N02-G02	1/4 NPT		
SPSMT 02-G02	R1/4		SPSMT N03-G03	3/8 NPT		
SPSMT 03-G03	R3/8		SPSMT N04-G04	1/2 NPT		
SPSMT 04-G04	R1/2		SPSMT N06-G06	3/4 NPT		
SPSMT 06-G06	R3/4		SPSMT N08-G08	1 NPT		
SPSMT 08-G08	R1					

 Female Cross - Stainless Steel Pipe Threaded Fittings						
MODEL	Female		MODEL	Female		
SPFC M5-M5	M5		SPFC N01-G01	1/8 NPT		
SPFC 01-G01	R1/8		SPFC N02-G02	1/4 NPT		
SPFC 02-G02	R1/4		SPFC N03-G03	3/8 NPT		
SPFC 03-G03	R3/8		SPFC N04-G04	1/2 NPT		
SPFC 04-G04	R1/2		SPFC N06-G06	3/4 NPT		
SPFC 06-G06	R3/4		SPFC N08-G08	1 NPT		
SPFC 08-G08	R1					

 Male Adapter - Stainless Steel Hose Barb Fittings								
MODEL	Hose ID.	Male	MODEL	Hose ID.	Male	MODEL	Hose ID.	Male
SPHTM 06-01	6mm	R1/8	SPHTM 06-G01	6mm	G1/8	SPHTM 1/8-1/8NPT	1/8	1/8 NPT
SPHTM 07-01	7mm	R1/8	SPHTM 07-G01	7mm	G1/8	SPHTM 1/8-1/4NPT	1/8	1/4 NPT
SPHTM 08-01	8mm	R1/8	SPHTM 08-G01	8mm	G1/8	SPHTM 3/16-1/8NPT	3/16	1/8 NPT
SPHTM 09-01	9mm	R1/8	SPHTM 09-G01	9mm	G1/8	SPHTM 3/16-1/4NPT	3/16	1/4 NPT
SPHTM 10-01	10mm	R1/8	SPHTM 06-G02	6mm	G1/4	SPHTM 1/4-1/16NPT	1/4	1/16 NPT
SPHTM 06-02	6mm	R1/4	SPHTM 07-G02	7mm	G1/4	SPHTM 1/4-1/8NPT	1/4	1/8NPT
SPHTM 07-02	7mm	R1/4	SPHTM 09-G02	9mm	G1/4	SPHTM 1/4-1/4NPT	1/4	1/4NPT
SPHTM 08-02	8mm	R1/4	SPHTM 12-G02	12mm	G1/4	SPHTM 1/4-3/8NPT	1/4	3/8NPT
SPHTM 09-02	9mm	R1/4	SPHTM 09-G03	9mm	G3/8	SPHTM 1/4-1/2NPT	1/4	1/2NPT
SPHTM 10-02	10mm	R1/4	SPHTM 12-G03	12mm	G3/8	SPHTM 1/4-3/4NPT	1/4	3/4NPT
SPHTM 12-02	12mm	R1/4	SPHTM 17-G03	17mm	G3/8	SPHTM 5/16-1/8NPT	5/16	1/8NPT
SPHTM 14-02	14mm	R1/4	SPHTM 12-G04	12mm	G1/2	SPHTM 5/16-1/4NPT	5/16	1/4NPT
SPHTM 08-03	8mm	R3/8	SPHTM 17-G04	17mm	G1/2	SPHTM 5/16-3/8NPT	5/16	3/8NPT
SPHTM 09-03	9mm	R3/8				SPHTM 5/16-1/2NPT	5/16	1/2NPT
SPHTM 10-03	10mm	R3/8				SPHTM 3/8-1/8 NPT	3/8	1/8 NPT
SPHTM 12-03	12mm	R3/8				SPHTM 3/8-1/4 NPT	3/8	1/4 NPT
SPHTM 14-03	14mm	R3/8				SPHTM 3/8-3/8 NPT	3/8	3/8 NPT
SPHTM 17-03	17mm	R3/8				SPHTM 3/8-1/2 NPT	3/8	1/2 NPT
SPHTM 12-04	12mm	R1/2				SPHTM 3/8-3/4 NPT	3/8	3/4 NPT
SPHTM 14-04	14mm	R1/2				SPHTM 1/2-1/8 NPT	1/2	1/8 NPT
SPHTM 17-04	17mm	R1/2				SPHTM 1/2-1/4 NPT	1/2	1/4 NPT
SPHTM 20-04	20mm	R1/2				SPHTM 1/2-3/8 NPT	1/2	3/8 NPT
SPHTM 18-06	18mm	R3/4				SPHTM 1/2-1/2 NPT	1/2	1/2 NPT
SPHTM 20-06	20mm	R3/4				SPHTM 1/2-3/4 NPT	1/2	3/4 NPT
						SPHTM 1/2-1 NPT	1/2	1 NPT
						SPHTM 5/8-1/4 NPT	5/8	1/4 NPT
						SPHTM 5/8-3/8 NPT	5/8	3/8 NPT
						SPHTM 5/8-1/2 NPT	5/8	1/2 NPT
						SPHTM 5/8-3/4 NPT	5/8	3/4 NPT
						SPHTM 5/8-1 NPT	5/8	1 NPT
						SPHTM 3/4-3/8 NPT	3/4	3/8 NPT
						SPHTM 3/4-1/2 NPT	3/4	1/2 NPT
						SPHTM 3/4-3/4 NPT	3/4	3/4 NPT
						SPHTM 3/4-1 NPT	3/4	1 NPT
						SPHTM 1-1/2 NPT	1	1/2 NPT
						SPHTM 1-3/4 NPT	1	3/4 NPT
						SPHTM 1-1 NPT	1	1 NPT
						SPHTM 1-1/4 -3/4 NPT	1-1/4	3/4 NPT
						SPHTM 1-1/4 -1 NPT	1-1/4	1 NPT

 Splicer - Stainless Steel Hose Barb Fittings								
MODEL	Hose ID.		MODEL	Hose ID.				
SPHH 06	6mm		SPHH 1/4	1/4				
SPHH 07	7mm		SPHH 5/16	5/16				
SPHH 08	8mm		SPHH 3/8	3/8				
SPHH 09	9mm		SPHH 1/2	1/2				
SPHH 10	10mm		SPHH 5/8	5/8				
SPHH 12	12mm		SPHH 3/4	3/4				
SPHH 14	14mm		SPHH 1	1				
SPHH 17	17mm							
SPHH 18	18mm							
SPHH 20	20mm							



Female Adapter - Stainless Steel Hose Barb Fittings

MODEL	Hose ID.	Female	MODEL	Hose ID.	Female	MODEL	Hose ID.	Female
SPHTF 06-01	6mm	R1/8	SPHTF 06-G01	6mm	G1/8	SPHTF 1/8-1/8NPT	1/8	1/8 NPT
SPHTF 07-01	7mm	R1/8	SPHTF 07-G01	7mm	G1/8	SPHTF 1/8-1/4NPT	1/8	1/4 NPT
SPHTF 08-01	8mm	R1/8	SPHTF 08-G01	8mm	G1/8	SPHTF 3/16-1/8NPT	3/16	1/8 NPT
SPHTF 09-01	9mm	R1/8	SPHTF 09-G01	9mm	G1/8	SPHTF 3/16-1/4NPT	3/16	1/4 NPT
SPHTF 10-01	10mm	R1/8	SPHTF 06-G02	6mm	G1/4	SPHTF 1/4-1/16NPT	1/4	1/16 NPT
SPHTF 06-02	6mm	R1/4	SPHTF 07-G02	7mm	G1/4	SPHTF 1/4-1/8NPT	1/4	1/8NPT
SPHTF 07-02	7mm	R1/4	SPHTF 09-G02	9mm	G1/4	SPHTF 1/4-1/4NPT	1/4	1/4NPT
SPHTF 08-02	8mm	R1/4	SPHTF 12-G02	12mm	G1/4	SPHTF 1/4-3/8NPT	1/4	3/8NPT
SPHTF 09-02	9mm	R1/4	SPHTF 09-G03	9mm	G3/8	SPHTF 1/4-1/2NPT	1/4	1/2NPT
SPHTF 10-02	10mm	R1/4	SPHTF 12-G03	12mm	G3/8	SPHTF 1/4-3/4NPT	1/4	3/4NPT
SPHTF 12-02	12mm	R1/4	SPHTF 17-G03	17mm	G3/8	SPHTF 5/16-1/8NPT	5/16	1/8NPT
SPHTF 14-02	14mm	R1/4	SPHTF 12-G04	12mm	G1/2	SPHTF 5/16-1/4NPT	5/16	1/4NPT
SPHTF 08-03	8mm	R3/8	SPHTF 17-G04	17mm	G1/2	SPHTF 5/16-3/8NPT	5/16	3/8NPT
SPHTF 09-03	9mm	R3/8			SPHTF 5/16-1/2NPT	5/16	1/2NPT	
SPHTF 10-03	10mm	R3/8			SPHTF 3/8-1/8 NPT	3/8	1/8 NPT	
SPHTF 12-03	12mm	R3/8			SPHTF 3/8-1/4 NPT	3/8	1/4 NPT	
SPHTF 14-03	14mm	R3/8			SPHTF 3/8-3/8 NPT	3/8	3/8 NPT	
SPHTF 17-03	17mm	R3/8			SPHTF 3/8-1/2 NPT	3/8	1/2 NPT	
SPHTF 12-04	12mm	R1/2			SPHTF 3/8-3/4 NPT	3/8	3/4 NPT	
SPHTF 14-04	14mm	R1/2			SPHTF 1/2-1/8 NPT	1/2	1/8 NPT	
SPHTF 17-04	17mm	R1/2			SPHTF 1/2-1/4 NPT	1/2	1/4 NPT	
SPHTF 20-04	20mm	R1/2			SPHTF 1/2-3/8 NPT	1/2	3/8 NPT	
SPHTF 18-06	18mm	R3/4			SPHTF 1/2-1/2 NPT	1/2	1/2 NPT	
SPHTF 20-06	20mm	R3/4			SPHTF 1/2-3/4 NPT	1/2	3/4 NPT	
					SPHTF 1/2-1 NPT	1/2	1 NPT	
					SPHTF 5/8-1/4 NPT	5/8	1/4 NPT	
					SPHTF 5/8-3/8 NPT	5/8	3/8 NPT	
					SPHTF 5/8-1/2 NPT	5/8	1/2 NPT	
					SPHTF 5/8-3/4 NPT	5/8	3/4 NPT	
					SPHTF 5/8-1 NPT	5/8	1 NPT	
					SPHTF 3/4-3/8 NPT	3/4	3/8 NPT	
					SPHTF 3/4-1/2 NPT	3/4	1/2 NPT	
					SPHTF 3/4-3/4 NPT	3/4	3/4 NPT	
					SPHTF 3/4-1 NPT	3/4	1 NPT	
					SPHTF 1-1/2 NPT	1	1/2 NPT	
					SPHTF 1-3/4 NPT	1	3/4 NPT	
					SPHTF 1-1 NPT	1	1 NPT	
					SPHTF 1-1/4 -3/4 NPT	1-1/4	3/4 NPT	
					SPHTF 1-1/4 -1 NPT	1-1/4	1 NPT	

 Tee - Stainless Steel Hose Barb Fittings				
MODEL	Hose ID.	MODEL	Hose ID.	
SPTH 06	6mm	SPTH 1/4	1/4	
SPTH 07	7mm	SPTH 5/16	5/16	
SPTH 08	8mm	SPTH 3/8	3/8	
SPTH 09	9mm	SPTH 1/2	1/2	
SPTH 10	10mm	SPTH 5/8	5/8	
SPTH 12	12mm	SPTH 3/4	3/4	
SPTH 14	14mm	SPTH 1	1	
SPTH 17	17mm			
SPTH 18	18mm			
SPTH 20	20mm			



Male Elbow - Stainless Steel Hose Barb Fittings

MODEL	Hose ID.	Male	MODEL	Hose ID.	Male	MODEL	Hose ID.	Male
SPLMH 06-01	6mm	R1/8	SPLMH 06-G01	6mm	G1/8	SPLMH 1/8-1/8NPT	1/8	1/8 NPT
SPLMH 07-01	7mm	R1/8	SPLMH 07-G01	7mm	G1/8	SPLMH 1/8-1/4NPT	1/8	1/4 NPT
SPLMH 08-01	8mm	R1/8	SPLMH 08-G01	8mm	G1/8	SPLMH 3/16-1/8NPT	3/16	1/8 NPT
SPLMH 09-01	9mm	R1/8	SPLMH 09-G01	9mm	G1/8	SPLMH 3/16-1/4NPT	3/16	1/4 NPT
SPLMH 10-01	10mm	R1/8	SPLMH 06-G02	6mm	G1/4	SPLMH 1/4-1/16NPT	1/4	1/16 NPT
SPLMH 06-02	6mm	R1/4	SPLMH 07-G02	7mm	G1/4	SPLMH 1/4-1/8NPT	1/4	1/8NPT
SPLMH 07-02	7mm	R1/4	SPLMH 09-G02	9mm	G1/4	SPLMH 1/4-1/4NPT	1/4	1/4NPT
SPLMH 08-02	8mm	R1/4	SPLMH 12-G02	12mm	G1/4	SPLMH 1/4-3/8NPT	1/4	3/8NPT
SPLMH 09-02	9mm	R1/4	SPLMH 09-G03	9mm	G3/8	SPLMH 1/4-1/2NPT	1/4	1/2NPT
SPLMH 10-02	10mm	R1/4	SPLMH 12-G03	12mm	G3/8	SPLMH 1/4-3/4NPT	1/4	3/4NPT
SPLMH 12-02	12mm	R1/4	SPLMH 17-G03	17mm	G3/8	SPLMH 5/16-1/8NPT	5/16	1/8NPT
SPLMH 14-02	14mm	R1/4	SPLMH 12-G04	12mm	G1/2	SPLMH 5/16-1/4NPT	5/16	1/4NPT
SPLMH 08-03	8mm	R3/8	SPLMH 17-G04	17mm	G1/2	SPLMH 5/16-3/8NPT	5/16	3/8NPT
SPLMH 09-03	9mm	R3/8			SPLMH 5/16-1/2NPT	5/16	1/2NPT	
SPLMH 10-03	10mm	R3/8			SPLMH 3/8-1/8 NPT	3/8	1/8 NPT	
SPLMH 12-03	12mm	R3/8			SPLMH 3/8-1/4 NPT	3/8	1/4 NPT	
SPLMH 14-03	14mm	R3/8			SPLMH 3/8-3/8 NPT	3/8	3/8 NPT	
SPLMH 17-03	17mm	R3/8			SPLMH 3/8-1/2 NPT	3/8	1/2 NPT	
SPLMH 12-04	12mm	R1/2			SPLMH 3/8-3/4 NPT	3/8	3/4 NPT	
SPLMH 14-04	14mm	R1/2			SPLMH 1/2-1/8 NPT	1/2	1/8 NPT	
SPLMH 17-04	17mm	R1/2			SPLMH 1/2-1/4 NPT	1/2	1/4 NPT	
SPLMH 20-04	20mm	R1/2			SPLMH 1/2-3/8 NPT	1/2	3/8 NPT	
SPLMH 18-06	18mm	R3/4			SPLMH 1/2-1/2 NPT	1/2	1/2 NPT	
SPLMH 20-06	20mm	R3/4			SPLMH 1/2-3/4 NPT	1/2	3/4 NPT	
					SPLMH 1/2-1 NPT	1/2	1 NPT	
					SPLMH 5/8-1/4 NPT	5/8	1/4 NPT	
					SPLMH 5/8-3/8 NPT	5/8	3/8 NPT	
					SPLMH 5/8-1/2 NPT	5/8	1/2 NPT	
					SPLMH 5/8-3/4 NPT	5/8	3/4 NPT	
					SPLMH 5/8-1 NPT	5/8	1 NPT	
					SPLMH 3/4-3/8 NPT	3/4	3/8 NPT	
					SPLMH 3/4-1/2 NPT	3/4	1/2 NPT	
					SPLMH 3/4-3/4 NPT	3/4	3/4 NPT	
					SPLMH 3/4-1 NPT	3/4	1 NPT	
					SPLMH 1-1/2 NPT	1	1/2 NPT	
					SPLMH 1-3/4 NPT	1	3/4 NPT	
					SPLMH 1-1 NPT	1	1 NPT	
					SPLMH 1-1/4 -3/4 NPT	1-1/4	3/4 NPT	
					SPLMH 1-1/4 -1 NPT	1-1/4	1 NPT	

 Y - Stainless Steel Hose Barb Fittings				
MODEL	Hose ID.	MODEL	Hose ID.	
SPYH 06	6mm	SPYH 1/4	1/4	
SPYH 07	7mm	SPYH 5/16	5/16	
SPYH 08	8mm	SPYH 3/8	3/8	
SPYH 09	9mm	SPYH 1/2	1/2	
SPYH 10	10mm	SPYH 5/8	5/8	
SPYH 12	12mm	SPYH 3/4	3/4	
SPYH 14	14mm	SPYH 1	1	
SPYH 17	17mm			
SPYH 18	18mm			
SPYH 20	20mm			

Schrader Inflation Valve For Air Ride Suspension 充气阀接头

Features: 性能

Connects easily to air springs and other components that use 1/4", 3/8", 1/2" tubing Provides manual inflation point Includes protective cap that keeps out dirt and water, Material: All Brass With Nickel Plated, Push To Connect / Push In, Male thread, Two Touch, DOT Push In etc., Schrader valve, inflation valve connects to air springs and other components that use air lines to provide a manual inflation point. Valve includes protective cap (Nickel plated Brass) to keep out dirt and water.

Specification: 特性

1. Material: Brass
 2. Media: Compressed air low pressure fluids
 4. Operating pressure: 0- 150PSI
 5. Temperature: -20°C) to +120°C




 Push To Connect Schrader Valve

MODEL	Tube Szie	MODEL	Tube Szie
SV-01	1/8	SV-M4	4mm
SV-02	1/4	SV-M6	6mm
SV-03	3/8	SV-M10	10mm
SV-04	1/2	SV-M12	12mm


 Male Thread Schrader Valve

MODEL	Thread Size	MODEL	Thread Size
MSV-N01	1/8 NPT	MSV-01	R1/8
MSV-N02	1/4 NPT	MSV-02	R1/4
MSV-N03	3/8 NPT	MSV-03	R3/8
MSV-N04	1/2 NPT	MSV-04	R1/2


 Rapid Screw Schrader Valve

MODEL	Tube Szie	MODEL	Tube Szie
RSV-01	1/8	RSV-M4	4mm
RSV-02	1/4	RSV-M6	6mm
RSV-03	3/8	RSV-M10	10mm
RSV-04	1/2	RSV-M12	12mm


 Female Thread Schrader Valve

MODEL	Thread Size	MODEL	Thread Size
FSV-N01	1/8 NPT	FSV-01	R1/8
FSV-N02	1/4 NPT	FSV-02	R1/4
FSV-N03	3/8 NPT	FSV-03	R3/8
FSV-N04	1/2 NPT	FSV-04	R1/2


 Nickel Plated DOT Push In Schrader Valve

MODEL	Tube Szie	MODEL	Tube Szie
DSV-01	1/8	DSV-M4	4mm
DSV-02	1/4	DSV-M6	6mm
DSV-03	3/8	DSV-M10	10mm
DSV-04	1/2	DSV-M12	12mm


 DOT Brass Push In Schrader Valve

MODEL	Tube Szie	MODEL	Tube Szie
DBSV-01	1/8	DBSV-M4	4mm
DBSV-02	1/4	DBSV-M6	6mm
DBSV-03	3/8	DBSV-M10	10mm
DBSV-04	1/2	DBSV-M12	12mm



 Nickel Plated DOT Push In Schrader Valve

MODEL	Tube Szie	MODEL	Tube Szie
DDSV-01	1/8	DDSV-M4	4mm
DDSV-02	1/4	DDSV-M6	6mm
DDSV-03	3/8	DDSV-M10	10mm
DDSV-04	1/2	DDSV-M12	12mm


 Push Button Valve For Air Ride Suspension

MODEL	Tube Szie	MODEL	Tube Szie
PMVHA-02	1/4	PMVHA-M6	6mm
PMVHA-03	3/8	PMVHA-M10	10mm
PMVHA-04	1/2	PMVHA-M12	12mm

Air Suspension Air Panel Switch



Air Brake Parts 制动阀门配件

Drain Valve 排水阀/ Test Point 取气阀/ Safety Valve 安全阀 / Ball Valve球阀

		Butterfly Handle Drain Valve	
MODEL	Thread Size	MODEL	Thread Size
DC-N01	1/8NPT	HDC-N01	1/8NPT
DC-N02	1/4NPT	HDC-N02	1/4NPT
DC-N03	3/8NPT	HDC-N03	3/8NPT
DC-N04	1/2NPT	HDC-N04	1/2NPT

		Screw Water Drain Valve	
MODEL	Thread Size	MODEL	Thread Size
HDC-N01	1/8NPT	MDC-N01	1/8NPT
HDC-N02	1/4NPT	MDC-N02	1/4NPT
HDC-N03	3/8NPT	MDC-N03	3/8NPT
HDC-N04	1/2NPT	MDC-N04	1/2NPT

		Male Thread Pull Drain Valve	
MODEL	Thread Size	MODEL	Thread Size
MDC-N01	1/8NPT	SFV-N01	1/8NPT
MDC-N02	1/4NPT	SFV-N02	1/4NPT
MDC-N03	3/8NPT	SFV-N03	3/8NPT
MDC-N04	1/2NPT	SFV-N04	1/2NPT

		Male Thread Pull Drain Valve - 2 Meters Wirerope	
MODEL	Thread Size	MODEL	Thread Size
DC-N01PP	1/8NPT	DC-M12*1.5PP	M12*1.5
DC-N02PP	1/4NPT	DC-M16*1.5PP	M16*1.5
DC-N03PP	3/8NPT	DC-M22*1.5PP	M22*1.5
DC-N04PP	1/2NPT		

		Relief Safety Valve	
MODEL	Thread Size	MODEL	Thread Size
SFV-N01	1/8NPT	SFV-M12*1.5P	M12*1.5
SFV-N02	1/4NPT	SFV-M16*1.5P	M16*1.5
SFV-N03	3/8NPT	SFV-M22*1.5P	M22*1.5
SFV-N04	1/2NPT		

		Heavy-Duty Air Tank Drain Valve - 2 Meters Wirerope	
MODEL	Thread Size	MODEL	Thread Size
DC-N01P	1/8NPT	DC-M12*1.5P	M12*1.5
DC-N02P	1/4NPT	DC-M16*1.5P	M16*1.5
DC-N03P	3/8NPT	DC-M22*1.5P	M22*1.5
DC-N04P	1/2NPT		

		Long Handle Nickel Plated Brass Ball Valve (Male - Female)	
MODEL	Thread Size	MODEL	Thread Size
LNPBVMF-1/4	1/4NPT	LNPBVMF-G1/4	G1/4
LNPBVMF-3/8	3/8NPT	LNPBVMF-G3/8	G3/8
LNPBVMF-1/2	1/2NPT	LNPBVMF-G1/2	G1/2
LNPBVMF-3/4	3/4NPT		

		Test Point For Truck Air Tank	
MODEL	Thread Size	MODEL	Thread Size
PTP-N01P	1/8NPT	PTP-M12*1.5P	M12*1.5
PTP-N02P	1/4NPT	PTP-M16*1.5P	M16*1.5
PTP-N03P	3/8NPT	PTP-M22*1.5P	M22*1.5
PTP-N04P	1/2NPT		

		Long Handle Nickel Plated Brass Ball Valve (Female - Female)	
MODEL	Thread Size	MODEL	Thread Size
LNPBVFF-1/4	1/4NPT	LNPBVFF-G1/4	G1/4
LNPBVFF-3/8	3/8NPT	LNPBVFF-G3/8	G3/8
LNPBVFF-1/2	1/2NPT	LNPBVFF-G1/2	G1/2
LNPBVFF-3/4	3/4NPT		

		Butterfly Handle Nickel Plated Brass Ball Valve (Male - Female)	
MODEL	Thread Size	MODEL	Thread Size
BNPBVMF-1/4	1/4NPT	BNPBVMF-G1/4	G1/4
BNPBVMF-3/8	3/8NPT	BNPBVMF-G3/8	G3/8
BNPBVMF-1/2	1/2NPT	BNPBVMF-G1/2	G1/2
BNPBVMF-3/4	3/4NPT		

		Butterfly Handle Nickel Plated Brass Ball Valve (Female - Female)	
MODEL	Thread Size	MODEL	Thread Size
BNPBVFF-1/4	1/4NPT	BNPBVFF-G1/4	G1/4
BNPBVFF-3/8	3/8NPT	BNPBVFF-G3/8	G3/8
BNPBVFF-1/2	1/2NPT	BNPBVFF-G1/2	G1/2
BNPBVFF-3/4	3/4NPT		

Air Brake Parts - CA93 Safety Coupling 制动快插接头

 Non Sealing - Female Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAF-02N	1/4 NPSF	CA93-86	FEMALE COUPLING - 1/4 NPSF NON-SEALING
DAF-03N	3/8 NPSF	CA93-82	FEMALE COUPLING - 3/8 NPSF NON-SEALING
DAF-04N	1/2 NPSF	CA93-87	FEMALE COUPLING - 1/2 NPSF NON-SEALING


 Non Sealing - Male Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAM-02N	1/4 NPT	CA93-83	MALE COUPLING - 1/4 NPT NON-SEALING
DAM-03N	3/8 NPT	CA93-84	MALE COUPLING - 3/8 NPT NON-SEALING
DAM-04N	1/2 NPT	CA93-85	MALE COUPLING - 1/2 NPT NON-SEALING

 Non Sealing - Male Bulkhead Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAB-G04N	1/2 BSPP	CA93-112	NON SEAL 3/8 TUBE X 1/2 BSPP MALE BULKHEAD COUPLING

 Non Sealing - Female Thread Air Brake Adapter			
MODEL	Thread Size	CROSS REFERENCE	Description
DPF-02N	1/4 NPSF	CA93-21	FEMALE ADAPTORS - 1/4 NPSF NON-SEALING
DPF-03N	3/8 NPSF	CA93-22	FEMALE ADAPTORS - 3/8 NPSF NON-SEALING
DPF-04N	1/2 NPSF	CA93-23	FEMALE ADAPTORS - 1/2 NPSF NON-SEALING

 Non Sealing - Male Thread Air Brake Adapter			
MODEL	Thread Size	CROSS REFERENCE	Description
DPM-02N	1/4 NPT	CA93-18	MALE ADAPTORS - 1/4 NPT NON-SEALING
DPM-03N	3/8 NPT	CA93-19	MALE ADAPTORS - 3/8 NPT NON-SEALING
DPM-04N	1/2 NPT	CA93-20	MALE ADAPTORS - 1/2 NPT NON-SEALING

 Non Sealing - Hose Barbed Air Brake Adapter			
MODEL	Tube Size	CROSS REFERENCE	Description
DPH-02N	1/4	CA93-29	HOSE BARB ADAPTOR - 1/4 NON-SEALING
DPH-03N	3/8	CA93-8	HOSE BARB ADAPTOR - 3/8 NON-SEALING
DPH-04N	1/2	CA93-14	HOSE BARB ADAPTOR - 1/2 NON-SEALING

 Non Sealing - Male Bulkhead Adaptor			
MODEL	Thread Size	CROSS REFERENCE	Description
DPM-04NR	1/2 BSPP	CA93-109	NON SEAL 3/8 TUBE X 1/2 BSPP MALE BULKHEAD ADAPTOR


Air Brake Parts - Air Brake Safety Couplings

 Self Sealing - Female Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAF-02	1/4 NPSF	CA93-33	FEMALE COUPLING - 1/4 NPSF SEALING
DAF-03	3/8 NPSF	CA93-34	FEMALE COUPLING - 3/8 NPSF SEALING
DAF-04	1/2 NPSF	CA93-35	FEMALE COUPLING - 1/2 NPSF SEALING

 Self Sealing - Male Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAM-02	1/4 NPT	CA93-30	MALE COUPLING - 1/4 NPT SEALING
DAM-03	3/8 NPT	CA93-31	MALE COUPLING - 3/8 NPT SEALING
DAM-04	1/2 NPT	CA93-32	MALE COUPLING - 1/2 NPT SEALING

 Self Sealing - Male Bulkhead Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DAB-G04	1/2 BSPP	CA93-117	SEALING 3/8 TUBE X 1/2 BSPP MALE BULKHEAD COUPLING

 Self Sealing - Male Bulkhead Air Brake Coupling			
MODEL	Thread Size	CROSS REFERENCE	Description
DPB-04	1/2	CA93-A420	COUPLING ADAPTOR PLATE - 1/2 PORTS

 Self Sealing - Female Air Brake Adaptor			
MODEL	Thread Size	CROSS REFERENCE	Description
DPF-02	1/4 NPSF	CA93-88	FEMALE ADAPTORS - 1/4 NPSF SEALING
DPF-03	3/8 NPSF	CA93-89	FEMALE ADAPTORS - 3/8 NPSF SEALING
DPF-04	1/2 NPSF	CA93-90	FEMALE ADAPTORS - 1/2 NPSF SEALING

 Self Sealing - Male Air Brake Adaptor			
MODEL	Thread Size	CROSS REFERENCE	Description
DPM-02	1/4 NPT	CA93-91	MALE ADAPTORS - 1/4 NPT SEALING
DPM-03	3/8 NPT	CA93-92	MALE ADAPTORS - 3/8 NPT SEALING
DPM-04	1/2 NPT	CA93-93	MALE ADAPTORS - 1/2 NPT SEALING

 Non Sealing - Dead End Adaptor			
MODEL	CROSS REFERENCE		Description
DPD	CA93-99		C/W WASHER, SPRING WASHER & NUT

DOT Air Brake SAE J844 Tubing

Markets:

- Transportation
- RV & Bus

Features:

- 100% pressure tested
- Excellent UV stability for extended tubing life
- Abrasion resistant for added protection
- Kink resistant, allowing for less downtime due to kinking failure
- Available in more than ten colors for quick identification of lines
- Reduced manufacturing and labor costs due to harness and preformed bundle options
- Tubing maintains extended dimensional integrity and stability for durability and increased tubing life

Applications:

- Air brake lines

Certifications/Compliance:

- Meets SAE Specification J844
- Meets DOT FMVSS 49CFR 571.106


Technical Specifications:

- Material:
 - Type A - Single-wall extruded Nylon (polyamide)
 - Type B - Nylon (polyamide) core, fiber reinforcement, Nylon (polyamide) cover/sheath
- Working and burst pressures rated at 73°F (23°C)
- The wall thickness is for reference only
- Packaged on reels



DPA: Single Wall Air Brake Nylon Hose
 DPA: 单层制动尼龙管
 DDPA: Multilayer Reinforcement Air Brake Nylon
 DDPA: 多层加强制动尼龙管

DOT Air Brake Tubing Type A - Single-wall extruded Nylon (polyamide) - SAE J844 				
MODEL	OD. Size	ID. Size	Length	Description
DPA 1/8	1/8	2.0mm	200m	DOT Air Brake SAE J844 Tubing - Type A
DPA 5/32	5/32	2.3mm	200m	DOT Air Brake SAE J844 Tubing - Type A
DPA 1/4	1/4	4.3mm	200m	DOT Air Brake SAE J844 Tubing - Type A
DPA 5/16	5/16	5.9mm	100m	DOT Air Brake SAE J844 Tubing - Type A

DOT Air Brake Tubing Type B - (Nylon (polyamide) core, fiber reinforcement, Nylon (polyamide) cover/sheath 				
MODEL	OD. Size	ID. Size	Length	Description
DDPA 3/8	3/8	6.4mm	100m	DOT Air Brake SAE J844 Tubing - Type B
DDPA 1/2	1/2	9.6mm	100m	DOT Air Brake SAE J844 Tubing - Type B
DDPA 5/8	5/8	11.2mm	50m	DOT Air Brake SAE J844 Tubing - Type B
DDPA 3/4	3/4	14.4mm	50m	DOT Air Brake SAE J844 Tubing - Type B



Air Brake Parts

Air Brake Parts - Suzi Coil Hose

Plastics Suzi coil Air Brake System Tubing is manufactured from Nylon. These products are designed specifically for the transfer of air between the prime mover and semi-trailer, although other applications such as truck, trailer combinations are often used. Suzi coils are all SAE J844, helically coiled to give the desired working length, and retractable to a very short length to store out of the way when not in use. Long tail Suzi coils have a 1 metre tail for applications where the air connections are elevated 1m above the chassis.

* custom sizes, lengths, colours and styles available on request

Suzi Coil (SAE J844 Nylon Hose)

Working Pressure: 150psi

Operating Temperature: • -20 C to +93 C
Colour: 1 x Red coil and 1 x Blue coil
Standards: SAE J844 Type B - Reinforced

Note:

1. Recommended safety factor of 4:1 at 25°C. Suzi Coils are supplied with fittings and springs.
2. Manufactured using heat and light stabilised Nylon.

Suzi Coil 1/2" OD Long Tail (2pcs SAE J844 Air Brake Type B Nylon Tube)



MODEL	Hose O.D.	Ends Size	Fittings	Length	Per Set / Color	Description
SUCL-B 1/2-1/4NPT-RBU	1/2	1/4NPT	Brass	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-B 1/2-3/8NPT-RBU	1/2	3/8NPT	Brass	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-B 1/2-1/2NPT-RBU	1/2	1/2NPT	Brass	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-B 1/2-1/2NPT-RBUBK	1/2	1/4NPT	Brass	5M Long Tail	Red + Blue+Black	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-S 1/2-1/4NPT-RBU	1/2	1/4NPT	Steel	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-S 1/2-3/8NPT-RBU	1/2	3/8NPT	Steel	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-S 1/2-1/2NPT-RBU	1/2	1/2NPT	Steel	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-B 1/2-M16-RBU	1/2	M16*1.5	Brass	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose
SUCL-B 1/2-M22-RBU	1/2	M22*1.5	Brass	5M Long Tail	Red + Blue	Suzi Coil Hose Long Tail 2pcs Hose

Chromed Steel Heavy Duty Pogo Stick



Air Brake Parts


Air Brake Parts - Suzi Coil Hose

Suzi Coil 1/2" OD Short Tail (2pcs SAE J844 Air Brake Type B Nylon Tube)



MODEL	Hose O.D.	End Size	End Material	Length	Per Set / Color	Description
SUC-B 1/2-1/4NPT-RBU	1/2	1/4NPT	Brass	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-B 1/2-3/8NPT-RBU	1/2	3/8NPT	Brass	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-B 1/2-1/2NPT-RBU	1/2	1/2NPT	Brass	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-B 1/2-1/2NPT-RBUBK	1/2	1/4NPT	Brass	4M Short Tail	Red + Blue+Black	Suzi Coil Hose Short Tail 2pcs Hose
SUC-S 1/2-1/4NPT-RBU	1/2	1/4NPT	Steel	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-S 1/2-3/8NPT-RBU	1/2	3/8NPT	Steel	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-S 1/2-1/2NPT-RBU	1/2	1/2NPT	Steel	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-B 1/2-M16-RBU	1/2	M16*1.5	Brass	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose
SUC-B 1/2-M22-RBU	1/2	M22*1.5	Brass	4M Short Tail	Red + Blue	Suzi Coil Hose Short Tail 2pcs Hose

Truck / Trailer Air Brake System Parts



www.china-pace.com

USA Type Quick Coupler

INDUSTRIAL TYPE [MILTON TYPE]

FEATURES

- Accepts 1/4 INDUSTRIAL Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40° F ~225° F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop



Model	Size
PU1-2SF	1/4" NPT FEMALE THREAD
PU1-3SF	3/8" NPT FEMALE THREAD



Model	Size
PU1-2PF	1/4" NPT FEMALE THREAD
PU1-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU3-2SF	1/4" NPT FEMALE THREAD
PU3-3SF	3/8" NPT FEMALE THREAD



Model	Size
PU3-2PF	1/4" NPT FEMALE THREAD
PU3-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU1-2SH	1/4" HOSE BARB
PU1-3SH	3/8" HOSE BARB



Model	Size
PU1-2PH	1/4" HOSE BARB
PU1-3PH	3/8" HOSE BARB



Model	Size
PU3-2SH	1/4" HOSE BARB
PU3-3SH	3/8" HOSE BARB



Model	Size
PU3-2PH	1/4" HOSE BARB
PU3-3PH	3/8" HOSE BARB



Model	Size
PU1-2SM	1/4" NPT MALE THREAD
PU1-3SM	3/8" NPT MALE THREAD



Model	Size
PU1-2PM	1/4" NPT MALE THREAD
PU1-3PM	3/8" NPT MALE THREAD



Model	Size
PU3-2SM	1/4" NPT MALE THREAD
PU3-3SM	3/8" NPT MALE THREAD



Model	Size
PU3-2PM	1/4" NPT MALE THREAD
PU3-3PM	3/8" NPT MALE THREAD

USA Type Quick Coupler

AUTOMOTIVE TYPE [TRUFLATE TYPE]

FEATURES

- Accepts 1/4 AUTOMOTIVE Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40° F ~225° F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop



Model	Size
PU4-2SF	1/4" NPT FEMALE THREAD
PU4-3SF	3/8" NPT FEMALE THREAD



Model	Size
PU4-2PF	1/4" NPT FEMALE THREAD
PU4-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU5-2SF	1/4" NPT FEMALE THREAD
PU5-3SF	3/8" NPT FEMALE THREAD



Model	Size
PU5-2PF	1/4" NPT FEMALE THREAD
PU5-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU4-2SH	1/4" HOSE BARB
PU4-3SH	3/8" HOSE BARB



Model	Size
PU4-2PH	1/4" HOSE BARB
PU4-3PH	3/8" HOSE BARB



Model	Size
PU5-2SH	1/4" HOSE BARB
PU5-3SH	3/8" HOSE BARB



Model	Size
PU5-2PH	1/4" HOSE BARB
PU5-3PH	3/8" HOSE BARB



Model	Size
PU4-2SM	1/4" NPT MALE THREAD
PU4-3SM	3/8" NPT MALE THREAD



Model	Size
PU4-2PM	1/4" NPT MALE THREAD
PU4-3PM	3/8" NPT MALE THREAD



Model	Size
PU5-2SM	1/4" NPT MALE THREAD
PU5-3SM	3/8" NPT MALE THREAD



Model	Size
PU5-2PM	1/4" NPT MALE THREAD
PU5-3PM	3/8" NPT MALE THREAD

USA Type Quick Coupler

ARO TYPE

FEATURES

- Accepts 1/4 ARO Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop

★ ONE TOUCH TYPE (PU11 Series)



Model	Size
PU11-2SF	1/4" NPT FEMALE THREAD
PU11-3SF	3/8" NPT FEMALE THREAD



Model	Size
PU11-2PF	1/4" NPT FEMALE THREAD
PU11-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU11-2SH	1/4" HOSE BARB
PU11-3SH	3/8" HOSE BARB



Model	Size
PU11-2PH	1/4" HOSE BARB
PU11-3PH	3/8" HOSE BARB



Model	Size
PU11-2SM	1/4" NPT MALE THREAD
PU11-3SM	3/8" NPT MALE THREAD



Model	Size
PU11-2PM	1/4" NPT MALE THREAD
PU11-3PM	3/8" NPT MALE THREAD



Model	Size
PU6-2SF	1/4" NPT FEMALE THREAD
PU6-2SF	3/8" NPT FEMALE THREAD



Model	Size
PU6-2PF	1/4" NPT FEMALE THREAD
PU6-3PF	3/8" NPT FEMALE THREAD



Model	Size
PU6-2SH	1/4" HOSE BARB
PU6-3SH	3/8" HOSE BARB



Model	Size
PU6-2PH	1/4" HOSE BARB
PU6-3PH	3/8" HOSE BARB



Model	Size
PU6-2SM	1/4" NPT MALE THREAD
PU6-3SM	3/8" NPT MALE THREAD



Model	Size
PU6-2PM	1/4" NPT MALE THREAD
PU6-3PM	3/8" NPT MALE THREAD

★ TWO TOUCH TYPE (PU6 Series)

Europe Type Quick Coupler

UNIVERSAL TYPE

FEATURES

- Accepts 1/4 UNIVERSAL Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop



P/N	Size
PE1-2SF	1/4" BSP
PE1-3SF	3/8" BSP
PE1-4SF	1/2" BSP



P/N	Size
PE1-2PF	1/4" BSP
PE1-3PF	3/8" BSP
PE1-4PF	1/2" BSP



Model	Size
PE1-2SR	Φ6×12
PE1-3SR	Φ8×15



Model	Size
PE1-2PR	Φ6×12
PE1-3PR	Φ8×15



P/N	Size
PE1-2SH	Φ6.35
PE1-3SH	Φ8
PE1-4SH	Φ10



P/N	Size
PE1-2PH	Φ6.35
PE1-3PH	Φ8
PE1-4PH	Φ10



P/N	Size
PE1-1SP	Φ4×6
PE1-2SP	Φ5×8
PE1-3SP	Φ6.5×10
PE1-4SP	Φ8×12



P/N	Size
PE1-1PP	Φ4×6
PE1-2PP	Φ5×8
PE1-3PP	Φ6.5×10
PE1-4PP	Φ8×12



P/N	Size
PE1-2SM	1/4" BSP
PE1-3SM	3/8" BSP
PE1-4SM	1/2" BSP



P/N	Size
PE1-2PM	1/4" BSP
PE1-3PM	3/8" BSP
PE1-4PM	1/2" BSP

Europe Type Quick Coupler

UNIVERSAL TYPE

FEATURES

- Accepts 1/4 UNIVERSAL Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop



P/N	Size
PE2-2SF	1/4" BSP
PE2-3SF	3/8" BSP
PE2-4SF	1/2" BSP



P/N	Size
PE2-2PF	1/4" BSP
PE2-3PF	3/8" BSP
PE2-4PF	1/2" BSP



P/N	Size
PE2-2SR	Φ6×12
PE2-3SR	Φ8×15



P/N	Size
PE2-2PR	Φ6×12
PE2-3PR	Φ8×15



P/N	Size
PE2-2SH	Φ6.35
PE2-3SH	Φ8
PE2-4SH	Φ10



P/N	Size
PE2-2PH	Φ6.35
PE2-3PH	Φ8
PE2-4PH	Φ10



P/N	Size
PE2-1SP	Φ4×6
PE2-2SP	Φ5×8
PE2-3SP	Φ6.5×10
PE2-4SP	Φ8×12



P/N	Size
PE2-1PP	Φ4×6
PE2-2PP	Φ5×8
PE2-3PP	Φ6.5×10
PE2-4PP	Φ8×12



P/N	Size
PE2-2SM	1/4" BSP
PE2-3SM	3/8" BSP
PE2-4SM	1/2" BSP



P/N	Size
PE2-2PM	1/4" BSP
PE2-3PM	3/8" BSP
PE2-4PM	1/2" BSP

Europe Type Quick Coupler

GERMAN AND UK (PCL) TYPE

FEATURES

- Accepts 1/4 GERMAN AND UK (PCL) Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop

★ GERMAN TYPE (PE4 Series)



P/N	Size
PE4-2SF	1/4" BSP
PE4-3SF	3/8" BSP
PE4-4SF	1/2" BSP



P/N	Size
PE4-2PF	1/4" BSP
PE4-3PF	3/8" BSP
PE4-4PF	1/2" BSP



P/N	Size
PE4-2SH	Φ6.35
PE4-3SH	Φ8
PE4-4SH	Φ10



P/N	Size
PE4-2PH	Φ6.35
PE4-3PH	Φ8
PE4-4PH	Φ10



P/N	Size
PE4-2SM	1/4" BSP
PE4-3SM	3/8" BSP
PE4-4SM	1/2" BSP



P/N	Size
PE4-2PM	1/4" BSP
PE4-3PM	3/8" BSP
PE4-4PM	1/2" BSP



P/N	Size
PE6-2SF	1/4" BSP
PE6-3SF	3/8" BSP
PE6-4SF	1/2" BSP



P/N	Size
PE6-2PF	1/4" BSP
PE6-3PF	3/8" BSP
PE6-4PF	1/2" BSP



P/N	Size
PE6-2SH	Φ6.35
PE6-3SH	Φ8
PE6-4SH	Φ10



P/N	Size
PE6-2PH	Φ6.35
PE6-3PH	Φ8
PE6-4PH	Φ10



P/N	Size
PE6-2SM	1/4" BSP
PE6-3SM	3/8" BSP
PE6-4SM	1/2" BSP



P/N	Size
PE6-2PM	1/4" BSP
PE6-3PM	3/8" BSP
PE6-4PM	1/2" BSP

Japan Type Quick Coupler

NITTO TYPE [ONE TOUCH]

FEATURES

- Accepts 1/4 NITTO Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop



P/N	Size
22SN	Φ5×8
23SN	Φ6.5×10
24SN	Φ8×12



P/N	Size
20PN	Φ5×8
30PN	Φ6.5×10
40PN	Φ8×12



P/N	Size
22SM	1/4" BSP
23SM	3/8" BSP
24SM	1/2" BSP



P/N	Size
20PM	1/4" BSP
30PM	3/8" BSP
40PM	1/2" BSP



P/N	Size
22SF	1/4" BSP
23SF	3/8" BSP
24SF	1/2" BSP



P/N	Size
20PF	1/4" BSP
30PF	3/8" BSP
40PF	1/2" BSP



P/N	Size
22SP	Φ5×8
23SP	Φ6.5×10
24SP	Φ8×12



P/N	Size
20PP	Φ5×8
30PP	Φ6.5×10
40PP	Φ8×12



P/N	Size
22SH	Φ9
23SH	Φ11
24SH	Φ14.6



P/N	Size
20PH	Φ9
30PH	Φ11
40PH	Φ14.6

Japan Type Quick Coupler

NITTO TYPE [TWO TOUCH]

FEATURES

- Accepts 1/4 NITTO Type plugs
- Heavy-duty,high-quality design
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball-locjing mechanism

SPECIFICATIONS

- Maximum Working Pressure: 150 PSI
- Temperature Range: -40 °F ~225 °F (-20 °C~107°C)
- Air Flow: 35 SCFM at 100 PSIG inlet with 10 PSIG pressure drop

★ BIG BODY



P/N	Size
20SN	Φ5×8
30SN	Φ6.5×10
40SN	Φ8×12



P/N	Size
20SM	1/4" BSP
30SM	3/8" BSP
40SM	1/2" BSP



P/N	Size
20SN-SZ	Φ5×8
30SN-SZ	Φ6.5×10
40SN-SZ	Φ8×12



P/N	Size
20SM-SZ	1/4" BSP
30SM-SZ	3/8" BSP
40SM-SZ	1/2" BSP



P/N	Size
20SF	1/4" BSP
30SF	3/8" BSP
40SF	1/2" BSP



P/N	Size
20SP	Φ5×8
30SP	Φ6.5×10
40SP	Φ8×12



P/N	Size
20SF-SZ	1/4" BSP
30SF-SZ	3/8" BSP
40SF-SZ	1/2" BSP



P/N	Size
20SP-SZ	Φ5×8
30SP-SZ	Φ6.5×10
40SP-SZ	Φ8×12



P/N	Size
20SH	Φ9
30SH	Φ11
40SH	Φ14.6



P/N	Size
20SH-SZ	Φ9
30SH-SZ	Φ11
40SH-SZ	Φ14.6

NITTO TYPE [COUPLER W/ALUMINUM SOCKET]






P/N	Size	P/N	Size	P/N	Size	P/N	Size
PJV-1-2	1/4"	PJV-2-2	1/4"	PJV-3-2	1/4"	PJV-4-2	1/4"
PJV-1-3	3/8"	PJV-2-3	3/8"	PJV-3-3	3/8"	PJV-4-3	3/8"
PJV-1-4	1/2"	PJV-2-4	1/2"	PJV-3-4	1/2"	PJV-4-4	1/2"

Air Blow Gun

★Air Blow Gun

		
ABG-01	ABG-01A	ABG-02A
100mm Nozzle	300mm Nozzle	300mm Nozzle
		
ABG-03	ABG-03A	ABG-02
100mm Nozzle	300mm Nozzle	100mm Nozzle
		
DG-10 Series	DG-989 Series	DG-999 Series
MODEL	NOOZLE	
DG-10-1	30mm	
DG-10-2	50mm	
DG-10-3	80mm	
DG-10-1+2	30mm, 50mm	
DG-10-1+3	30mm, 80mm	
DG-10-2+3	50mm, 80mm	
DG-10-1+2+3	30mm,50mm,80mm	

Pneumatic Silencer (Brass / Plastic / Stainless Steel)

									
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
PSL 1/8	1/8	PSU 1/8	1/8	PSUK 1/8	1/8	PSE M5	M5	LM 1/4	1/4
PSL 1/4	1/4	PSU 1/4	1/4	PSUK 1/4	1/4	PSE 1/8	1/8	LM 3/8	3/8
PSL 3/8	3/8	PSU 3/8	3/8	PSUK 3/8	3/8	PSE 1/4	1/4	LM 1/2	1/2
PSL 1/2	1/2	PSU 1/2	1/2	PSUK 1/2	1/2	PSE 3/8	3/8		
		PSU 3/4	3/4	PSUK 3/4	3/4	PSE 1/2	1/2		
		PSU 1	1	PSUK 1	1	PSE 3/4	3/4		
						PSE 1	1		

									
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
BSL M5	M5	BSLM M5	M5	BESL 1/8	1/8	BESLC 1/8	1/8	BESLD 1/8	1/8
BSL 1/8	1/8	BSLM 1/8	1/8	BESL 1/4	1/4	BESLC 1/4	1/4	BESLD 1/4	1/4
BSL 1/4	1/4	BSLM 1/4	1/4	BESL 3/8	3/8	BESLC 3/8	3/8	BESLD 3/8	3/8
BSL 3/8	3/8	BSLM 3/8	3/8	BESL 1/2	1/2	BESLC 1/2	1/2	BESLD 1/2	1/2
BSL 1/2	1/2	BSLM 1/2	1/2	BESL 3/4	3/4	BESLC 3/4	3/4	BESLD 3/4	3/4
BSL 3/4	3/4	BSLM 3/4	3/4	BESL 1	1	BESLC 1	1	BESLD 1	1
BSL 1	1	BSLM 1	1						
BSL 1-1/4	1-1/4	BSLM 1-1/4	1-1/4						
BSL 1-1/2	1-1/2	BSLM 1-1/2	1-1/2						
BSL 2	2	BSLM 2	2						

									
MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size	MODEL	Thread Size
BSLD 1/8	1/8	BSLE 1/8	1/8	SSLT M5	M5	SSLY M5	M5	SSLM M5	M5
BSLD 1/4	1/4	BSLE 1/4	1/4	SSLT 1/8	1/8	SSLY 1/8	1/8	SSLM 1/8	1/8
BSLD 3/8	3/8	BSLE 3/8	3/8	SSLT 1/4	1/4	SSLY 1/4	1/4	SSLM 1/4	1/4
BSLD 1/2	1/2	BSLE 1/2	1/2	SSLT 3/8	3/8	SSLY 3/8	3/8	SSLM 3/8	3/8
BSLD 3/4	3/4	BSLE 3/4	3/4	SSLT 1/2	1/2	SSLY 1/2	1/2	SSLM 1/2	1/2
BSLD 1	1	BSLE 1	1	SSLT 3/4	3/4	SSLY 3/4	3/4	SSLM 3/4	3/4
				SSLT 1	1	SSLY 1	1	SSLM 1	1
				SSLT 1-1/4	1-1/4	SSLY 1-1/4	1-1/4	SSLM 1-1/4	1-1/4
				SSLT 1-1/2	1-1/2	SSLY 1-1/2	1-1/2	SSLM 1-1/2	1-1/2
				SSLT 2	2	SSLY 2	2	SSLM 2	2

							
MODEL	Thread Size	MODEL	Thread Size				
SSDV M5	M5	SSLL L5	M5				
SSDV 1/8	1/8	SSLL 1/8	1/8				
SSDV 1/4	1/4	SSLL 1/4	1/4				
SSDV 3/8	3/8	SSLL 3/8	3/8				
SSDV 1/2	1/2	SSLL 1/2	1/2				
SSDV 3/4	3/4	SSLL 3/4	3/4				
SSDV 1	1	SSLL 1	1				
SSDV 1-1/4	1-1/4	SSLL 1-1/4	1-1/4				
SSDV 1-1/2	1-1/2	SSLL 1-1/2	1-1/2				
SSDV 2	2	SSLL 2	2				

Polyurethane Tubing / PU Tubing


Product Description

1. Material: PU tubing / PU(polyurethane tubing) And Nylon tubing / PA tubing
2. Function; industry robot,pneumatic tools,centralized lubrication,air tools,automobile manufacture,etc.
3. excellent performance of resistance against high-pressure,vibration,wear,corrosion and bending
4. the diameter size within the high-precision control which is suitable for a variety of joint.
5. multiple colors for your selection;red,orange,yellow,black,blue,green,nature,transparent ,etc.
6. excellent flexibility,the bevelling radius is small,the operating temp and the working pressure scope is wide
7. Good quality and durability.

Manufactured 100% higher pure PU polyurethane raw materials, make products to guarantee with PU material characteristic of flexibility, non-toxic, harmless to the human body. Has excellent flexibility, high pressure resistance, resistance to wear and tear, resistant to twists and turns, a high elastic recovery memory effect, can be 100% incineration ash, is approved by the environmental protection product.

Product Characteristic

1. Has excellent flexibility,the bevelling radius is small.
 2. Good anti-knocking property.
 3. The nature is light.
 4. The operating temperature and the working pressure scope is wide.
 5. Has the excellent chemical properties,the pressu loss is minimum..Degree of hardness is constant,the sercice life is long.
 - 6.Non-toxic,tasteless.
 - 7.Custom-made color is doable, easy pipeline recognition.
 - 8.Conform to the ROHS environmental protection requirement. Product Use:
 - 9.Industry robot,pneumatic tool,assemblt plant air pressure tool.
 - 10.The duct with pressure.
 - 11.Transport water and other liquid.
 - 12.May be used as the vacuum sucker.
 - 13.Metal and electronic products protection coat. Ornament(for example handle and so on).
- Specifications:
- 14.Material: Polyurethane
 - 15.Fluid: air, water
 - 16.Operating Temp: -20℃——+60℃ Tube O.D.: 3mm——8mm O.D. Toletance: +0.10 -0.10 Tube O.D: 10mm——14mm O.D. Toletance: +0.15 -0.15



Metric (mm) PU Straight Tubing 公制PU直管

MODEL	Hose O.D.	Hose I.D.	Length/Roll	Description
PU0320	3mm	2mm	200m	PU Air Straight Tubing
PU0425	4mm	2.5mm	200m	PU Air Straight Tubing
PU0640	6mm	4mm	200m	PU Air Straight Tubing
PU0850	8mm	5mm	100m	PU Air Straight Tubing
PU0855	8mm	5.5mm	100m	PU Air Straight Tubing
PU0860	8mm	6mm	100m	PU Air Straight Tubing
PU1065	10mm	6.5mm	100m	PU Air Straight Tubing
PU1080	10mm	8mm	100m	PU Air Straight Tubing
PU1280	12mm	8mm	100m	PU Air Straight Tubing
PU1210	12mm	10mm	100m	PU Air Straight Tubing
PU1410	14mm	10mm	100m	PU Air Straight Tubing
PU1612	16mm	12mm	100m	PU Air Straight Tubing
PU1613	16mm	13mm	100m	PU Air Straight Tubing

Inch PU Straight Tubing 英制PU直管

MODEL	Hose O.D.	Hose I.D.	Length/Roll	Description
PU1/8-I	1/8	2mm	200m	PU Air Straight Tubing
PU3/16-I	3/16	3.2mm	200m	PU Air Straight Tubing
PU5/32-I	5/32	2.5mm	200m	PU Air Straight Tubing
PU1/4-I	1/4	4.23mm	200m	PU Air Straight Tubing
PU5/16-I	5/16	5mm	100m	PU Air Straight Tubing
PU3/8-I	3/8	6.35mm	100m	PU Air Straight Tubing
PU1/2-I	1/2	8.46mm	100m	PU Air Straight Tubing
PU5/8-I	5/8	12mm	100m	PU Air Straight Tubing

PU Spiral Hose, Polyurethanes PU Air Coil

Spiral Coil Series PU Tube
 Materials
 Polyurethane (PU)
 Fluid
 Air / Water
 Bursting pressure(20°C)
 2.0MPa
 Operating pressure
 0.8MPa
 Operating temperature
 -20°C- +60°C

PU Spiral Hose, Polyurethanes PU Air Coil Tubing
 Has excellent softness, small bending radius, good shock resistance, light weight, wide range of working temperature and working pressure. Have excellent chemical performance, little pressure loss, constant hardness, long service life.
 Product Characteristic: 1.Has excellent flexibility,the bevelling radius is small. 2.Good anti-knocking property. 3.The nature is light. 4.The operating temperature and the working pressure scope is wide. 5.Has the excellent chemical properties,the pressure loss is minimum. 6.Degree of hardness is constant,the sercice life is long. 7.Non-toxic,tasteless. 8.Custom-made color is doable,easy pipeline recognition. Conform to the ROHS environmental protection requirement. 9.Good elastcity,it's easy to operate,saves the space. 10.Absorbing impact and reduces the pipeline to rub. 11.Custom-made specification and size are doable.

Metric tube PU Coil Hose 公制 (mm)PU弹簧管


MODEL	Hose O.D.	Hose I.D.	Length/pcs	Description
PUC6-2	6mm	4mm	2m	PU Air Coil Hose
PUC6-4	6mm	4mm	4m	PU Air Coil Hose
PUC6-6	6mm	4mm	6m	PU Air Coil Hose
PUC6-8	6mm	4mm	8m	PU Air Coil Hose
PUC6-10	6mm	4mm	10m	PU Air Coil Hose
PUC6-15	6mm	4mm	15m	PU Air Coil Hose
PUC6-20	6mm	4mm	20m	PU Air Coil Hose
PUC8-2	8mm	5mm	2m	PU Air Coil Hose
PUC8-4	8mm	5mm	4m	PU Air Coil Hose
PUC8-6	8mm	5mm	6m	PU Air Coil Hose
PUC8-8	8mm	5mm	8m	PU Air Coil Hose
PUC8-10	8mm	5mm	10m	PU Air Coil Hose
PUC8-15	8mm	5mm	15m	PU Air Coil Hose
PUC8-20	8mm	5mm	20m	PU Air Coil Hose
PUC10-2	10mm	6.5mm	2m	PU Air Coil Hose
PUC10-4	10mm	6.5mm	4m	PU Air Coil Hose
PUC10-6	10mm	6.5mm	6m	PU Air Coil Hose
PUC10-8	10mm	6.5mm	8m	PU Air Coil Hose
PUC10-10	10mm	6.5mm	10m	PU Air Coil Hose
PUC10-15	10mm	6.5mm	15m	PU Air Coil Hose
PUC10-20	10mm	6.5mm	20m	PU Air Coil Hose
PUC12-2	12mm	8mm	2m	PU Air Coil Hose
PUC12-4	12mm	8mm	4m	PU Air Coil Hose
PUC12-6	12mm	8mm	6m	PU Air Coil Hose
PUC12-8	12mm	8mm	8m	PU Air Coil Hose
PUC12-10	12mm	8mm	10m	PU Air Coil Hose
PUC12-15	12mm	8mm	15m	PU Air Coil Hose
PUC12-20	12mm	8mm	20m	PU Air Coil Hose



Inch tube PU Coil Hose 英制PU弹簧管

MODEL	Hose O.D.	Hose I.D.	Length/pcs	Description
PUC1/4-10FT	1/4	4.23mm	10FT	Inch PU Air Coil Tubing
PUC1/4-15FT	1/4	4.23mm	15FT	Inch PU Air Coil Tubing
PUC1/4-20FT	1/4	4.23mm	20FT	Inch PU Air Coil Tubing
PUC1/4-25FT	1/4	4.23mm	25FT	Inch PU Air Coil Tubing
PUC1/4-30FT	1/4	4.23mm	30FT	Inch PU Air Coil Tubing
PUC5/16-10FT	5/16	5mm	10FT	Inch PU Air Coil Tubing
PUC5/16-15FT	5/16	5mm	15FT	Inch PU Air Coil Tubing
PUC5/16-20FT	5/16	5mm	20FT	Inch PU Air Coil Tubing
PUC5/16-25FT	5/16	5mm	25FT	Inch PU Air Coil Tubing
PUC5/16-30FT	5/16	5mm	30FT	Inch PU Air Coil Tubing
PUC3/8-10FT	3/8	6.35mm	10FT	Inch PU Air Coil Tubing
PUC3/8-15FT	3/8	6.35mm	15FT	Inch PU Air Coil Tubing
PUC3/8-20FT	3/8	6.35mm	20FT	Inch PU Air Coil Tubing
PUC3/8-25FT	3/8	6.35mm	25FT	Inch PU Air Coil Tubing
PUC3/8-30FT	3/8	6.35mm	30FT	Inch PU Air Coil Tubing
PUC1/2-10FT	1/2	8.46mm	10FT	Inch PU Air Coil Tubing
PUC1/2-15FT	1/2	8.46mm	15FT	Inch PU Air Coil Tubing
PUC1/2-20FT	1/2	8.46mm	20FT	Inch PU Air Coil Tubing
PUC1/2-25FT	1/2	8.46mm	25FT	Inch PU Air Coil Tubing
PUC1/2-30FT	1/2	8.46mm	30FT	Inch PU Air Coil Tubing

PU Coil Hose with different Fittings / Coupling / Adapter



Nylon Hose

Product Characteristic:

- 1.Bears mant kinds of chemical substances erode.
- 2.Good wearability.
- 3.The surface is smooth,the size is stable.
- 4.The penetration coefficieent is small,can precent to rust and silts up.
- 5.The resistance is enprmous,may see as insulator.
- 6.The service life is very long,even several dozens years. The heat resistance is good,may work under enviroment—40℃— +100℃.
- 7.The joint type with can machth:sleeve chuck type,the bamboo nobe type,the with hold type and the quick insert type.
- 8.Many colors for choice,for easy pipeline recognition.
- 9.Conform to the ROHS environmental protection requirement. Product Use:
- 10.Transport compressed air,water,bunker oil,chemistry solvent, liquid state food and so on.
- 11.Being used for automobile,engine,other project transportation and loading machinery.

Specifications:

Material: Polyamide 6, Polyamide 12,

Fluid: air, water

Burst pressure(20℃): 60.0bar 15. Operation Pressure: 45kgf/cm2

Operating Temp: -20℃——+100℃

Tube O.D.: 3mm——5mm O.D. Tolerance: +0.05 -0.08 Tube O.D.: 6mm——16mm O.D. Tolerance: +0.05 -0.10

In addition: Each volume 100m, Each volume 200m

PA0604-I-Y

Y - Yellow Color

BK - Black Color

BU - Blue Color

R - Red Color

W - White Color

G - Green Color

T - Transpacency

I means Inch Tube (Imperial Tube)

I 表示英制

Blank means Metric Tube (mm)

空白表示公制

Tube Inner Diameter, 4mm

软管内径, 4mm

Tube Outer Diameter, 6mm

软管外径, 6mm

Model Type, PA means Nylon (Polyamide) Straight Tubing

PA 意思是尼龙 (聚酰胺) 直管




Metric (mm) PA (Nylon) Straight Tubing 公制尼龙直管

MODEL	Hose O.D.	Hose I.D.	Length/Roll	Description
PA0420	4mm	2.0mm	200m	Nylon Tubing
PA0640	6mm	4mm	200m	Nylon Tubing
PA0860	8mm	6mm	100m	Nylon Tubing
PA1075	10mm	7.5mm	100m	Nylon Tubing
PA1210	12mm	10mm	100m	Nylon Tubing
PA1411	14mm	11mm	100m	Nylon Tubing
PA1612	16mm	12mm	100m	Nylon Tubing
PA1613	16mm	13mm	100m	Nylon Tubing

Inch PA (Nylon) Straight Tubing 英制尼龙直管

MODEL	Hose O.D.	Hose I.D.	Length/Roll	Description
PA1/4-I	1/4	4.59mm	200m	Inch Nylon Tubing
PA5/16-I	5/16	6mm	200m	Inch Nylon Tubing
PA3/8-I	3/8	6.5mm	100m	Inch Nylon Tubing
PA1/2-I	1/2	9.6mm	100m	Inch Nylon Tubing
PA5/8-I	5/8	13mm	100m	Inch Nylon Tubing

Plastic Tube Cutter 塑料气管剪 (3mm - 16mm)



Metal Tube Cutter 金属气管剪 (3mm - 25mm)

